

Official Journal

of the European Communities

ISSN 0378-6978

L 155

Volume 24

13 June 1981

English edition

Legislation

Contents

I *Acts whose publication is obligatory*

- ★ Council Regulation (EEC) No 1533/81 of 19 May 1981 temporarily suspending the autonomous Common Customs Tariff duties on certain industrial products 1
-

II *Acts whose publication is not obligatory*

Council

81/407/EEC:

- ★ Council Decision of 12 May 1981 on the signing of the Protocols, 1981, for the sixth extension of the Wheat Trade Convention, 1971, and for the first extension of the Food Aid Convention, 1980, constituting the International Wheat Agreement, 1971, and the deposit of a declaration of provisional application of the said Protocols 24
- 1981 Protocols for the sixth extension of the Wheat Trade Convention, 1971, and the first extension of the Food Aid Convention, 1980, constituting the International Wheat Agreement, 1971 25
- Declaration of provisional application of the Protocols, 1981, for the sixth extension of the Wheat Trade Convention, 1971, and for the first extension of the Food Aid Convention, 1980, constituting the International Wheat Agreement, 1971 30

I

(Acts whose publication is obligatory)

COUNCIL REGULATION (EEC) No 1533/81**of 19 May 1981****temporarily suspending the autonomous Common Customs Tariff duties on certain industrial products**

THE COUNCIL OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community, and in particular Article 28 thereof,

Having regard to the draft Regulation submitted by the Commission,

Whereas production of the products referred to in this Regulation is at present inadequate or non-existent within the Community and producers are thus unable to meet the needs of user industries in the Community;

Whereas it is in the Community's interest to suspend the autonomous Common Customs Tariff duties only partially in certain cases, due particularly to the existence of Community production, and to suspend them completely in other cases;

Whereas, taking account of the difficulties involved in accurately assessing the development of the economic situation in the sectors concerned in the near future,

these suspension measures should be taken only temporarily with their term of validity fixed to coincide with the interests of Community production,

HAS ADOPTED THIS REGULATION:

Article 1

The autonomous Common Customs Tariff duties for the products listed in the tables annexed to this Regulation shall be suspended at the level indicated in respect of each of them.

These suspensions shall be valid:

- from 1 July to 31 December 1981 for the products listed in Table I,
- from 1 July 1981 to 30 June 1982 for the products listed in Table II.

Article 2

This Regulation shall enter into force on 1 July 1981.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 19 May 1981.

For the Council

The President

D. F. van der MEI

ANNEX

TABLE I

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.04 A III a)	2-Methylpropan-2-ol (<i>tert</i> -butyl alcohol) with a purity of not less than 90 % but not more than 96 % by weight	0
ex 29.08 A III c)	2-Bromo-6-methoxynaphthalene	0
ex 29.11 C II	A mixture of 3- <i>o</i> -cumenyl-2-methylpropionaldehyde and 3- <i>p</i> -cumenyl-2-methylpropionaldehyde (cyclamen aldehyde)	0
ex 29.16 A II	<i>L</i> -Malic acid and its salts and esters	0
ex 29.19 C	2,2-Bis(chloromethyl) trimethylene tetrakis(2-chloroethyl) bis(phosphate)	5
ex 29.19 C and ex 38.19 U	Tetrakis(2-chloroethyl) ethylene bis (phosphate)	5
ex 29.22 D I	3,5-Dichloroaniline	6.3
ex 29.23 A II	1-Deoxy-1-(octylamino)- <i>D</i> -glucitol	7.1
ex 29.25 A II	2-Acrylamido-2-methylpropanesulphonic acid	0
ex 29.25 B III b)	Bendiocarb (ISO)	0
ex 29.27	4-Bromophenylacetonitrile	0
ex 29.31 B	Biosynthetic peptide having the structure of the 'A' chain of human insulin, in the form of a salt of the <i>S</i> -sulphonate derivative	0
ex 29.31 B	4,4'-Sulphonyldiphenol, not less than 99.5 % pure	0
ex 29.34 C	Trichloronat (ISO)	0
ex 29.35 Q	Biosynthetic peptide having the structure of the 'B' chain of human insulin, in the form of a salt of the <i>S</i> -sulphonate derivative	0
ex 29.35 Q	Diazoxide (INN)	0
ex 29.35 Q	(6 <i>R</i> ,7 <i>R</i>)-7-Amino-3-(5-methyl-1,3,4-thiadiazol-2-ylthiomethyl)-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid and its salts	0
ex 29.35 Q	Tolmetin sodium (INN ^M)	0
ex 29.39 D II	Betamethasone 17,21-dipropionate (INN ^M)	0
ex 29.39 D II	Methylprednisolone (INN)	8
ex 29.39 D II	Triamcinolone hexacetonide (INN)	6.6
ex 29.39 D II	Diflorasone di (acetate) (INN ^M)	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.44 C	Cefoxitin sodium (INN)	0
ex 29.44 C	Cefradine (INN)	0
ex 29.44 C	Cefamandol (INN) and its salts and esters	0
ex 29.44 C	Cefazolin (INN) and its salts	0
ex 29.44 C	(6 <i>R</i> , 7 <i>R</i>)-7-[2-Carboxy-2-(4-hydroxyphenyl)acetamido]-7-methoxy-3-(1-methyl-1 <i>H</i> -tetrazol-5-ylthiomethyl)-8-oxo-5-oxa-1-azabicyclo[4.2.0]-oct-2-ene-2-carboxylic acid and its salts and esters	0
ex 38.03 B	Acid activated montmorillonite which, when examined by X-ray powder diffraction, shows four principal lines corresponding to crystal interplane spacing (d values) of 0.44, 0.40, 0.33 and 0.25 nm the line corresponding to 0.40 nm being the most intense, for the manufacture of self-copy paper (a)	0
38.07 A	Gum spirits of turpentine	3
38.07 B	Spirits of sulphate turpentine; crude dipentene	3
38.07 C	Spirits of wood turpentine; terpenic solvents produced by the distillation or other treatment of coniferous woods; sulphite turpentine; pine oil (excluding 'pine oils' not rich in terpineol)	3
ex 38.08 C	Rosin hydrogenated, polymerized, dimerized or oxidized	5
ex 38.19 G	Catalysts in the form of rodlets having a diameter of not less than 1.5 mm and not more than 9.5 mm, containing not less than 60 % by weight of diirontrioxide, not less than 8 % by weight of dipotassiumoxide and not less than 2 % by weight of dichromiumtrioxide, for use in the production of styrene from ethylbenzene (a)	0
ex 38.19 G	Catalysts consisting of a mixture of oxides on an silicon dioxide support and containing by weight: (a) Not less than 25 % and not more than 40 % of antimony (b) Not less than 5 % and not more than 10 % of iron (c) Not less than 0.2 % and not more than 1.5 % of molybdenum (d) Not less than 0.8 % and not more than 4.0 % of tellurium	0
ex 38.19 G	Catalysts in the form of rodlets having a length of not more than 5.0 mm and in diameter of not more than 3.6 mm consisting of copper oxide and dichromium trioxide	0
ex 38.19 G	Catalysts, in the form of granules or rings having a diameter of not less than 3 mm and more than 10 mm, consisting of silver supported on aluminium oxide, the silver content being not less than 10 % and not more than 20 % by weight	0
ex 38.19 G	Catalysts consisting of copper chloride supported on aluminium oxide for the preparation of dichloroethane from ethylene, hydrochloric acid and oxygen, with a surface area of less than 90 m ² /g (a)	0
ex 38.19 U	Dibutylmagnesium dissolved in organic solvents to a concentration of less than 28 % by weight	0
ex 38.19 U	Flame retardant reaction products of acetaldehyde, ethylene oxide and phosphorous trichloride	0
ex 39.01 C III a)	Reflecting polyester sheeting, whether or not in rolls	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 39.01 C V	Polyurethane reflecting sheeting whether or not in rolls	0
ex 39.01 C VII	<i>alpha</i> -4-Hydroxybutyl- <i>omega</i> -hydroxypoly (oxytetramethylene)	0
ex 39.02 C I b)	Transparent polyethylene film which will split longitudinally when stretched at right angles to its length, and having a density of not less than 0.925 gm/cc and yielding not less than 7 g/m ² and not more than 19 g/m ² , for the manufacture of typewriter ribbon (a)	0
ex 39.02 C VI b)	Reflecting foil of a terpolymer of vinyl chloride with styrene and an acrylic ester embossed on one side with a regular pattern on which there is a thin layer of aluminium whether or not in rolls	0
ex 39.02 C VII b)	Reflecting polyvinyl chloride sheeting wholly embossed on one side in a regular pyramidal pattern, whether or not in rolls	0
ex 39.02 C XIV a)	Terpolymer of ethylene, methyl acrylate and a monomer containing a non-terminal carboxy group as a substituent, compounded with silica	12.5
ex 39.02 C XIV a)	Alternating copolymer of ethylene and maleic anhydride for use as a thickener in textile pigment printing pastes (a)	0
ex 39.02 C XIV a)	Polymerization products of acrylic acid with small quantities of a polyunsaturated monomer for use as a thickener in textile pigment printing pastes (a)	5
ex 39.02 C XIV b)	Sheets consisting of a woven textile fabric covered on both sides with a copolymer of poly(tetrafluoroethylene) and poly[oxy(perfluoro-2-methylethylene)] with terminal carboxyl groups, whether or not in rolls	0
ex 44.28 C	Match splints manufactured from aspen (<i>Populus tremuloides</i>) for the manufacture of matches, not requiring a specific striking surface (so called 'strike-anywhere' matches) (a)	0
ex 51.01 A	Yarn of a copolymer of glycollic acid lactic acid for the manufacture of surgical sutures (a)	0
ex 51.01 A	Yarn wholly of polyglycollic acid	0
ex 51.01 A	Yarn of poly(<i>p</i> -phenyleneterephthalamide), for uses other than the manufacture of tyres (a)	2
ex 51.01 A	Yarn of poly(1,4-Dioxanone)	0
ex 51.02 A I	Monofil of poly(1,4-Dioxanone)	0
ex 56.01 A and ex 59.01 B I	Fibres of poly(<i>p</i> -phenyleneterephthalamide)	2
ex 58.07 A and ex 59.04	Braid wholly of polyglycollic acid yarn	0
ex 58.07 A and ex 59.04	Braid of yarn of a copolymer of glycollic acid and lactic acid, whether or not coated, for the manufacture of surgical sutures (a)	0
ex 59.17 A	Needle punched synthetic fibre felts on a woven synthetic fibre base coated or covered on one side with polytetrafluoroethylene film, for the manufacture of filtration products (a)	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 59.17 D	Yarn of impregnated poly(<i>p</i> -phenyleneterephthalamide), oiled	0
ex 70.20 B	Yarns of 34 tex or a multiple thereof obtained from continuous spun glass filaments having a diameter of not less than 5.2 and not more than 6.2 micrometres, other than those treated so as to improve their adhesion to elastomers	6.3
ex 70.20 B	Yarns of 33 tex or a multiple thereof obtained from continuous spun glass filaments having a diameter of not less than 5.8 and not more than 6.4 micrometres, other than those treated so as to improve their adhesion to elastomers	6.3
ex 84.18 C II b)	Apparatus, for the separation of gas from gas mixtures, of a total length of not less than 375 cm and not more than 690 cm consisting essentially of a metal cylinder, whose diameter is not less than 10.5 cm and not more than 22.5 cm, containing bundles of hollow permeable fibres	0
ex 84.55 C	Opto-electric encoder for electronic typewriters consisting of electronic circuits, a light-emitting diode (LED), a rotating disc with radial openings, a fixed mask and a single chip photovoltaic cell, contained in two plastic shells forming a housing of a size not exceeding 60 × 48 × 16 mm	0
ex 85.19 B	Potentiometers, contained in a housing whose diameter does not exceed 4.5 mm, whether or not fitted with an on/off switch, for the manufacture of products falling under tariff subheading 90.19 B I (a)	0
ex 85.21 A V	Digital displays in the form of a tube consisting of a glass housing mounted on a board whose dimensions do not exceed 350 × 300 mm excluding leads. The tube contains one or more rows of characters or lines arranged in rows, each character or line consisting of fluorescent or phosphorescent elements. These elements are mounted on a metallized base which is covered with fluorescent or phosphorescent substances which give off light when bombarded with electrons	0
ex 85.21 D II	Digital displays consisting of a printed circuit board of a size not exceeding 35 × 90 mm with a single line of digits, not less than three in number comprising light-emitting diodes manufactured from gallium-based semi-conductor compounds mounted thereon. Each digit is composed of seven segments plus a decimal point and the line of digits has a protective cover of transparent plastic	0
ex 85.21 D II	Digital displays, consisting of a printed circuit board of a size not exceeding 35 × 90 mm with a single line of characters not less than two in number comprising light-emitting diodes made from gallium-based semi-conductor compounds mounted thereon. Each character is composed of up to eight segments and the line of characters has a protective cover of transparent plastic	0
ex 85.21 D II	Electronic programmable read only memories (EPROMS) UV erasable, with a storage capacity of 32 K bits in the form of a monolithic integrated circuit contained in a housing whose exterior dimensions do not exceed 17 × 39 mm, with a quartz window on the upper surface, and bearing: — an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations: 2532 25 A 32 25 L 32 2732 or — other identification markings relating to EPROMS complying with the above-mentioned description	8.5

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)																												
ex 85.21 D II	Electronic programmable read only memories (EPROMS) UV erasable, with a storage capacity of 64 K bits in the form of a monolithic integrated circuit contained in a housing whose exterior dimensions do not exceed 17 × 39 mm, with a quartz window on the upper surface, and bearing: — an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations: 2564 68764 68 A 764 or — other identification markings relating to EPROMS complying with the abovementioned description	5																												
ex 85.21 D II	Random access memories (RAMS) with a storage capacity of 64 K bits, in the form of a monolithic integrated circuit contained in a housing whose exterior dimensions do not exceed 9 × 23 mm with 16 connecting pins, and bearing: — an identification marking either consisting of one of the following combinations of figures or including one of those combinations: 3764 4164 4864 6664 6665 8164 or — other identification markings relating to RAMS complying with the abovementioned description	5																												
ex 85.21 D II	C-MOS random access memories (RAMS of complementary MOS technology), with a storage capacity of 4 K bits, in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 11 × 31 mm with 18, 20 or 22 connecting pins, and bearing: — an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations: <table><tr><td>21 SC 14</td><td>5047</td><td>6147</td><td>8404 E</td></tr><tr><td></td><td>5104</td><td>6148</td><td>8414 E</td></tr><tr><td>4315</td><td>5114 A</td><td>6504</td><td></td></tr><tr><td>4334</td><td>5115</td><td>6514</td><td></td></tr><tr><td>4434</td><td>5504</td><td>6533</td><td></td></tr><tr><td>μ PD 444</td><td>5514</td><td>6543</td><td></td></tr><tr><td>μ PD 445 L</td><td>58981</td><td></td><td></td></tr></table> or — other identification markings relating to C-MOS RAMS complying with the abovementioned description	21 SC 14	5047	6147	8404 E		5104	6148	8414 E	4315	5114 A	6504		4334	5115	6514		4434	5504	6533		μ PD 444	5514	6543		μ PD 445 L	58981			10
21 SC 14	5047	6147	8404 E																											
	5104	6148	8414 E																											
4315	5114 A	6504																												
4334	5115	6514																												
4434	5504	6533																												
μ PD 444	5514	6543																												
μ PD 445 L	58981																													

CCT heading No	Description	Rate of autonomous duty (%)																																																																																																																					
ex 85.21 D II	Programmable, non-erasable, read only memories (PROMS) with a storage capacity of 4 K bits in the form of a monolithic integrated circuit contained in a housing whose exterior dimensions do not exceed 17 × 34 mm, with not more than 24 connecting pins, and bearing: — an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations: <table border="0"> <tbody> <tr><td>18 S 42</td><td>38510</td><td>74 S 472</td></tr> <tr><td>18 S 46</td><td></td><td>74 S 473</td></tr> <tr><td>18 SA 42</td><td>5340</td><td>74 S 474</td></tr> <tr><td>18 SA 46</td><td>5341</td><td>74 S 475</td></tr> <tr><td></td><td>5348</td><td>74 S 476</td></tr> <tr><td>24 S 41</td><td>5349</td><td>74 S 477</td></tr> <tr><td>24 SA 41</td><td>5350</td><td>74 S 572</td></tr> <tr><td></td><td>5351</td><td>74 S 573</td></tr> <tr><td>27 S 15</td><td>5352</td><td></td></tr> <tr><td>27 S 26</td><td>5353</td><td>7640</td></tr> <tr><td>27 S 27</td><td></td><td>7641</td></tr> <tr><td>27 S 28</td><td>54 S 472</td><td>7642</td></tr> <tr><td>27 S 29</td><td>54 S 473</td><td>7643</td></tr> <tr><td>27 S 30</td><td>54 S 474</td><td>7644</td></tr> <tr><td>27 S 31</td><td>54 S 475</td><td>7645</td></tr> <tr><td>27 S 32</td><td>54 S 476</td><td>7647</td></tr> <tr><td>27 S 33</td><td>54 S 477</td><td>7648</td></tr> <tr><td></td><td>54 S 572</td><td>7649</td></tr> <tr><td>28 L 42</td><td>54 S 573</td><td></td></tr> <tr><td>28 L 45</td><td>54 740</td><td>82 S 115</td></tr> <tr><td>28 P 42</td><td>54 741</td><td>82 S 136</td></tr> <tr><td>28 P 45</td><td></td><td>82 S 137</td></tr> <tr><td>28 R 45</td><td>5605</td><td>82 S 140</td></tr> <tr><td>28 S 42</td><td>5625</td><td>82 S 141</td></tr> <tr><td>28 S 45</td><td></td><td>82 S 142</td></tr> <tr><td></td><td>6340</td><td>82 S 146</td></tr> <tr><td>29620</td><td>6341</td><td>82 S 147</td></tr> <tr><td>29621</td><td>6348</td><td></td></tr> <tr><td>29622</td><td>6349</td><td>93 438</td></tr> <tr><td>29623</td><td>6350</td><td>93 448</td></tr> <tr><td>29624</td><td>6351</td><td>93 452</td></tr> <tr><td>29625</td><td>6352</td><td>93 453</td></tr> <tr><td>29626</td><td>6353</td><td></td></tr> <tr><td>29627</td><td></td><td></td></tr> <tr><td></td><td>7121</td><td></td></tr> <tr><td>3604</td><td>7122</td><td></td></tr> <tr><td>3624</td><td>7123</td><td></td></tr> <tr><td>3625</td><td>7125</td><td></td></tr> <tr><td></td><td>7126</td><td></td></tr> </tbody> </table> or — other identification markings relating to PROMS complying with the abovementioned description	18 S 42	38510	74 S 472	18 S 46		74 S 473	18 SA 42	5340	74 S 474	18 SA 46	5341	74 S 475		5348	74 S 476	24 S 41	5349	74 S 477	24 SA 41	5350	74 S 572		5351	74 S 573	27 S 15	5352		27 S 26	5353	7640	27 S 27		7641	27 S 28	54 S 472	7642	27 S 29	54 S 473	7643	27 S 30	54 S 474	7644	27 S 31	54 S 475	7645	27 S 32	54 S 476	7647	27 S 33	54 S 477	7648		54 S 572	7649	28 L 42	54 S 573		28 L 45	54 740	82 S 115	28 P 42	54 741	82 S 136	28 P 45		82 S 137	28 R 45	5605	82 S 140	28 S 42	5625	82 S 141	28 S 45		82 S 142		6340	82 S 146	29620	6341	82 S 147	29621	6348		29622	6349	93 438	29623	6350	93 448	29624	6351	93 452	29625	6352	93 453	29626	6353		29627				7121		3604	7122		3624	7123		3625	7125			7126		8.5
18 S 42	38510	74 S 472																																																																																																																					
18 S 46		74 S 473																																																																																																																					
18 SA 42	5340	74 S 474																																																																																																																					
18 SA 46	5341	74 S 475																																																																																																																					
	5348	74 S 476																																																																																																																					
24 S 41	5349	74 S 477																																																																																																																					
24 SA 41	5350	74 S 572																																																																																																																					
	5351	74 S 573																																																																																																																					
27 S 15	5352																																																																																																																						
27 S 26	5353	7640																																																																																																																					
27 S 27		7641																																																																																																																					
27 S 28	54 S 472	7642																																																																																																																					
27 S 29	54 S 473	7643																																																																																																																					
27 S 30	54 S 474	7644																																																																																																																					
27 S 31	54 S 475	7645																																																																																																																					
27 S 32	54 S 476	7647																																																																																																																					
27 S 33	54 S 477	7648																																																																																																																					
	54 S 572	7649																																																																																																																					
28 L 42	54 S 573																																																																																																																						
28 L 45	54 740	82 S 115																																																																																																																					
28 P 42	54 741	82 S 136																																																																																																																					
28 P 45		82 S 137																																																																																																																					
28 R 45	5605	82 S 140																																																																																																																					
28 S 42	5625	82 S 141																																																																																																																					
28 S 45		82 S 142																																																																																																																					
	6340	82 S 146																																																																																																																					
29620	6341	82 S 147																																																																																																																					
29621	6348																																																																																																																						
29622	6349	93 438																																																																																																																					
29623	6350	93 448																																																																																																																					
29624	6351	93 452																																																																																																																					
29625	6352	93 453																																																																																																																					
29626	6353																																																																																																																						
29627																																																																																																																							
	7121																																																																																																																						
3604	7122																																																																																																																						
3624	7123																																																																																																																						
3625	7125																																																																																																																						
	7126																																																																																																																						
ex 85.21 D II	Single-chip microcomputer in the form of a monolithic integrated circuit consisting of an 8 bit central processor, and 8 bit timer, 18 input/output gates, a read only memory (ROM) with a capacity of 8 K bits and a random access memory (RAM) with a capacity of 512 bits, contained in a housing, whose exterior dimensions are 53 × 14 mm with 40 connecting pins The package bears: — one of the following markings: D 8041 P 8041 or — other markings relating to microcomputers complying with the abovementioned description	10																																																																																																																					

CCT heading No	Description	Rate of autonomous duty (%)																																																																																																																
ex 85.21 D II	P-MOS 12/24-hour clock circuit incorporating an elapsed time facility, in the form of a monolithic integrated circuit contained in a housing whose exterior dimensions do not exceed 53 × 14 mm, with 40 connecting pins, for the manufacture of instrument panel clocks and clocks of a similar type for vehicles (a) The package bears: — the following identification marking: MM 53124 or — other identification markings relating to clock circuits complying with the abovementioned description	0																																																																																																																
ex 85.21 D II	Programmable, non-erasable, read only memories (PROMS) with a storage capacity of 8 K bits in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 17 × 34 mm, with not more than 24 connecting pins, and bearing: — an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations: <table><tr><td></td><td></td><td>74 LS 478</td><td>TBPS 81 M</td></tr><tr><td>24 S 81</td><td>29650</td><td>74 S 2708</td><td>82707</td></tr><tr><td>24 SA 81</td><td>29651</td><td>74 S 454</td><td>82708</td></tr><tr><td></td><td>29652</td><td>74 S 455</td><td>82 LS 180</td></tr><tr><td>2708-65</td><td>29653</td><td>74 S 478</td><td>82 LS 181</td></tr><tr><td></td><td></td><td>74 S 479</td><td>82 S 180</td></tr><tr><td>27 S 180</td><td>3628</td><td></td><td>82 S 181</td></tr><tr><td>27 S 181</td><td></td><td>7608</td><td>82 S 182</td></tr><tr><td></td><td>5380</td><td>7680</td><td>82 S 183</td></tr><tr><td>28 L 85</td><td>5381</td><td>7681</td><td>82 S 184</td></tr><tr><td>28 L 86</td><td>54 LS 478</td><td>7684</td><td>82 S 185</td></tr><tr><td>28 P 85</td><td>54 S 2708</td><td>7685</td><td>82 S 2708</td></tr><tr><td>28 R 85</td><td>54 S 454</td><td>7686</td><td>87 S 180</td></tr><tr><td>28 S 2708</td><td>54 S 455</td><td>7687</td><td>87 S 181</td></tr><tr><td>28 S 85</td><td>54 S 478</td><td></td><td>87 S 184</td></tr><tr><td>28 S 86</td><td>54 S 479</td><td>77 S 180</td><td>87 S 185</td></tr><tr><td>28 SA 86</td><td></td><td>77 S 181</td><td>87 S 186</td></tr><tr><td></td><td>6380</td><td>77 S 184</td><td>87 S 187</td></tr><tr><td>29630</td><td>6381</td><td>77 S 185</td><td></td></tr><tr><td>29631</td><td></td><td>77 S 186</td><td>93450</td></tr><tr><td>29632</td><td>7127</td><td>77 S 187</td><td>93451</td></tr><tr><td>29633</td><td>7128</td><td></td><td>93460</td></tr><tr><td>29634</td><td>7129</td><td></td><td>93461</td></tr><tr><td>29635</td><td>7130</td><td></td><td>93465</td></tr><tr><td>29636</td><td>7131</td><td></td><td>93466</td></tr><tr><td>29637</td><td>7132</td><td></td><td>93 L 450</td></tr><tr><td></td><td></td><td></td><td>93 L 451</td></tr><tr><td></td><td></td><td></td><td>9460</td></tr></table> or — other identification markings relating to PROMS complying with the abovementioned description			74 LS 478	TBPS 81 M	24 S 81	29650	74 S 2708	82707	24 SA 81	29651	74 S 454	82708		29652	74 S 455	82 LS 180	2708-65	29653	74 S 478	82 LS 181			74 S 479	82 S 180	27 S 180	3628		82 S 181	27 S 181		7608	82 S 182		5380	7680	82 S 183	28 L 85	5381	7681	82 S 184	28 L 86	54 LS 478	7684	82 S 185	28 P 85	54 S 2708	7685	82 S 2708	28 R 85	54 S 454	7686	87 S 180	28 S 2708	54 S 455	7687	87 S 181	28 S 85	54 S 478		87 S 184	28 S 86	54 S 479	77 S 180	87 S 185	28 SA 86		77 S 181	87 S 186		6380	77 S 184	87 S 187	29630	6381	77 S 185		29631		77 S 186	93450	29632	7127	77 S 187	93451	29633	7128		93460	29634	7129		93461	29635	7130		93465	29636	7131		93466	29637	7132		93 L 450				93 L 451				9460	6
		74 LS 478	TBPS 81 M																																																																																																															
24 S 81	29650	74 S 2708	82707																																																																																																															
24 SA 81	29651	74 S 454	82708																																																																																																															
	29652	74 S 455	82 LS 180																																																																																																															
2708-65	29653	74 S 478	82 LS 181																																																																																																															
		74 S 479	82 S 180																																																																																																															
27 S 180	3628		82 S 181																																																																																																															
27 S 181		7608	82 S 182																																																																																																															
	5380	7680	82 S 183																																																																																																															
28 L 85	5381	7681	82 S 184																																																																																																															
28 L 86	54 LS 478	7684	82 S 185																																																																																																															
28 P 85	54 S 2708	7685	82 S 2708																																																																																																															
28 R 85	54 S 454	7686	87 S 180																																																																																																															
28 S 2708	54 S 455	7687	87 S 181																																																																																																															
28 S 85	54 S 478		87 S 184																																																																																																															
28 S 86	54 S 479	77 S 180	87 S 185																																																																																																															
28 SA 86		77 S 181	87 S 186																																																																																																															
	6380	77 S 184	87 S 187																																																																																																															
29630	6381	77 S 185																																																																																																																
29631		77 S 186	93450																																																																																																															
29632	7127	77 S 187	93451																																																																																																															
29633	7128		93460																																																																																																															
29634	7129		93461																																																																																																															
29635	7130		93465																																																																																																															
29636	7131		93466																																																																																																															
29637	7132		93 L 450																																																																																																															
			93 L 451																																																																																																															
			9460																																																																																																															

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 85.21 D II	Single-chip microcomputer, in the form of a monolithic integrated circuit, consisting of an arithmetical unit with a capacity of 4 bits plus a read only memory (ROM) with a capacity of not less than 18 K bits and not more than 65 K bits and a random access memory (RAM) with a capacity of not less than 512 bits and not more than 4 K bits, contained in a housing whose exterior dimensions do not exceed 16 × 54 mm with not more than 40 connecting pins The package bears: — one of the following identification markings: CD 3200 to 3299 TMC 0270 to 0279 TMC 0500 to 0599 TMC 0980 to 0989 TMC 1500 to 1599 TMC 1980 to 1999 TP 0310 to 0329 TP 0450 to 0459 TP 0480 to 0489 TP 0500 to 0599 or — other identification markings relating to microcomputers complying with the abovementioned description	0
ex 85.21 D II	Amplifier in the form of a monolithic integrated analog circuit contained in a housing whose dimensions do not exceed 3.56 × 3.56 × 1.65 mm with not more than 10 connecting pins for use in products falling within subheading 90.19 B I (a) The package bears: — one of the following identification markings: V 35 C 05 or — other identification markings relating to amplifiers complying with the abovementioned description	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

TABLE II

CCT heading No	Description	Rate of autonomous duty (%)
ex 13.03 A V	Extract of dewaxed pyrethrum	0
ex 27.13 B II	Synthetic paraffin wax having a molecular weight of not less than 460 and not more than 1 560	0
ex 28.04 B	Helium	0
ex 28.04 C III	Tellurium	0
ex 28.13 IJ	Tellurium dioxide	0
ex 28.21	Chromium dioxide	0
ex 28.31 C	Lithium hypochlorite	0
ex 28.38 C	Potassium hydrogenperoxomonosulphate	0
ex 28.40 B II	pentaCalcium hydroxide tris(orthophosphate) for use in non-ferrous metallurgy (a)	0
ex 28.42 A VI	Lithium carbonates not corresponding to the following specifications: — In the form of white powder — Containing 98.5 % or more of Li_2CO_3 and: — Less than 2 ppm of arsenic — Less than 200 ppm of calcium — Less than 200 ppm of chlorides — Less than 20 ppm of iron — Less than 150 ppm of magnesium — Less than 20 ppm of heavy metals — Less than 300 ppm of potassium — Less than 300 ppm of sodium — Less than 200 ppm of sulphates	0
28.46 A I b)	Sodium borates, anhydrous	0
ex 28.47 F	Calcium wolframate, for the manufacture of ferro-alloys or deca-ammonium 41-oxododecawolframate (ammonium paratungstate) (a)	0
ex 28.48 B III	Hydrotalcite (INN)	0
28.51 A	Deuterium, deuterium oxide (heavy water) and other compounds of deuterium; hydrogen and compounds thereof, enriched in deuterium; mixtures and solutions containing these products (Euratom)	0
ex 28.57 A	Silane (silicon hydride)	0
ex 28.57 B	Manganese nitride containing not more than 8 % of nitrogen by weight	0
ex 29.01 C I	<i>beta</i> -Pinene	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.01 D VII	Vinyltoluenes	0
ex 29.02 A I	Carbon tetrafluoride (tetrafluoromethane)	0
ex 29.02 A II b)	1,2,3-Trichloropropenes	0
ex 29.02 A III	Vinyl bromide	0
ex 29.02 A III	1,2-Dibromoethane	4
ex 29.02 A V	Bromochloromethane	0
ex 29.02 B	1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo [12.2.1.1. ^{6,9} .0 ^{2,13} .0 ^{5,10}] octadeca-7,15-diene, for use in the manufacture of polyamide (a)	0
ex 29.03 B II	Nitromethane	0
ex 29.03 B II	1-Nitropropane	0
ex 29.03 B II	2-Nitropropane	0
ex 29.03 B II	Nitroethane	0
ex 29.03 C I	Methanesulphonyl chloride	0
ex 29.04 C I	Butane-1,3-diol	0
ex 29.04 C V	2,2-Bis(bromomethyl)propanediol	0
ex 29.06 A IV	2- <i>tert</i> -Butyl-4-ethylphenol	0
ex 29.06 A IV	2-Isopropylphenol	6
ex 29.06 B V	4,4'-(2,3-Dimethyltetramethylene)dipyrocatechol, not less than 98 % pure	0
ex 29.06 B V	6,6',6''-Tri- <i>tert</i> -butyl-4,4',4''-(1-methylpropan-1-yl-3-ylidene) tri- <i>m</i> -cresol, whether or not containing toluene of crystallization	0
ex 29.06 B V	2,5-Di(<i>tert</i> -pentyl)hydroquinone	0
ex 29.08 A III c)	Bis(phenoxyphenoxy)benzene, mixed isomers	0
ex 29.08 A III c)	Sodium 4-(2-methylallyloxy)benzenesulphonate	0
ex 29.09 B	1,2-Epoxybutane	7
ex 29.13 A I	5-Methylhexan-2-one	0
ex 29.13 A I	3,3-Dimethylbutanone	0
ex 29.13 B I b)	Refined natural bornan-2-one(camphor)	0
ex 29.13 D I b)	3- <i>beta</i> -Hydroxy-16- <i>alpha</i> -methylpregn-5-en-20-one	6

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.13 D I b)	11- <i>alpha</i> ,17,21-Trihydroxy-16- <i>beta</i> -methylpregna-1,4-diene-3,20-dione	0
ex 29.13 E	4-Methoxy-4-methylpentan-2-one	0
ex 29.13 F	1,4-Naphthoquinone	0
ex 29.13 G II	1-Chloro-3,3-dimethylbutanone	0
ex 29.14 A II c) 4	16- <i>alpha</i> ,17- <i>alpha</i> -Epoxy-20-oxopregn-5-en-3- <i>beta</i> -yl acetate	6
ex 29.14 A II c) 4	11- <i>alpha</i> ,17- <i>alpha</i> ,21-Trihydroxy-16- <i>alpha</i> -methyl-5- <i>alpha</i> -pregnane-3,20-dione 21-acetate 11-(toluene-4-sulphonate)	9
ex 29.14 A II c) 4	20-Oxopregna-5,16-dien-3- <i>beta</i> -yl acetate	0
ex 29.14 A XI	2,2'-Ethylenedioxydiethyl bis(2-ethylbutyrate)	0
ex 29.14 B IV b)	Butyl perchlorocrotonate	0
29.15 A IV a)	Azelaic acid and sebacic acid	0
ex 29.15 C III	Benzene-1,2,4-tricarboxylic acid	0
ex 29.15 C III	Benzene-1,2,4, tricarboxylic acid 1,2-anhydride	0
ex 29.15 C III	Tetrachlorophthalic anhydride	0
ex 29.15 C III	Benzyl 3-isobutyryloxy-1-isopropyl-2,2-dimethylpropyl phthalate	0
ex 29.15 C III	Tetrabromophthalic anhydride	0
29.16 A III a)	Crude calcium tartrate	3.5
ex 29.16 A VIII a)	2,2-Bis(hydroxymethyl)propionic acid	0
ex 29.16 B III	2-Ethylhexyl-4-hydroxybenzoate	0
ex 29.16 B VI	Octadecyl-3-(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)propionate	0
ex 29.16 B VI	Pentaerythritol tetrakis[3-(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)propionate]	0
ex 29.16 D	Dinoprostone (INN)	0
ex 29.22 A III	<i>tert</i> -Butylamine	0
ex 29.22 B II	<i>N,N,N',N'</i> -Tetrabutylhexamethylenediamine	0
ex 29.22 E II	1,8-Naphthylenediamine	0
ex 29.22 E II	<i>m</i> -Phenylenebis(methylamine)	0
ex 29.23 A II	Dinoprost(INN), Trometamol salt (INN)	0
ex 29.23 A II	(+)-4-Dimethylamino-3-methyl-1,2-diphenylbutan-2-ol	0
ex 29.23 B II	Dobutamine (INN) and its salts	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.23 C	Ketamine hydrochloride (INN)	0
ex 29.23 D V	Tranexamic acid (INN)	0
ex 29.23 D V	<i>beta</i> -Alanine	0
ex 29.23 E	4-(2-Hydroxy-3-isopropylaminopropoxy)-2,3,6-trimethylphenyl acetate	0
ex 29.23 E	Methyldopa (INN)	0
ex 29.23 E	Diethyl 1,3-benzodioxol-5-ylaminomethylenemalonate	0
ex 29.23 E	6-Acetyl-1,3-benzodioxol-5-ylammonium chloride	0
ex 29.23 E	Levodopa (INN)	0
ex 29.25 A II	<i>N</i> -Acetyl- <i>DL</i> -valine	0
ex 29.25 A II	(3-Methacrylamidopropyl)trimethylammonium chloride	0
29.25 B II a)	Phenobarbital (INN) and its salts	11
ex 29.25 B II c)	Barbituric acid	0
ex 29.25 B III b)	2'-Benzoyl-4'-chloro- <i>N</i> -(2-hydroxypropyl)glycinanilide	0
ex 29.26 B II c)	1,1,3,3-Tetramethylguanidine	0
ex 29.27	(—)- <i>N</i> -(<i>alpha</i> -Cyano-4-hydroxy-3-methoxy- <i>alpha</i> -methylphenethyl)acetamide	0
ex 29.27	2-(3-Phenoxyphenyl)propiononitrile	0
ex 29.29	20-Hydroxyiminopregna-5,16-dien-3-yl acetate	0
ex 29.29	Carbidopa (INN)	0
ex 29.29	Robenidine hydrochloride (INN)	0
ex 29.29	<i>N,N</i> -Diethylhydroxylamine	0
ex 29.30	<i>O,O</i> -Bis(4- <i>tert</i> -butylphenyl) <i>N</i> -cyclohexylphosphoramidothioate	0
ex 29.30	Methyl isocyanate	9
ex 29.30	Methylenedicyclohexyl di-isocyanate, mixed isomers	0
ex 29.31 B	2-Methyl-2-(methylthio)propionaldehyde oxime	0
ex 29.31 B	Thiophenol	0
ex 29.31 B	Tolnaftate (INN)	0
ex 29.31 B	2,2'-Thiodiethyl bis[3-(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)propionate]	0
ex 29.34 C	Crystalline dimethyltin dichloride in the form of powder, for the production of goods falling within Chapter 70 (a)	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.34 C	2-Chloroethylphosphonic acid	7.6
ex 29.34 C	2-Diphenylphosphinobenzoic acid	0
ex 29.35 Q	2-Acetyl-1,4-butyrolactone	0
ex 29.35 Q	2-Benzotriazol-2-yl-4-(1,1,3,3-tetramethylbutyl)phenol	0
ex 29.35 Q	2-Benzotriazol-2-yl- <i>p</i> -cresol	0
ex 29.35 Q	2,6-Di- <i>tert</i> -butyl-4-[4,6-bis(octylthio)-1,3,5-triazin-2-yl-amino]phenol	0
ex 29.35 Q and ex 30.03 A II b)	Butorphanol (INN) and its salts	0
ex 29.35 Q	(—)-1- <i>tert</i> -Butylamino-3-(4-morpholino-1,2,5-thiadiazol-3-yloxy)propan-2-ol	0
ex 29.35 Q	Clotiazepam (INN)	0
ex 29.35 Q	1,4-Diazabicyclo[2.2.2]octane (triethylenediamine)	0
ex 29.35 Q	2,4-Di- <i>tert</i> -butyl-6-(5-chlorobenzotriazol-2-yl)phenol	0
ex 29.35 Q	Carpipramine dihydrochloride (INN)	0
ex 29.35 Q	2,3-Dihydro-2,2-dimethylbenzofuran-7-ol	0
ex 29.35 Q	1-Ethyl-1,4-dihydro-4-oxo[1,3]dioxolo[4,5- <i>g</i>]cinnoline-3-carbonitrile	0
ex 29.35 Q	Indometacin (INN)	0
ex 29.35 Q	Diphepanil metilsulphate (INN)	0
ex 29.35 Q	Orazamide (INN)	0
ex 29.35 Q	(25 <i>R</i>)-Spiro-5-en-3- <i>beta</i> -ol(diosgenin) and its esters	0
ex 29.35 Q	<i>L</i> -Tryptophan	0
ex 29.35 Q	4-Nitrobenzyl 7-amino-3-chloro-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylate and its salts	0
ex 29.35 Q	Azatadine dimaleate (INN)	0
ex 29.35 Q	Amprolium hydrochloride (INN)	0
ex 29.35 Q	2-(4-Pyridyl)ethanesulphonic acid	0
ex 29.35 Q	Prifinium bromide (INN)	0
ex 29.35 Q	Glucurrolactone (INN)	0
ex 29.35 Q	2-Chlorodibenz[<i>b,f</i>][1,4]oxazepin-11(10 <i>H</i>)-one	0
ex 29.35 Q	2,3,5,6-Tetrachloropyridine	0
ex 29.35 Q	Diltiazem hydrochloride (INN)	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.35 Q	(6 <i>R</i> ,7 <i>R</i>)-3-Acetoxyethyl-7-[(<i>R</i>)-2-formyloxy-2-phenylacetamido]-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid and its salts and esters	0
ex 29.35 Q and ex 30.03 A II b)	Buspirone hydrochloride (INN)	0
29.35 Q and ex 30.03 A II b)	Encainide hydrochloride (INN)	0
ex 29.35 Q	5-Bromopyrimidine	0
ex 29.36	Quinethazone (INN)	0
ex 29.36	Sulfaguanidine (INN)	0
ex 29.36	Sulfathiazole (INN)	0
ex 29.36	4-Chloro-5-sulphamoylanthranil- <i>o</i> -toluidide	0
ex 29.38 A	Nicotinic acid (INN)	0
ex 29.38 B II	Panthenol (INN)	0
ex 29.38 B III	Polic acid (INN)	0
ex 29.38 B V	Nicotinamide (INN)	0
ex 29.39 C I	Serum gonadotrophin (INN)	0
ex 29.39 E	Calcitonin (INN), salmon-type and its salts	0
ex 29.39 E	Prasterone (INN)	0
ex 29.39 E	Calcitonin (INN), porcine	0
ex 29.41 D	Purified mixture of glycosides from the fermentation of <i>Streptomyces avermitilis</i>	0
ex 29.42 C VII	Pilocarpine hydrochloride	0
ex 29.42 C VII	Pilocarpine nitrate	0
ex 29.42 C VII	(22 <i>R</i> ,25 <i>R</i>)-Tomat-5-enin-3- <i>beta</i> -ol (Solasodine)	0
ex 29.42 C VII	Vindesine sulphate (INN)	0
ex 29.43 B	Ribose	0
ex 29.43 B	Sucralfate (INN)	0
ex 29.44 A	Epicillin (INN)	0
ex 29.44 C and ex 30.03 A II b)	Amikacin (INN) and its salts	0
ex 29.44 C	Amphotericin B (INN)	0
ex 29.44 C	Minocycline <i>mono</i> -hydrochloride dihydrate (INN)	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.44 C	Clindamycin (INN) and its salts and esters	0
ex 29.44 C	Spectinomycin dihydrochloride pentahydrate (INN)	0
ex 29.44 C	Gentamicin (INN) and its salts	0
ex 29.44 C	Nystatin (INN)	0
ex 29.44 C and ex 30.03 A II b)	Bleomycin sulphate (INN)	0
ex 29.44 C	Sisomicin sulphate (INN)	0
ex 29.44 C	Spectinomycin sulphate (INN)	0
ex 29.44 C	Tobramycin (INN) and its salts	0
ex 29.44 C	Lincomycin (INN) and its salts and esters, for the manufacture of products falling within heading No 30.03 (a)	0
ex 29.44 C	Monensin (INN) and its salts	0
ex 29.44 C	Cefaclor (INN) and its hydrates, salts and esters	0
ex 29.44 C	Fumagillin dicyclohexylammonium (INN)	0
ex 29.44 C	Netilmicin sulphate (INN)	0
ex 29.44 C	Dibekacin sulphate (INN)	0
ex 29.45	Potassium <i>tert</i> -butoxide	0
ex 30.01 A	Bovine livers for organotherapeutic purposes, dried	0
ex 30.01 B II	Extracts of liver of bovine animals	0
ex 30.01 B II	Extracts of suprarenal glands	0
ex 30.02 A	Tetanus immunoglobulin	0
ex 30.02 A	Anti-tetanus immunoplasma	0
ex 30.02 A	German measles immunoplasma	0
ex 30.02 A	Mumps immunoplasma	0
ex 30.02 A	Whooping-cough immunoplasma	0
ex 30.02 A	Rabies immunoplasma	0
ex 30.03 A II b) B II b)	Human albumin, whether or not in solution	0
ex 30.03 A II b) B II b)	Human fibrinogen	0
ex 30.03 A II b) B II b)	Preserved serum prepared on a basis of human blood	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 30.03 A II b) B II b)	Anti-haemophilic globulin and anti-P(D)-globulin derived from human blood	0
ex 30.03 A II b)	Cisplatin (INN)	0
ex 30.03 A II b)	Mixture of oestrogens, of equine origin in powder form	0
ex 30.03 B II b)	Gamma-globulin, in solution, derived from human blood	0
ex 30.03 B II b)	Lyophilized gamma-globulin derived from human blood	0
32.01 A I	Tanning extracts of wattle (mimosa)	0
ex 32.01 A IV	Tanning extracts derived from gambier and myrobolan fruits	0
ex 32.01 A IV	Tanning extracts of eucalyptus	3.2
ex 32.07 B	Inorganic colouring matter preparations mentioned in Note 3 to Chapter 32, in hollow polyurethane spheres having a diameter of less than 200 micrometres	0
ex 32.08 D	Glass in the form of flakes of a length not less than 0.1 mm and not more than 3.5 mm of a thickness not less than two and not more than five micrometres	0
ex 32.09 A II and ex 39.01 C V	Polyurethane of 2,2'-(<i>tert</i> -butylimino)diethanol and 4,4'-methylenedi(cyclohexylisocyanate, dissolved in <i>N,N</i> -dimethylacetamide, with a copolymer content of not less than 48 % by weight	0
ex 32.09 A II and ex 39.02 C XIV a)	Copolymer of <i>p</i> -cresol and divinylbenzene, dissolved in <i>N,N</i> -dimethylacetamide, with a copolymer content of not less than 48 % by weight	0
ex 35.07	Bromelains (INN)	0
ex 35.07	Mixture of streptokinase (INN) and streptodornase (INN)	0
ex 35.07	Peroxidase	0
ex 37.02 B	Colour negative film of a width not less than 75 mm and not more than 105 mm and of a length of 100 m or more, for use in the manufacture of instant picture film packs (a)	0
ex 38.08 C	Hydroabietyl alcohol	0
ex 38.19 G	Catalysts consisting essentially of diphosphorus pentaoxide on an inert support	0
ex 38.19 G	Catalysts in the form of spherical grains with a diameter of not less than 1.4 mm and not more than 1.8 mm consisting of boron trifluoride on an aluminium oxide support	0
ex 38.19 K	Sintered magnesite mixed with small quantities of mineral oils	0
ex 38.19 U	Lyophilized extract of the blood cells of the crab <i>Limulus polyphemus</i> (Lyophilized <i>Limulus</i> amebocyte lysate)	0
ex 38.19 U	Calcined bauxite (refractory grade)	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 38.19 U	Diosgenin crude	0
ex 38.19 U	4-(6-Fluoro-2-methylinden-3-ylmethyl)phenyl methyl sulphide dissolved in toluene	0
ex 38.19 U	Mixtures of x-butyl-4,4'-isopropylidenediphenol and x,x'-dibutyl-4,4'-isopropylidenediphenol	0
ex 38.19 U	Mixture of nitromethane and 1,2-epoxybutane	4
ex 38.19 U	Reaction products containing not less than 55 % by weight of 2-(2-p-chloro-phenylbenzoxazol-5-yl) propiononitrile	0
ex 38.19 U	Residues of manufacture containing not less than 40 % by weight of 11- <i>beta</i> , 17,20,21-tetrahydroxy-6-methylpregna-1,4-dien-3-one 21-acetate	0
ex 38.19 U	Intermediate products from the manufacture of monensin salts	0
ex 38.19 U	Grains consisting of a mixture of dialuminium trioxide and zirconium dioxide containing by weight not less than 70 % and not more than 78 % dialuminium trioxide and not less than 19 % and not more than 26 % zirconium dioxide	6.7
ex 38.19 U	Grains consisting of a mixture of dialuminium trioxide and zirconium dioxide containing by weight not less than 54 % and not more than 62 % dialuminium trioxide and not less than 36 % and not more than 44 % zirconium dioxide	6.7
ex 38.19 U	N-(2-Methyl-2-nitropropyl)-4-nitrosoaniline containing not less than 65 % by weight of an inert filler	0
ex 38.19 U	Tetramethylammonium hydroxide dissolved in methanol	0
ex 38.19 U	Cholic acid and 3- <i>alpha</i> , 12- <i>alpha</i> -dihydroxy-5- <i>beta</i> -cholan-24-oic acid (deoxycholic acid), crude	0
ex 38.19 U	Crude bile acids	0
ex 38.19 U	Intermediate products of the antibiotics manufacturing process obtained from the fermentation of <i>Streptomyces tenebrarius</i> , whether or not dried	0
ex 39.01 A	Colestipol hydrochloride (INNM)	0
ex 39.01 C II a)	Polycondensation products of formaldehyde and a mixture of toluene-2-sulphonamide and toluene-4-sulphonamide	0
ex 39.01 C III a)	Film base, in rolls, of polyethylene terephthalate, for cinematography or photography (including radiography)	8
ex 39.01 C III b) and ex 39.03 B II b) 2, B III b) 4 aa) and B IV b) 4 aa)	Waste and scrap of photographic (including cinematographic) and X-ray film	0
ex 39.01 C III b)	Waste and scrap of polyester sheets coated with tungsten compounds	0
ex 39.01 C III b)	Polyester of a mixture of isophthalic acid and terephthalic acid with 4,4'-isopropylidenediphenol	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 39.01 C V	Polyurethane polymers in one of the forms mentioned in Note 3 (a) to Chapter 39, based on a mixture of 2-methyl and 4-methyl- <i>m</i> -phenylene di-isocyanates and branched chain triols with an average molecular weight of not less than 6 000, and containing terminal epoxy groups	10
ex 39.01 C VII	Polyimide sheet and strip, whether or not in rolls	0
ex 39.01 C VII	Polyethylene oxide having a molecular weight of not less than 4 000 000	8
ex 39.01 C VII	Poly[oxy(2,6-dibromo-1,4-phenylene)] for use in the manufacture of polyamide (a)	0
ex 39.01 C VII	Poly[oxy(2,6-dibromo-1,4-phenylene)] for use in the manufacture of polypropylene (a)	0
ex 39.01 C VII	Poly(oxy-1,4-phenylenesulphonyl-1,4-phenyleneoxy-1,4-phenyleneisopropylidene-1,4-phenylene), in one of the forms mentioned in Note 3 (b) to Chapter 39	0
ex 39.02 C II	Microporous polytetrafluoroethylene film, not less than 30 cm in width and weighing not more than 22.4 g/m ² whether or not in rolls	0
ex 39.02 C II	Microporous polytetrafluoroethylene film coated on one side with a polymer permeable to water vapour, not less than 30 cm in width and weighing not more than 50 g/m ² , whether or not in rolls	0
ex 39.02 C III	Polysulphohaloethylenes in one of the forms mentioned in Note 3 (a) and (b) to Chapter 39	4
ex 39.02 C VI a) b)	Copolymers solely of allyl alcohol with styrene, which have an acetyl value of not less than 175	0
ex 39.02 C VI a)	Copolymer of maleic anhydride and styrene, whether or not containing a styrene-butadiene block copolymer in one of the forms mentioned in Note 3 (b) to Chapter 39	0
ex 39.02 C VI a)	An A-B-A block copolymer of polystyrene ethylene-butylene copolymer and polystyrene containing not more than 35 % by weight of styrene, in one of the forms mentioned in Note 3 (b) to Chapter 39	0
ex 39.02 C VII b)	Polyvinyl chloride sheeting, whether or not in rolls, of a thickness less than 1 mm and coated with an adhesive in which are embedded hollow glass balls having a diameter of not less than 50 and not more than 100 micrometres	0
ex 39.02 C VIII	Copolymers of vinylidene chloride with vinyl chloride, containing not less than 79.5 % by weight of vinylidene chloride, in one of the forms mentioned in Note 3 (a) and (b) to Chapter 39, for the manufacture of fibres, monofil or strip (a)	0
ex 39.02 C XI	Poly(vinyl formal), in one of the forms mentioned in Note 3 (b) to Chapter 39, having a molecular weight not less than 10 000 and not more than 40 000 and containing by weight: — Not less than 9.5 % and not more than 13 % of the acetyl groups, expressed as vinyl acetate — Not less than 5 % and not more than 6.5 % of the hydroxy groups, expressed as vinyl alcohol	0
ex 39.02 C XII	Poly(2-diethylaminoethyl methacrylate) dissolved in <i>N,N</i> -dimethylacetamide, with a polymer content of not less than 55 % by weight	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 39.02 C XII	Copolymer of 2-di-isopropylaminoethyl methacrylate and decyl methacrylate dissolved in <i>N,N</i> -dimethylacetamide, with a copolymer content of not less than 55 % by weight	0
ex 39.02 C XII	Reflecting polyacrylic sheeting, whether or not in rolls	0
ex 39.02 C XII	Copolymerization products of acrylic and methacrylic esters in the form of film of a thickness not less than 50 and not more than 150 micrometres, whether or not in rolls	0
ex 39.02 C XII	Copolymer of acrylic acid and 2-ethylhexyl acrylate containing not less than 10 % and not more than 11 % by weight of 2-ethylhexyl acrylate	0
ex 39.02 C XIV a)	Copolymers of vinylidene chloride and acrylonitrile in the form of expandable beads of a diameter not less than four and not more than 20 micrometres	0
ex 39.02 C XIV a)	Copolymers of vinyl chloride with vinyl acetate and vinyl alcohol containing by weight not less than 89 % and not more than 92 % of vinyl chloride, not less than 2 % and not more than 6 % of vinyl acetate and not less than 4 % and not more than 8 % of vinyl alcohol, in one of the forms mentioned in Note 3 (a) and (b) to Chapter 39	0
ex 39.02 C XIV a)	Fluorinated ethylene propylene copolymers, for the manufacture of flat (ribbon) cable, containing not less than 60 cores (a)	0
ex 39.02 C XIV a)	Poly(1-ethylethylene) (Polybutene-1) in one of the forms mentioned in Note 3 (b) to Chapter 39	0
ex 39.02 C XIV b)	Polyvinyl fluoride sheet, whether or not in rolls	0
ex 39.02 C XIV b)	Reflecting sheeting of an acrylic polymer modified by melamine-formaldehyde, whether or not in rolls	0
ex 39.02 C XIV b)	Polyvinylidene fluoride film, whether or not in rolls	0
39.03 B V a) 1	Ethylcellulose, not plasticized	4
ex 39.03 B V a) 2	Ethylhydroxyethylcellulose, insoluble in water	4
ex 39.03 B V a) 2	Hydroxypropylcellulose	0
ex 39.06 B	<i>O</i> -(2-hydroxyethyl)amylpectin hydrolysate	0
ex 39.07 B V d)	Perforated polyethylene film of a width of not less than 4.5 cm and not more than 5.5 cm and having a molecular weight of not less than 4 000 000 in rolls for use as conveyor belts in machines for manufacturing cigars (a)	0
41.02 B	Bovine cattle leather (including buffalo leather) not further prepared than chrome-tanned, in the wet-blue state	0
ex 41.02 C	Leather of East India kip, whole, whether or not the heads and legs have been removed, each weighing more than 4.5 kg net and not more than 8 kg, not further prepared than vegetable tanned, whether or not having undergone further preservative treatment with oil, but obviously unsuitable for immediate use in the manufacture of leather articles	0
41.03 B I	Sheep and lambskin leather, except leather falling within heading No 41.06 or 41.08, other, not further prepared than tanned	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
41.04 B I	Goat and kid skin leather, except leather falling within heading No 41.06 or 41.08, other, not further prepared than tanned	0
41.05 B I	Other kinds of leather, except leather falling within heading No 41.06 or 41.08, other, not further prepared than tanned	0
ex 44.22 B	Used casks and barrels of oak, whether assembled or not; their staves and heads	0
ex 44.28 D II	Shingles for roofs and walls of coniferous wood	0
45.01	Natural cork, unworked, crushed, granulated or ground; waste cork	0
45.02	Natural cork in blocks, plates, sheets or strips (including cubes or square slabs, cut to size for corks or stoppers)	4
ex 48.07 D	Kraft paper with latex addition to the stock, coated on one side with polybutadiene-styrene weighing not less than 104 g and not more than 130 g/m ² , for the manufacture of all-in-one disposable nappies (a)	6
ex 49.11 B	Microcopies on an opaque base for data banks and libraries (a)	0
ex 49.11 B	Artists' screen prints (commonly described as serigraphs), signed by the artist and numbered from 1 to 200	0
ex 51.01 A	Yarn of polytetrafluoroethylene	0
ex 51.01 A	Yarn of polyvinyl alcohol, soluble in water at a temperature of 50 °C for use in the manufacture of wetless 'felts' for papermaking machines (a)	0
ex 51.01 A	Yarn, multiple, of polyamide, coated, impregnated or covered with a phenolic resin	0
ex 51.01 A	Yarn of synthetic textile fibres of aromatic polyamides obtained by polycondensation of <i>m</i> -phenylenediamine and isophthalic acid	0
ex 51.02 A I	Monofil of polytetrafluoroethylene	0
ex 51.02 A II	Polyimide strip, whether or not in rolls	0
ex 51.02 A II	Strip of polytetrafluoroethylene, whether or not in rolls with an extension at break not exceeding 25 %	0
ex 51.04 A IV	Woven fabrics of polyvinyl alcohol fibres for machine embroidery	0
ex 54.03 B I a)	Unbleached linen yarn (excluding yarn of flax tow), measuring per kg 30 000 m or less, for the manufacture of multiple or cabled yarns for the footwear industry or for whipping cables (a)	0
ex 56.01 A	Textile fibres of polytetrafluoroethylene	0
ex 56.01 A	Textile fibres of aromatic polyamides obtained by polycondensation of <i>m</i> -phenylenediamine and isophthalic acid	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 58.01 B	Carpets, carpeting and rugs, of silk or of waste silk other than noil, of which the pile contains not less than 85 % by weight of silk or waste silk other than noil (b)	20 with a maximum duty of 4 ECU per m ²
ex 59.03	Bonded-fibre fabrics and similar bonded yarn fabrics of aromatic polyamide man-made fibres obtained by polycondensation of <i>m</i> -phenylenediamine and isophthalic acid	0
ex 59.03	Bonded-fibre fabrics, with a thickness of not more than 300 micrometres, of spun-bonded polyethylene fibres, with a weight not exceeding 115 g/m ² , whether or not in rolls	0
ex 59.04	Coir yarn, for the manufacture of carpets, carpeting and rugs, mats and the like (a)	0
ex 59.08	Knitted or woven fabric coated or covered on one side with artificial plastic material in which are embedded glass microspheres	0
ex 59.12	Cotton fabric coated with adhesive in which are embedded glass balls the diameters of which range from 45 to 75 micrometres, weighing not less than 300 g/m ² and not more than 550 g/m ²	0
ex 59.17 D	Yarn and strip of impregnated polytetrafluoroethylene, whether or not oiled or graphited	0
62.03 A I	Sacks and bags, of a kind used for the packing of goods, used, of jute or of other textile bast fibres of heading No 57.03	0
62.03 B I a)	Sacks and bags of the kind used for the packing of goods, used, of flax or of sisal	0
ex 68.02 B	Artificially coloured granules and chippings	0
ex 69.09 B	Catalyst supports, consisting of porous cordierite ceramic pieces of roughly circular or oval cross-section with parallel sides, having an overall volume of not less than 240 ml and not more than 11 100 ml, and having a minimum dimension of not less than 70 mm and a maximum dimension of not more than 480 mm, having not less than 28 continuous channels per 100 mm ² running parallel to the main axis of symmetry, the total channel cross-section area being not less than 50 % and not more than 80 % of the whole cross-section area	0
ex 70.19 A IV b)	Glass beads of a diameter of less than 0.1 mm and with a refractive index of 2.26	0
ex 70.20 A	Mats of non-textile glass fibres of a weight per square metre of a not more than 100 g and a fibre diameter of not more than seven micrometres	0
ex 70.20 B	Glass-fibre yarns, with a filament diameter of not more than four micrometres, for the manufacture of carpets (a)	0
ex 70.20 B	Yarns of 33 tex or a multiple thereof obtained from continuous spun glass filaments having a diameter of not less than 2.5 and not more than 5.1 micrometres other than those treated so as to improve their adhesion to elastomers	0
ex 74.05 B	Non-rigid sheets and plates of polytetrafluoroethylene, with aluminium oxide as a filler or reinforced with glass-fibre fabric, laminated on both sides with copper foil	0
ex 75.04 A	Tubes of nickel, not alloyed, of a purity not less than 99 %, not deviating from straightness lengthwise by more than 1 mm per 150 cm of length, and with an outside diameter either: — Not less than 213.36 mm and not more than 214 mm, or — Not less than 209.95 mm and not more than 210.59 mm, or — Not less than 168.28 mm and not more than 168.78 mm	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

(b) The Additional Note to Chapter 58 shall apply here.

CCT heading No	Description	Rate of autonomous duty (%)
76.01 B I b)	Waste of aluminium, other (including factory rejects)	0
ex 76.03	Aluminium alloy strip in coils, containing not less than 18 % by weight and not more than 23 % by weight of tin and not less than 0.7 % by weight and not more than 1.5 % by weight of copper as the major alloying elements and having a width of not less than 75 and not more than 230 mm and a thickness of not less than 3 and not more than 6.5 mm	0
ex 81.03 B	Wire of unalloyed tantalum, of a diameter not less than 0.2 mm and not more than 0.5 mm, for the manufacture of capacitors (a)	0
ex 81.04 D I b)	Chromium, in the form of cathode chips, pellets or briquettes, which contains not more than 0.10 % by weight of total oxygen, not more than 0.15 % by weight of total aluminium and not more than 0.001 % by weight of aluminium compounds insoluble in boiling 5N hydrochloric acid and in boiling fuming perchloric acid, and evaluated as aluminium, for the production of alloy for the manufacture of the following parts of gas turbines and jet engines (a) — Blades, fixed or movable, including their rings — Vanes — Nozzles	0
ex 81.04 G I	Electrolytic manganese of a purity of at least 99.7 %, for the chemical industry (a)	0
ex 81.04 K I	Waste and scrap titanium	0
ex 81.04 K I	Titanium sponge	0
ex 81.04 M	Waste and scrap of uranium depleted in U 235	0
ex 84.31 A	Suction roll shells, not drilled, being alloy steel tubes with a length of not less than 5 207 mm and an outside diameter of not less than 754 mm for use in machinery for making paper or paperboard (a)	0
ex 84.51 A	Typewriters with Braille characters	0
ex 84.51 A	Electronic pocket communicators for handicapped persons which, by means of push buttons and printing thermic head, print and issue text on tape	0
ex 84.55 C	Parts and accessories of electronic pocket communicators for handicapped persons which, by means of push buttons and printing thermic head, print and issue text on tape	0
ex 84.59 B	Integrally forged, rough-turned components with unit weights of more than 150 tonnes, for reactor pressure vessels	0
ex 84.63 D	Forged and roughly shaped generator and turbine shafts of a weight exceeding 180 tonnes	0
ex 90.01 B	Material consisting of a polarizing film, supported on one or both sides by transparent material	0
ex 90.19 A III	Vascular prostheses	0
ex 90.19 B II	Reading appliances for the blind, in which a miniature camera using photo-transistors transmits letters onto a scanning board with piezo-electric pencils, and its parts and accessories	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

II

(Acts whose publication is not obligatory)

COUNCIL

COUNCIL DECISION

of 12 May 1981

on the signing of the Protocols, 1981, for the sixth extension of the Wheat Trade Convention, 1971, and for the first extension of the Food Aid Convention, 1980, constituting the International Wheat Agreement, 1971, and the deposit of a declaration of provisional application of the said Protocols

(81/407/EEC)

THE COUNCIL OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community, and in particular Article 113 thereof,

Having regard to the recommendation from the Commission,

HAS DECIDED AS FOLLOWS:

Article 1

The President of the Council is hereby authorized to designate the person empowered to sign, subject to their being concluded subsequently, the Protocols, 1981, for the sixth extension of the Wheat Trade Convention, 1971, and for the first extension of the Food Aid Convention, 1980, constituting the International Wheat Agreement, 1971.

Article 2

The President of the Council is hereby also authorized to designate the person empowered to sign the declaration of provisional application of the Protocols referred to in Article 1 and to deposit the said declaration with the Government of the United States of America.

The texts of the Protocols and of the declaration of provisional application are attached to this Decision.

Done at Brussels, 12 May 1981.

For the Council

The President

G. BRAKS

1981 PROTOCOLS

for the sixth extension of the Wheat Trade Convention, 1971, and the first extension of the Food Aid Convention, 1980, constituting the International Wheat Agreement, 1971

PREAMBLE

The Conference to establish the texts of the 1981 Protocols for the sixth extension of the Wheat Trade Convention, 1971, and the first extension of the Food Aid Convention, 1980, constituting the International Wheat Agreement, 1971,

Considering that the International Wheat Agreement of 1949 was revised, renewed or extended in 1953, 1956, 1959, 1962, 1965, 1966, 1967, 1968, 1971, 1974, 1975, 1976, 1978 and 1979,

Considering that the International Wheat Agreement, 1971, consisting of two separate legal instruments — the Wheat Trade Convention, 1971, which was further extended by Protocol in 1979; and the Food Aid Convention, 1980 — will expire on 30 June 1981,

Has established the texts of the 1981 Protocols for the sixth extension of the Wheat Trade Convention, 1971, and for the first extension of the Food Aid Convention, 1980.

1981 PROTOCOL FOR THE SIXTH EXTENSION OF THE WHEAT TRADE CONVENTION, 1971

THE GOVERNMENTS PARTY TO THIS PROTOCOL,

Article 2

Considering that the Wheat Trade Convention, 1971 (hereinafter referred to as 'the Convention') of the International Wheat Agreement, 1971, which was further extended by Protocol in 1979, expires on 30 June 1981.

Inoperative provisions of the Convention

The following provisions of the Convention shall be deemed to be inoperative with effect from 1 July 1981:

- (a) paragraph (4) of Article 19;
- (b) Articles 22 to 26 inclusive;
- (c) paragraph (1) of Article 27;
- (d) Articles 29 to 31 inclusive.

HAVE AGREED AS FOLLOWS:

*Article 1***Extension, expiry and termination of the Convention**

Subject to the provisions of Article 2 of this Protocol, the Convention shall continue in force between the Parties to this Protocol until 30 June 1983 provided that, if a new international agreement covering wheat enters into force before 30 June 1983, this Protocol shall remain in force only until the date of entry into force of the new agreement.

*Article 3***Definition**

Any reference in this Protocol to a 'Government' or 'Governments' shall be construed as including a reference to the European Economic Community (hereinafter referred to as 'the Community'). Accordingly, any reference in this Protocol to

'signature' or to the 'deposit of instruments of ratification, acceptance or approval' or 'an instrument of accession' or 'a declaration of provisional application' by a Government shall, in the case of the Community, be construed as including signature or declaration of provisional application on behalf of the Community by its competent authority and the deposit of the instrument required by the institutional procedures of the Community to be deposited for the conclusion of an international agreement.

Article 4

Finance

The initial contribution of any exporting or importing member acceding to this Protocol under paragraph (1) (b) of Article 7 thereof, shall be assessed by the Council on the basis of the votes to be distributed to it and the period remaining in the current crop year, but the assessments made upon other exporting and importing members for the current crop year shall not be altered.

Article 5

Signature

This Protocol shall be open for signature in Washington from 24 March 1981 until and including 15 May 1981 by Governments of countries party to the Convention, as further extended by the 1979 Protocol, or which are provisionally regarded as party to the Convention, as further extended by the 1979 Protocol, on 6 March 1981, or which are members of the United Nations, of its specialized agencies or of the International Atomic Energy Agency, and are listed in Annex A or B to the Convention.

Article 6

Ratification, acceptance or approval

This Protocol shall be subject to ratification, acceptance or approval by each signatory Government in accordance with its respective constitutional procedures. Instruments of ratification, acceptance or approval shall be deposited with the Government of the United States of America not later than 30 June 1981, except that the Council may grant one or more extensions of time to any signatory Government that has not deposited its instrument of ratification, acceptance or approval by that date.

Article 7

Accession

1. This Protocol shall be open for accession:

- (a) until 30 June 1981 by the Government of any member listed in Annex A or B to the Convention as of that date, except that the Council may grant one or more extensions of time to any Government that has not deposited its instrument by that date, and
- (b) after 30 June 1981 by the Government of any member of the United Nations, of its specialized agencies or of the International Atomic Energy Agency, upon such conditions as the Council considers appropriate by not less than two-thirds of the votes cast by exporting members and two-thirds of the votes cast by importing members.

2. Accession shall be effected by the deposit of an instrument of accession with the Government of the United States of America.

3. Where, for the purposes of the operation of the Convention and this Protocol, reference is made to members listed in Annex A or B to the Convention, any member, the Government of which has acceded to the Convention on conditions prescribed by the Council, or to this Protocol in accordance with paragraph (1) (b) of this Article, shall be deemed to be listed in the appropriate Annex.

Article 8

Provisional application

Any signatory Government may deposit with the Government of the United States of America a declaration of provisional application of this Protocol. Any other Government eligible to sign this Protocol or whose application for accession is approved by the Council may also deposit with the Government of the United States of America a declaration of provisional application. Any Government depositing such a declaration shall provisionally apply this Protocol and be provisionally regarded as a Party thereto.

Article 9

Entry into force

1. This Protocol shall enter into force on 1 July 1981 if, by 30 June 1981, Governments representing

exporting members which held at least 60 % of the votes set out in Annex A and representing importing members which held at least 50 % of the votes set out in Annex B, or would have held such votes on 30 June 1981 if they had been Parties to the Convention on that date, have deposited instruments of ratification, acceptance, approval or accession, or declarations of provisional application, in accordance with Articles 6, 7 and 8 of this Protocol.

2. If this Protocol does not enter into force in accordance with paragraph (1) of this Article, the Governments which have deposited instruments of ratification, acceptance, approval or accession, or declarations of provisional application, may decide by mutual consent that it shall enter into force among those Governments that have deposited instruments of ratification, acceptance, approval or accession, or declarations of provisional application.

Article 10

Notification by depositary Government

The Government of the United States of America as the depositary Government shall notify all signatory and acceding Governments of each signature, ratification, acceptance, approval, provisional application of, and accession to, this Protocol as well as of each

notification and notice received under Article 27 of the Convention and each declaration and notification received under Article 28 of the Convention.

Article 11

Certified copy of the Protocol

As soon as possible after the entry into force of this Protocol, the depositary Government shall send a certified copy of this Protocol in the English, French, Russian and Spanish languages to the Secretary-General of the United Nations for registration in accordance with Article 102 of the Charter of the United Nations. Any amendments to this Protocol shall likewise be communicated.

Article 12

Relationship of Preamble to Protocol

This Protocol includes the Preamble to the 1981 Protocols for the sixth extension of the Wheat Trade Convention, 1971, and for the first extension of the Food Aid Convention, 1980, constituting the International Wheat Agreement, 1971.

In witness whereof the undersigned, having been duly authorized to this effect by their respective Governments or authorities, have signed this Protocol on the dates appearing opposite their signatures.

The texts of this Protocol in the English, French, Russian and Spanish languages shall be equally authentic. The originals shall be deposited with the Government of the United States of America, which shall transmit certified copies thereof to each signatory and acceding Party and to the Executive Secretary of the Council.

1981 PROTOCOL FOR THE FIRST EXTENSION OF THE FOOD AID CONVENTION, 1980

THE PARTIES TO THIS PROTOCOL,

HAVE AGREED AS FOLLOWS:

Article I

Extension, expiry and termination of the Convention

Considering that the Food Aid Convention, 1980 (hereinafter referred to as 'the Convention') of the International Wheat Agreement, 1971, expires on 30 June 1981,

Subject to the provisions of Article II of this Protocol, the Convention shall continue in force between the

Parties to this Protocol until 30 June 1983 provided that, if a new agreement covering food aid enters into force before 30 June 1983, this Protocol shall remain in force only until the date of entry into force of the new agreement.

Article II

Inoperative provisions of the Convention

The following provisions of the Convention shall be deemed to be inoperative with effect from 1 July 1981:

- (a) Article XII;
- (b) Article XVII;
- (c) paragraph (1) of Article XVIII.

Article III

International food aid

For the purposes of the operation of the Convention as extended by this Protocol, any member which has acceded to this Protocol pursuant to paragraph (2) of Article VIII of this Protocol shall be deemed to be listed in paragraph (3) of Article III of the Convention, together with its minimum contribution as determined under the relevant provisions of Article VIII of this Protocol.

Article IV

Signature

This Protocol shall be open for signature in Washington from 24 March 1981 until and including 15 May 1981 by the Governments referred to in paragraph (3) of Article III of the Convention.

Article V

Depositary

The Government of the United States of America shall be the depositary of this Protocol.

Article VI

Ratification, acceptance or approval

This Protocol shall be subject to ratification, acceptance or approval by each signatory Government in accordance with its constitutional procedures. Instruments of ratification, acceptance or approval shall be deposited with the depositary not

later than 30 June 1981, except that the Food Aid Committee under the Convention (hereinafter referred to as 'the Committee') may grant one or more extensions of time to any signatory Government that has not deposited its instrument of ratification, acceptance or approval by that date.

Article VII

Provisional application

Any signatory Government may deposit with the depositary a declaration of provisional application of this Protocol. Any such Government shall provisionally apply this Protocol and be provisionally regarded as a Party thereto.

Article VIII

Accession

(1) This Protocol shall be open for accession by any Government referred to in paragraph (3) of Article III of the Convention that has not signed this Protocol. Instruments of accession shall be deposited with the depositary not later than 30 June 1981, except that the Committee may grant one or more extensions of time to any Government that has not deposited its instrument of accession by that date.

(2) Once this Protocol has entered into force in accordance with Article IX of this Protocol, it shall be open for accession by any Government other than those referred to in paragraph (3) of Article III of the Convention, upon such conditions as the Committee considers appropriate. Instruments of accession shall be deposited with the depositary.

(3) Any Government acceding to this Protocol under paragraph (1) or (2) of this Article may deposit with the depositary a declaration of provisional application of this Protocol pending the deposit of its instrument of accession. Any such Government shall provisionally apply this Protocol and be provisionally regarded as a Party thereto.

Article IX

Entry into force

1. This Protocol shall enter into force on 1 July 1981, if by 30 June 1981 the Government referred to in paragraph (3) of Article III of the Convention have deposited instruments of ratification, acceptance, approval or accession, or declarations of provisional application, and provided that the 1981 Protocol for

the sixth extension of the Wheat Trade Convention, 1971, or a new Wheat Trade Convention replacing it, is in force.

2. If this Protocol does not enter into force in accordance with paragraph (1) of this Article, the Governments which have deposited instruments of ratification, acceptance, approval or accession, or declarations of provisional application, may decide by unanimous consent that it shall enter into force among themselves provided that the 1981 Protocol for the sixth extension of the Wheat Trade Convention, 1971, or a new Wheat Trade Convention replacing it, is in force, or may take whatever other action they consider the situation requires.

Article X

Duration

This Protocol shall remain in force until and including 30 June 1983, provided that the 1981

Protocol for the sixth extension of the Wheat Trade Convention, 1971, or a new Wheat Trade Convention replacing it, remains in force until and including that date.

Article XI

Authentic texts

The texts of this Protocol in the English, French, Russian and Spanish languages shall all be equally authentic. The originals shall be deposited in the archives of the depositary, which shall transmit certified copies thereof to each signatory and acceding Government.

Article XII

Relationship of Preamble to Protocol

This Protocol includes the Preamble to the 1981 Protocols for the sixth extension of the International Wheat Agreement, 1971.

In witness whereof the undersigned, having been duly authorized to this effect by their respective Governments or authorities, have signed this Protocol on the dates appearing opposite their signatures.

DECLARATION OF PROVISIONAL APPLICATION

of the Protocols, 1981, for the sixth extension of the Wheat Trade Convention, 1971, and for the first extension of the Food Aid Convention, 1980, constituting the International Wheat Agreement, 1971

It will not be possible for the European Economic Community to complete before 30 June 1981 the institutional accession procedures laid down in Article 6 of the Protocol for the sixth extension of the Wheat Trade Convention, 1971, and in Article VI of the Protocol for the first extension of the Food Aid Convention, 1980.

In accordance with Articles 8 and VII of the said Protocols, the Community therefore makes this declaration of provisional application. By depositing such a declaration, the Community regards itself to be provisionally a party to the Protocols concerned, with all the rights and obligations which result therefrom, until such time as the Council of the European Communities has taken a final decision on the matter.

*On behalf of the Council
of the European Communities*
