

Official Journal

of the European Communities

ISSN 0378-6978

L 359

Volume 25

20 December 1982

English edition

Legislation

Contents

I *Acts whose publication is obligatory*

- ★ Council Regulation (EEC) No 3361/82 of 3 December 1982 temporarily suspending the autonomous Common Customs Tariff duty on certain industrial products 1
- ★ Commission Regulation (EEC) No 3362/82 of 6 December 1982 concerning Annex IV to Regulation (EEC) No 3061/79 on common rules for imports of certain textile products originating in the People's Republic of China 22

I

(Acts whose publication is obligatory)

**COUNCIL REGULATION (EEC) No 3361/82
of 3 December 1982
temporarily suspending the autonomous Common Customs Tariff duty on certain
industrial products**

THE COUNCIL OF THE EUROPEAN
COMMUNITIES,

Having regard to the Treaty establishing the
European Economic Community, and in particular
Article 28 thereof,

Having regard to the draft Regulation submitted by
the Commission,

Whereas production of the products referred to in
this Regulation is at present inadequate or non-
existent within the Community and producers are
thus unable to meet the needs of user industries of the
Community;

Whereas it is in the Community's interest in certain
cases to suspend the autonomous Common Customs
Tariff duties only partially, particularly because of the
existence of Community production, and in other
cases to suspend them completely;

Whereas, taking account of the difficulties involved in
accurately assessing the development of the economic
situation in the sectors concerned in the near future,
these suspension measures should be taken only
temporarily, by fixing their period of validity by
reference to the interests of Community production,

HAS ADOPTED THIS REGULATION:

Article 1

From 1 January to 30 June 1983 the autonomous
Common Customs Tariff duties for the products
listed in the Annex hereto shall be suspended at the
level indicated in respect of each of them.

Article 2

This Regulation shall enter into force on 1 January
1983.

This Regulation shall be binding in its entirety and directly applicable in all Member
States.

Done at Brussels, 3 December 1982.

For the Council
The President
Ch. CHRISTENSEN

ANNEX

CCT heading No	Description	Rate of autonomous duty (%)
ex 13.03 A V	Extract of dewaxed pyrethrum	0
ex 27.07 A I	Crude light oils containing by weight: — not less than 10 % of vinyltoluenes — not less than 10 % of indene — not less than 1 % and not more than 5 % of naphthalene	0
ex 28.04 C III	Tellurium in powder or granulated form	0
ex 28.14 B	Iodine pentafluoride	0
ex 28.55 A	Phosphides of iron (ferro-phosphorus) containing by weight: — not less than 68 % and not more than 72 % of iron, — not less than 22 % and not more than 26 % of phosphorus, — not more than 3.5 % of silicon, of which not less than 99 % by weight is of a particle size of less than 20 micro- metres; for the manufacture of varnishes or paints (a)	0
ex 29.01 D VII	1,3-Diisopropylbenzene with a purity of not less than 94 % by weight	0
ex 29.08 A III c)	2-Bromo-6-methoxynaphthalene	0
ex 29.16 A II	<i>L</i> -Malic acid and its salts	0
ex 29.16 D	Methyl 5-(2,4-dichlorophenoxy)-2-nitrobenzoate	0
ex 29.21 B II	0,0-Dioctadecyl pentaerythritol <i>bis</i> (phosphite)	0
ex 29.21 B II	1,1'-Dimethyl-2,2'-oxydiethylene tetraphenyl <i>bis</i> (phosphite)	0
ex 29.22 A III	1,1-Dimethylprop-2-ynylamine	0
ex 29.22 D VII	<i>N</i> -(1-Ethylpropyl)-2,6 dinitro-3,4-xylydine	7
ex 29.25 B III b)	3,5-Dichloro- <i>N</i> -(1,1-dimethylprop-2-ynyl)benzamide	0
ex 29.29	2,4,6-Trichlorophenylhydrazine	7
ex 29.31 B	Probutol (INN)	0
ex 29.31 B	Ethoprophos (ISO)	0
ex 29.35 Q	<i>L</i> -Tryptophan	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.35 Q	2-Chloro-5-trifluoromethylpyridine	0
ex 29.35 Q	Isonicotinonitrile	4.5
ex 29.35 Q	Alprazolam (INN)	4.5
ex 29.35 Q	2-phenyl-6-hydroxy-3(2H)-pyridazione	0
ex 29.42 C I	Caffeine and its salts	6
ex 29.44 C	Aclarubicine hydrochloride (INN)	0
ex 29.44 C	Mitomycin (INN)	0
ex 30.03 B II b)	Purified collagen dispersed in a phosphate buffered physiological saline solution containing not less than 0.1 % and not more than 0.5 % of lidocaine (INN) by weight	5
ex 37.02 B	Colour negative film of a width not less than 75 mm and not more than 105 mm and of a length of 100 m or more, for use in the manufacture of instant picture film packs (a)	0
ex 38.03 B	Acid activated montmorillonite which, when examined by X-ray powder diffraction, shows four principal lines corresponding to crystal interplane spacing (d values) of 0.44, 0.40, 0.33 and 0.25 nm the line corresponding to 0.40 nm being the most intense, for the manufacture of self-copy paper (a)	0
ex 38.19 G	Catalysts, in the form of rodlets, having a diameter of not less than 1.5 mm and not more than 9.5 mm, containing not less than 60 % by weight of diiron trioxide, not less than 8 % by weight of dipotassium oxide and not less than 0.5 % by weight of dichromium trioxide	5
ex 38.19 G	Catalysts, in the form of granules or rings, having a diameter of not less than 3 mm and not more than 10 mm, consisting of silver supported on aluminium oxide, the silver content being not less than 10 % and not more than 20 % by weight	0
ex 38.19 G	Catalysts consisting of a mixture of oxides on a silicon dioxide support and containing by weight: — not less than 25 % and not more than 40 % of antimony — not less than 5 % and not more than 10 % of iron — not less than 0.2 % and not more than 1.5 % of molybdenum — not less than 0.8 % and not more than 4.0 % of tellurium	0
ex 38.19 G	Catalysts in the form of granules having a diameter of not more than 1.4 mm, consisting of cobalt oxide on a silicon dioxide support	0
ex 38.19 G	Catalysts consisting of dichromium trioxide, fixed on a silicon dioxide support, with a pore volume, as determined by nitrogen absorption method, of not less than 2 cm ³ /g	0
ex 38.19 X	Ivermectin (INN) dissolved in toluene	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 38.19 X	Grains, consisting of a mixture of dialuminium trioxide and zirconium dioxide, containing by weight not less than 70 % and not more than 78 % dialuminium trioxide and not less than 19 % and not more than 26 % zirconium dioxide	6.4
ex 38.19 X	Grains, consisting of a mixture of dialuminium trioxide and zirconium dioxide, containing by weight not less than 54 % and not more than 62 % dialuminium trioxide and not less than 36 % and not more than 44 % zirconium dioxide	6.4
ex 38.19 X	Cholic acid and 3- <i>alpha</i> , 12- <i>alpha</i> -dihydroxy-5- <i>beta</i> -cholan-24-oic acid (deoxycholic-acid), crude	0
ex 38.19 X	Crude bile acids	0
ex 38.19 X	Reaction products of dibutyl dihydrogendiphosphate and 1,2-epoxypropane.	0
ex 38.19 X	A mixture of 5-ethyl-2-methyl-2-oxo-1,3,2 λ^5 -dioxaphosphoran-5-ylmethyl methyl methylphosphonate and bis(5-ethyl-2-methyl-2-oxo-1,3,2 λ^5 -dioxaphosphoran-5-ylmethyl) methylphosphanate	0
ex 39.01 C III a)	Reflecting polyester sheeting in which glass microspheres are embedded, whether or not in rolls	0
ex 39.01 C III a)	Reflecting films, tinted in the mass or metallized, containing substances opaque to ultra-violet rays, made up of two layers of polyethylene terephthalate glued to each other and a film of polypropylene glued on one surface, whether or not in rolls	0
ex 39.01 C III a)	Reflecting self-adhesive sheeting made up of more than one layer of polyester, metallized, whether or not in rolls	0
ex 39.01 C III a)	Transparent film, consisting of polyester coated with a layer of indium and silver	0
ex 39.01 C V	Reflecting polyurethane sheeting, whether or not in rolls	0
ex 39.02 C I a)	Polyethylene, in one of the forms mentioned in Note 3 (b) to Chapter 39, having a density of not less than 0.954 g/cm ³ and not more than 0.958 g/cm ³ for the manufacture of typewriter ribbon or similar ribbon (a)	0
ex 39.02 C VI a)	Copolymer of maleic anhydride and styrene, whether or not containing a styrene-butadiene block copolymer in one of the forms mentioned in Note 3 (b) to Chapter 39	0
ex 39.02 C VI b)	Plates made of a copolymer consisting of maleic anhydride and styrene, also containing styrene-block copolymer, covered on both sides with a sheet of the abovementioned copolymer, modified with butadiene or pigmented	0
ex 39.02 C VII b)	Reflecting polyvinyl chloride sheeting, wholly embossed on one side in a regular pyramidal pattern, whether or not in rolls	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 39.02 C XIV a)	Copolymer of tetrafluorethylene and hexafluorpropylene compounded with materials which are opaque to X-rays and containing not less than 15 % and not more than 30 % by weight of such materials	0
ex 39.02 C XIV a)	Terpolymer of ethylene, methyl acrylate and a monomer containing a non-terminal carboxy group as a substituent, compounded with silica	12.5
ex 39.02 C XIV a)	Copolymer of acrylonitrile and methylacrylate modified with polybutadiene-acrylonitrile (NBR)	0
ex 39.02 C XIV a)	Ionomer resin consisting of a salt of a copolymer of ethylene and methacrylic acid	0
ex 39.02 C XIV a)	Ionomer resin consisting of a salt of a terpolymer of ethylene, isobutyl acrylate, and methacrylic acid	0
ex 39.07 B V d)	Reflecting tape of a width not exceeding 105 mm consisting of a facing strip of polyvinyl chloride embossed in a regular pyramidal pattern, heat sealed, in parallel lines or a grid pattern to a backing strip of plastic material, or of knitted or woven fabric covered on one side with plastic material, whether or not on rolls	0
ex 48.07 C	Bleached paper impregnated with acrylic resin and coated with poly(vinylidene chloride) having a thickness of not less than 200 micrometres and not more than 255 micrometres and of a weight per square metre of not less than 165 grams and not more than 180 grams	0
ex 48.07 D	Coloured paper impregnated with acrylic resin and coated with poly(vinylidene chloride) having a thickness of not less than 200 micrometres and not more than 255 micrometres and of a weight per square metre of not less than 165 grams and not more than 180 grams	0
ex 48.07 D	Paper bleached or unbleached impregnated with an agent, the principal component of which is ammonium bis[2[N-ethyl(perfluoro-octane)-1-sulfonamido] ethyl]orthophosphate, which imparts resistance to penetration of grease and oil to the paper	5.5
ex 51.01 A	Yarn of poly(<i>p</i> -phenyleneterephthalamide), for uses other than the manufacture of tyres or of products used in the manufacture of tyres (a)	2
ex 51.01 A	Non-textured filament yarn of poly(vinyl alcohol) for the manufacture of sleeves for printing rollers (a)	0
ex 56.01 A and ex 59.01 B I	Fibres of poly(<i>p</i> -phenyleneterephthalamide)	2
ex 56.01 A	Textile fibres exclusively of aromatic polyamides obtained by the polycondensation of <i>m</i> -phenylenediamine and isophthalic acid, for uses other than the manufacture of articles falling within Chapters 60, 61, 64 and 65 or of materials used in the manufacture of such articles (a)	0
ex 56.01 A	Textile fibres containing not less than 85 % by weight of fibres of aromatic polyamides obtained by the polycondensation of <i>m</i> -phenylenediamine and isophthalic acid and not less than 1 % and not more than 15 % by weight of fibres of poly(<i>p</i> -phenyleneterephthalamide)	6

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 56.01 A	Acetalized, multicomponent spun fibres with a matrix fibril structure, consisting of emulsion polymerized poly(vinyl alcohol) and vinylchloride	0
ex 59.03	Bonded fibre fabrics and similar bonded yarn fabrics of aromatic polyamide man-made fibres obtained by polycondensation of <i>m</i> -phenylenediamine and isophthalic acid, whether or not impregnated or coated, in the piece or cut into rectangles	0
ex 59.03	Bonded-fibre fabrics, with a thickness of not more than 300 micrometres of spunbonded polyethylene fibres, with a weight not exceeding 115 g/m ² , whether or not impregnated or coated, in the piece or cut into rectangles	0
ex 59.03	Poly(vinyl alcohol) bonded fibre fabrics, with a thickness of not less than 200 micrometres and not more than 280 micrometres and of a weight of not less than 20 g/m ² and not more than 50 g/m ² , whether or not impregnated or coated, in the piece or cut into rectangles	0
ex 59.08	Knitted or woven fabric coated or covered on one side with artificial plastic material in which are embedded glass microspheres	0
ex 70.20 A	Mats of non-textile glass fibres of a weight per square metre of not more than 100 grams and a fibre diameter of not more than seven micrometres	0
ex 70.20 A	Non-textile glass fibres having a diameter of less than four micrometres	0
ex 70.20 B	Spun roving of not less than 7 000 tex with a core of not less than 600 tex and not more than 1 500 tex, made from continuous glass fibre, coated with epoxy resin	4
ex 70.20 B	Yarns obtained from continuous spun glass filaments having a diameter of not less than 12.5 micrometres and not more than 13.5 micrometres treated with resorcinolformaldehyde, of not less than 340 tex and not more than 680 tex	7
ex 70.20 B	Yarns, spun from continuous glass filaments having a diameter of not less than 5.8 micrometres and not more than 6.4 micrometres of 33 or 34 tex or a multiple thereof and containing not more than 0.8 % by weight of dressing	6.3
ex 81.04 G I	Electrolytic manganese of a purity of at least 99.7 % by weight, for the production of non-ferrous alloys (a)	0
ex 84.51 A	Typewriters with Braille characters	0
ex 84.51 A	Electronic pocket communicators for handicapped persons which, by means of push buttons and printing thermic head, print and issue text on tape	0
ex 84.51 A	Portable machine for reading and writing Braille with tactile read-out and magnetic tape cassette recording systems, microphone and speaker, equipped with a standard electro-mechanical Braille typewriter keyboard and an electro-mechanical Braille read-out unit with 20 characters, all contained in a case measuring 24 × 36 × 11 cm	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 84.55 C	Parts and accessories of electronic pocket communicators for handicapped persons which, by means of push buttons and printing thermic head, print and issue text on tape	0
ex 84.55 C	Opto-electric encoder for electronic typewriters consisting of electronic circuits, a light-emitting diode (LED), a rotating disc with radial openings, a fixed mask and a single chip photovoltaic cell, contained in two plastic shells forming a housing of a size not exceeding 60 × 48 × 16 mm	0
ex 84.55 C	Winchester technology magnetic heads for disc file peripherals, capable of recording to a density of 35.4 tracks per mm	0
ex 85.01 B I b)	D.C. electric motor having an output of 4 watts, an operating voltage of 12 volts, a maximum absorbed current under no-load conditions of 160 mA, and a speed of up to 2 400 revolutions per minute, equipped with self-centring bushes and a tachometric dynamo, the whole being contained in a cylindrical metallic casing whose diameter does not exceed 30 mm	0
ex 85.03	Dry zinc/carbon batteries of a voltage of not less than 5.5 and not more than 6.5 and of a size not exceeding 110 × 90 × 5 mm, for incorporation in film cassettes for instant pictures (a)	0
ex 85.19 B	Potentiometers, for use as volume control, contained in a housing whose diameter does not exceed 4.5 mm, whether or not fitted with an on/off switch, for the manufacture of appliances falling within subheading 90.19 B I (a)	0
ex 85.21 A V	Colour cathode-ray tubes, using shadow mask, in-line technology in which images are displayed on a screen with a usable surface not exceeding 165 × 165 mm for use in electronic flight instrument, warning and systems displays (a)	0
ex 85.21 A V	Digital displays in the form of a tube consisting of a glass housing mounted on a board whose dimensions do not exceed 350 × 300 mm excluding leads. The tube contains one or more rows of characters or lines arranged in rows, each character or line consisting of fluorescent or phosphorescent elements. These elements are mounted on a metallized base which is covered with fluorescent substances or phosphorescent salts which give off light when bombarded with electrons	0
ex 85.21 D II	Digital displays of a size not exceeding 25 × 35 mm, consisting of a printed circuit board on which are mounted, under a transparent plastic cover, up to 22 light-emitting diodes manufactured from gallium-based semi-conductor compounds. Each display consists of a single character with or without a plus or minus sign and/or one or two dots	0
ex 85.21 D II	Digital displays, consisting of a printed circuit board of a size not exceeding 35 × 90 mm, with a single line of characters, not less than two in number, comprising light-emitting diodes made from gallium-based semi-conductor compounds mounted thereon. Each character is composed of up to eight segments and the line of characters has a protective cover of transparent plastic	0
ex 85.21 D II	Digital displays, consisting of a printed circuit board of a size not exceeding 35 × 90 mm, with a single line of digits, not less than three in number, comprising light-emitting diodes manufactured from gallium-based semi-conductor compounds mounted thereon. Each digit is composed of seven segments plus a decimal point and the line of digits has a protective cover of transparent plastic	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

Common Customs Tariff heading No	Description	Rate of autonomous duty (%)
ex 85.21 D II	Programmable, non-erasable, read only memories (PROMS) of Schottky TTL technology, with a storage capacity of 1 K bit, in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 9 × 23 mm, with 16 connecting pins, and bearing: — an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations: 14 S 10 24 S 10 24 SA 10 247 A 10 27 S 20 27 S 21 29760 29761 38510 5300 5301 53 S 140 53 S 141 54 S 287 54 S 387 54700 5603 5623 6300 6301 63 S 140 63 S 141 7052 7057 74 S 287 74 S 387 7610 7611 82 S 126 82 S 129 8520 8521 93417 93427 or — other identification markings relating to PROMS complying with the abovementioned description	11.5

CCT heading No	Description	Rate of autonomous duty (%)
ex 85.21 D II	Programmable, non-erasable, read only memories (PROMS) of Schottky TTL technology, with a storage capacity of 2 K bits, in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 17 × 39 mm, with not more than 24 connecting pins, and bearing: — an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations: 27 S 12 27 S 13 28 L 22 28 LA 22 29613 29770 29771 38510 5305 5306 5308 5309 53 S 240 53 S 241 54 S 570 54 S 571 5604 5624 6305 6306 6308 6309 63 S 240 63 S 241 6335 6336 7053 7058 74 S 570 74 S 571 76 LS 03 7620 7621 82 S 114 82 S 130 82 S 131 93436 93446 or — other identification markings relating to PROMS complying with the abovementioned description	11.5

CCT heading No	Description	Rate of autonomous duty (%)																																																																																																																																																												
ex 85.21 D II	Programmable, non-erasable, read only memories (PROMS), with a storage capacity of 4 K bits, in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 17 × 39 mm, with not more than 24 connecting pins, and bearing: — an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations: <table border="0"> <tr><td>18 S 42</td><td>38510</td><td>7121</td></tr> <tr><td>18 S 46</td><td></td><td>7122</td></tr> <tr><td>18 SA 42</td><td></td><td>7123</td></tr> <tr><td>18 SA 46</td><td>5340</td><td>7125</td></tr> <tr><td></td><td>5341</td><td>7126</td></tr> <tr><td></td><td>53 S 440</td><td></td></tr> <tr><td>24 S 41</td><td>53 RA 441</td><td></td></tr> <tr><td>24 SA 41</td><td>53 RS 441</td><td>74 S 472</td></tr> <tr><td></td><td>53 S 441</td><td>74 S 473</td></tr> <tr><td></td><td>5348</td><td>74 S 474</td></tr> <tr><td>27 S 15</td><td>5349</td><td>74 S 475</td></tr> <tr><td>27 S 26</td><td>5350</td><td>74 S 476</td></tr> <tr><td>27 S 27</td><td>5351</td><td>74 S 477</td></tr> <tr><td>27 S 28</td><td>5352</td><td>74 S 572</td></tr> <tr><td>27 S 29</td><td>5353</td><td>74 S 573</td></tr> <tr><td>27 S 30</td><td></td><td></td></tr> <tr><td>27 S 31</td><td></td><td></td></tr> <tr><td>27 S 32</td><td>54 S 472</td><td>7640</td></tr> <tr><td>27 S 33</td><td>54 S 473</td><td>7641</td></tr> <tr><td></td><td>54 S 474</td><td>7642</td></tr> <tr><td></td><td>54 S 475</td><td>7643</td></tr> <tr><td>28 L 42</td><td>54 S 476</td><td>7644</td></tr> <tr><td>28 L 45</td><td>54 S 477</td><td>7645</td></tr> <tr><td>28 P 42</td><td>54 S 572</td><td>7647</td></tr> <tr><td>28 P 45</td><td>54 S 573</td><td>7648</td></tr> <tr><td>28 R 45</td><td>54740</td><td>7649</td></tr> <tr><td></td><td>54741</td><td></td></tr> <tr><td>28 SA 41</td><td></td><td>82 HS 137</td></tr> <tr><td>28 S 42</td><td>5605</td><td>82 HS 147</td></tr> <tr><td>28 SA 42</td><td>5625</td><td></td></tr> <tr><td>28 S 45</td><td></td><td></td></tr> <tr><td>28 S 46</td><td></td><td>82 S 115</td></tr> <tr><td>28 SA 46</td><td>6340</td><td>82 S 136</td></tr> <tr><td></td><td>6341</td><td>82 S 137</td></tr> <tr><td></td><td>63 S 440</td><td>82 S 140</td></tr> <tr><td>29620</td><td>63 RA 441</td><td>82 S 141</td></tr> <tr><td>29621</td><td>63 RS 441</td><td>82 S 142</td></tr> <tr><td>29622</td><td>63 S 441</td><td>82 S 146</td></tr> <tr><td>29623</td><td>6348</td><td>82 S 147</td></tr> <tr><td>29624</td><td>6349</td><td></td></tr> <tr><td>29625</td><td>6350</td><td></td></tr> <tr><td>29626</td><td>6351</td><td>93438</td></tr> <tr><td>29627</td><td>6352</td><td>93448</td></tr> <tr><td></td><td>6353</td><td>93452</td></tr> <tr><td></td><td></td><td>93453</td></tr> <tr><td>3604</td><td></td><td></td></tr> <tr><td>3624</td><td>HM 6641</td><td></td></tr> <tr><td>3625</td><td></td><td></td></tr> <tr><td></td><td>7054</td><td></td></tr> <tr><td></td><td>7059</td><td></td></tr> <tr><td></td><td>or</td><td></td></tr> <tr><td></td><td>— other identification markings relating to PROMS complying with the abovementioned description</td><td></td></tr> </table>	18 S 42	38510	7121	18 S 46		7122	18 SA 42		7123	18 SA 46	5340	7125		5341	7126		53 S 440		24 S 41	53 RA 441		24 SA 41	53 RS 441	74 S 472		53 S 441	74 S 473		5348	74 S 474	27 S 15	5349	74 S 475	27 S 26	5350	74 S 476	27 S 27	5351	74 S 477	27 S 28	5352	74 S 572	27 S 29	5353	74 S 573	27 S 30			27 S 31			27 S 32	54 S 472	7640	27 S 33	54 S 473	7641		54 S 474	7642		54 S 475	7643	28 L 42	54 S 476	7644	28 L 45	54 S 477	7645	28 P 42	54 S 572	7647	28 P 45	54 S 573	7648	28 R 45	54740	7649		54741		28 SA 41		82 HS 137	28 S 42	5605	82 HS 147	28 SA 42	5625		28 S 45			28 S 46		82 S 115	28 SA 46	6340	82 S 136		6341	82 S 137		63 S 440	82 S 140	29620	63 RA 441	82 S 141	29621	63 RS 441	82 S 142	29622	63 S 441	82 S 146	29623	6348	82 S 147	29624	6349		29625	6350		29626	6351	93438	29627	6352	93448		6353	93452			93453	3604			3624	HM 6641		3625				7054			7059			or			— other identification markings relating to PROMS complying with the abovementioned description		
18 S 42	38510	7121																																																																																																																																																												
18 S 46		7122																																																																																																																																																												
18 SA 42		7123																																																																																																																																																												
18 SA 46	5340	7125																																																																																																																																																												
	5341	7126																																																																																																																																																												
	53 S 440																																																																																																																																																													
24 S 41	53 RA 441																																																																																																																																																													
24 SA 41	53 RS 441	74 S 472																																																																																																																																																												
	53 S 441	74 S 473																																																																																																																																																												
	5348	74 S 474																																																																																																																																																												
27 S 15	5349	74 S 475																																																																																																																																																												
27 S 26	5350	74 S 476																																																																																																																																																												
27 S 27	5351	74 S 477																																																																																																																																																												
27 S 28	5352	74 S 572																																																																																																																																																												
27 S 29	5353	74 S 573																																																																																																																																																												
27 S 30																																																																																																																																																														
27 S 31																																																																																																																																																														
27 S 32	54 S 472	7640																																																																																																																																																												
27 S 33	54 S 473	7641																																																																																																																																																												
	54 S 474	7642																																																																																																																																																												
	54 S 475	7643																																																																																																																																																												
28 L 42	54 S 476	7644																																																																																																																																																												
28 L 45	54 S 477	7645																																																																																																																																																												
28 P 42	54 S 572	7647																																																																																																																																																												
28 P 45	54 S 573	7648																																																																																																																																																												
28 R 45	54740	7649																																																																																																																																																												
	54741																																																																																																																																																													
28 SA 41		82 HS 137																																																																																																																																																												
28 S 42	5605	82 HS 147																																																																																																																																																												
28 SA 42	5625																																																																																																																																																													
28 S 45																																																																																																																																																														
28 S 46		82 S 115																																																																																																																																																												
28 SA 46	6340	82 S 136																																																																																																																																																												
	6341	82 S 137																																																																																																																																																												
	63 S 440	82 S 140																																																																																																																																																												
29620	63 RA 441	82 S 141																																																																																																																																																												
29621	63 RS 441	82 S 142																																																																																																																																																												
29622	63 S 441	82 S 146																																																																																																																																																												
29623	6348	82 S 147																																																																																																																																																												
29624	6349																																																																																																																																																													
29625	6350																																																																																																																																																													
29626	6351	93438																																																																																																																																																												
29627	6352	93448																																																																																																																																																												
	6353	93452																																																																																																																																																												
		93453																																																																																																																																																												
3604																																																																																																																																																														
3624	HM 6641																																																																																																																																																													
3625																																																																																																																																																														
	7054																																																																																																																																																													
	7059																																																																																																																																																													
	or																																																																																																																																																													
	— other identification markings relating to PROMS complying with the abovementioned description																																																																																																																																																													

CCT heading No	Description	Rate of autonomous duty (%)																																																																																																																																																
ex 85.21 D II	Programmable, non-erasable, read only memories (PROMS), with a storage capacity of 8 K bits, in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 17 × 39 mm, with not more than 24 connecting pins or 28 contact areas, and bearing: — an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations: <table border="0"> <tr><td>24 S 81</td><td>6380</td><td>82707</td></tr> <tr><td>24 SA 81</td><td>6381</td><td>82708</td></tr> <tr><td>24 S 86</td><td>6388</td><td>82 LS 180</td></tr> <tr><td></td><td>6389</td><td>82 LS 181</td></tr> <tr><td></td><td>63 S 840</td><td>82 S 180</td></tr> <tr><td>27 S 180</td><td>63 S 841</td><td>82 S 181</td></tr> <tr><td>27 S 181</td><td></td><td>82 S 182</td></tr> <tr><td></td><td></td><td>82 S 183</td></tr> <tr><td></td><td>7050</td><td>82 S 184</td></tr> <tr><td>28 L 85</td><td></td><td>82 S 185</td></tr> <tr><td>28 L 86</td><td></td><td>82 S 2708</td></tr> <tr><td>28 P 85</td><td>7127</td><td></td></tr> <tr><td>28 R 85</td><td>7128</td><td>87 S 180</td></tr> <tr><td>28 S 2708</td><td>7129</td><td>87 S 181</td></tr> <tr><td>28 S 85</td><td>7130</td><td>87 S 184</td></tr> <tr><td>28 S 86</td><td>7131</td><td>87 S 185</td></tr> <tr><td>28 SA 86</td><td>7132</td><td>87 S 186</td></tr> <tr><td></td><td></td><td>87 S 187</td></tr> <tr><td>29623</td><td>74 LS 478</td><td></td></tr> <tr><td>29630</td><td>74 S 2708</td><td>93450</td></tr> <tr><td>29631</td><td>74 S 454</td><td>93451</td></tr> <tr><td>29632</td><td>74 S 455</td><td>93460</td></tr> <tr><td>29633</td><td>74 S 478</td><td>93461</td></tr> <tr><td>29634</td><td>74 S 479</td><td>93465</td></tr> <tr><td>29635</td><td></td><td>93466</td></tr> <tr><td>29636</td><td></td><td>93 L 450</td></tr> <tr><td>29637</td><td>7608</td><td>93 L 451</td></tr> <tr><td>29650</td><td>7680</td><td></td></tr> <tr><td>29651</td><td>7681</td><td></td></tr> <tr><td>29652</td><td>7684</td><td>9460</td></tr> <tr><td>29653</td><td>7685</td><td></td></tr> <tr><td></td><td>7686</td><td></td></tr> <tr><td></td><td>7687</td><td></td></tr> <tr><td>3628</td><td>7688</td><td></td></tr> <tr><td></td><td>7689</td><td></td></tr> <tr><td>5380</td><td></td><td></td></tr> <tr><td>5381</td><td>77 S 180</td><td></td></tr> <tr><td>5388</td><td>77 S 181</td><td></td></tr> <tr><td>5389</td><td>77 S 184</td><td></td></tr> <tr><td>53 S 840</td><td>77 S 185</td><td></td></tr> <tr><td>53 S 841</td><td>77 S 186</td><td></td></tr> <tr><td></td><td>77 S 187</td><td></td></tr> <tr><td>54 LS 478</td><td></td><td></td></tr> <tr><td>54 S 2708</td><td>TBPS 81 M</td><td></td></tr> <tr><td>54 S 454</td><td></td><td></td></tr> <tr><td>54 S 455</td><td></td><td></td></tr> <tr><td>54 S 478</td><td></td><td></td></tr> <tr><td>54 S 479</td><td></td><td></td></tr> </table> or — other identification markings relating to PROMS complying with the abovementioned description	24 S 81	6380	82707	24 SA 81	6381	82708	24 S 86	6388	82 LS 180		6389	82 LS 181		63 S 840	82 S 180	27 S 180	63 S 841	82 S 181	27 S 181		82 S 182			82 S 183		7050	82 S 184	28 L 85		82 S 185	28 L 86		82 S 2708	28 P 85	7127		28 R 85	7128	87 S 180	28 S 2708	7129	87 S 181	28 S 85	7130	87 S 184	28 S 86	7131	87 S 185	28 SA 86	7132	87 S 186			87 S 187	29623	74 LS 478		29630	74 S 2708	93450	29631	74 S 454	93451	29632	74 S 455	93460	29633	74 S 478	93461	29634	74 S 479	93465	29635		93466	29636		93 L 450	29637	7608	93 L 451	29650	7680		29651	7681		29652	7684	9460	29653	7685			7686			7687		3628	7688			7689		5380			5381	77 S 180		5388	77 S 181		5389	77 S 184		53 S 840	77 S 185		53 S 841	77 S 186			77 S 187		54 LS 478			54 S 2708	TBPS 81 M		54 S 454			54 S 455			54 S 478			54 S 479			
24 S 81	6380	82707																																																																																																																																																
24 SA 81	6381	82708																																																																																																																																																
24 S 86	6388	82 LS 180																																																																																																																																																
	6389	82 LS 181																																																																																																																																																
	63 S 840	82 S 180																																																																																																																																																
27 S 180	63 S 841	82 S 181																																																																																																																																																
27 S 181		82 S 182																																																																																																																																																
		82 S 183																																																																																																																																																
	7050	82 S 184																																																																																																																																																
28 L 85		82 S 185																																																																																																																																																
28 L 86		82 S 2708																																																																																																																																																
28 P 85	7127																																																																																																																																																	
28 R 85	7128	87 S 180																																																																																																																																																
28 S 2708	7129	87 S 181																																																																																																																																																
28 S 85	7130	87 S 184																																																																																																																																																
28 S 86	7131	87 S 185																																																																																																																																																
28 SA 86	7132	87 S 186																																																																																																																																																
		87 S 187																																																																																																																																																
29623	74 LS 478																																																																																																																																																	
29630	74 S 2708	93450																																																																																																																																																
29631	74 S 454	93451																																																																																																																																																
29632	74 S 455	93460																																																																																																																																																
29633	74 S 478	93461																																																																																																																																																
29634	74 S 479	93465																																																																																																																																																
29635		93466																																																																																																																																																
29636		93 L 450																																																																																																																																																
29637	7608	93 L 451																																																																																																																																																
29650	7680																																																																																																																																																	
29651	7681																																																																																																																																																	
29652	7684	9460																																																																																																																																																
29653	7685																																																																																																																																																	
	7686																																																																																																																																																	
	7687																																																																																																																																																	
3628	7688																																																																																																																																																	
	7689																																																																																																																																																	
5380																																																																																																																																																		
5381	77 S 180																																																																																																																																																	
5388	77 S 181																																																																																																																																																	
5389	77 S 184																																																																																																																																																	
53 S 840	77 S 185																																																																																																																																																	
53 S 841	77 S 186																																																																																																																																																	
	77 S 187																																																																																																																																																	
54 LS 478																																																																																																																																																		
54 S 2708	TBPS 81 M																																																																																																																																																	
54 S 454																																																																																																																																																		
54 S 455																																																																																																																																																		
54 S 478																																																																																																																																																		
54 S 479																																																																																																																																																		

CCT heading No	Description	Rate of autonomous duty (%)																																																								
ex 85.21 D II	Programmable, non-erasable, read only memories (PROMS), with a storage capacity of 16 K bits, in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 17 × 39 mm, with not more than 24 connecting pins or 28 contact areas, and bearing: — an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations: <table><tr><td>TBP 28 L 166</td><td>HM 76 16-5</td></tr><tr><td>TBP 28 P 166</td><td>DM 77 S 190</td></tr><tr><td>TBP 28 R 166</td><td>DM 77 S 191</td></tr><tr><td>TBP 28 S 166</td><td>MM 82 S 190</td></tr><tr><td>29681</td><td>SM 82 S 190</td></tr><tr><td>29681 A</td><td>S 82 S 190</td></tr><tr><td>29683</td><td>MM 82 S 191</td></tr><tr><td>29683 A</td><td>SM 82 S 191</td></tr><tr><td>3636</td><td>N 82 S 191</td></tr><tr><td>3636-1</td><td>S 82 S 191</td></tr><tr><td>M 36 36</td><td>DM 87 S 190</td></tr><tr><td></td><td>DM 87 S 191</td></tr><tr><td>53 S 1641</td><td>93 510 C</td></tr><tr><td>53 LS 1681</td><td>93 510 M</td></tr><tr><td>53 PS 1681</td><td>93 511 C</td></tr><tr><td>53 S 1681</td><td>93 511 M</td></tr><tr><td>63 S 1641</td><td></td></tr><tr><td>63 LS 1681</td><td></td></tr><tr><td>63 PS 1681</td><td></td></tr><tr><td>63 S 1681</td><td></td></tr><tr><td>7134</td><td></td></tr><tr><td>7136</td><td></td></tr><tr><td>7138</td><td></td></tr><tr><td>HM 76 160-2</td><td></td></tr><tr><td>HM 76 160-5</td><td></td></tr><tr><td>HM 76 161-2</td><td></td></tr><tr><td>HM 76 161-5</td><td></td></tr><tr><td>HM 76 16-2</td><td></td></tr></table> or — other identification marking relating to PROMS complying with the abovementioned description	TBP 28 L 166	HM 76 16-5	TBP 28 P 166	DM 77 S 190	TBP 28 R 166	DM 77 S 191	TBP 28 S 166	MM 82 S 190	29681	SM 82 S 190	29681 A	S 82 S 190	29683	MM 82 S 191	29683 A	SM 82 S 191	3636	N 82 S 191	3636-1	S 82 S 191	M 36 36	DM 87 S 190		DM 87 S 191	53 S 1641	93 510 C	53 LS 1681	93 510 M	53 PS 1681	93 511 C	53 S 1681	93 511 M	63 S 1641		63 LS 1681		63 PS 1681		63 S 1681		7134		7136		7138		HM 76 160-2		HM 76 160-5		HM 76 161-2		HM 76 161-5		HM 76 16-2		4
TBP 28 L 166	HM 76 16-5																																																									
TBP 28 P 166	DM 77 S 190																																																									
TBP 28 R 166	DM 77 S 191																																																									
TBP 28 S 166	MM 82 S 190																																																									
29681	SM 82 S 190																																																									
29681 A	S 82 S 190																																																									
29683	MM 82 S 191																																																									
29683 A	SM 82 S 191																																																									
3636	N 82 S 191																																																									
3636-1	S 82 S 191																																																									
M 36 36	DM 87 S 190																																																									
	DM 87 S 191																																																									
53 S 1641	93 510 C																																																									
53 LS 1681	93 510 M																																																									
53 PS 1681	93 511 C																																																									
53 S 1681	93 511 M																																																									
63 S 1641																																																										
63 LS 1681																																																										
63 PS 1681																																																										
63 S 1681																																																										
7134																																																										
7136																																																										
7138																																																										
HM 76 160-2																																																										
HM 76 160-5																																																										
HM 76 161-2																																																										
HM 76 161-5																																																										
HM 76 16-2																																																										
ex 85.21 D II	Electronic, programmable, read only memories (EPROMS) UV erasable, with a storage capacity of 2 K bits in the form of a monolithic integrated circuit contained in a housing whose exterior dimensions do not exceed 17 × 39 mm, with a quartz window on the upper surface, and bearing: — an identification marking either consisting of one of the following combinations of figures and letters or including one of those combinations: <table><tr><td>B 1702 A</td></tr><tr><td>AMI 702 ADC</td></tr><tr><td>82140 PP</td></tr></table> or — other identification markings relating to EPROMS complying with the abovementioned description	B 1702 A	AMI 702 ADC	82140 PP	0																																																					
B 1702 A																																																										
AMI 702 ADC																																																										
82140 PP																																																										

CCT heading No	Description	Rate of autonomous duty (%)
ex 85.21 D II	Electronic, programmable, read only memories (EPROMS) UV erasable, with a storage capacity of 32 K bits, in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 17 × 39 mm, with a quartz window on the upper surface, and bearing: — an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations: 2532 25 A 32 25 L 32 2732 68732 68 L 732 or — other identification markings relating to EPROMS complying with the abovementioned description	8.5
ex 85.21 D II	Electronic, programmable, read only memories (EPROMS) UV erasable, with a storage capacity of 64 K bits, in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 17 × 39 mm, with a quartz window on the upper surface, and bearing: — an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations: 2564 2764 68 L 64 68764 68 A 764 68 L 764 68766 or — other identification markings relating to EPROMS complying with the abovementioned description	0
ex 85.21 D II	Dynamic random access memories, operating from a single +5 V power supply, of N-MOS technology (N-MOS single +5 V power supply D-RAMS) with a storage capacity of 16 K bits in the form of a monolithic integrated circuit contained in a housing whose exterior dimensions do not exceed 9 × 24 mm, with no more than 16 connecting pins or 18 contact areas and bearing: — an identification marking either consisting of one of the following combinations of figures or including one of those combinations: 2118 4517 4816 5295 or — other identification markings relating to N-MOS D-RAMS complying with the abovementioned description	11.5

CCT heading No	Description	Rate of autonomous duty (%)																		
ex 85.21 D II	Dynamic random access memories (D-RAMS) with a storage capacity of 16 K × 4 bits, in the form of a monolithic integrated circuit contained in a housing whose exterior dimensions do not exceed 9 × 24 mm with 18 connecting pins, and bearing: — an identification marking either consisting of one of the following combinations of figures and letters or including one of those combinations: IMS 2620 TMS 4416 or — other identification markings relating to D-RAMS complying with the above-mentioned description	12																		
ex 85.21 D II	Static random access memories of N-MOS technology (N-MOS S-RAMS), with a storage capacity of 256 × 4 bits in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 17 × 39 mm, with not more than 24 connecting pins, and bearing: — an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations: <table><tr><td>M 120</td><td>8101</td></tr><tr><td></td><td>8111</td></tr><tr><td>2101</td><td></td></tr><tr><td>21 H 01</td><td>9101</td></tr><tr><td>2111</td><td>91 L 01</td></tr><tr><td>21 H 11</td><td>9111</td></tr><tr><td>2112</td><td>91 L 11</td></tr><tr><td>21 H 12</td><td>9112</td></tr><tr><td></td><td>91 L 12</td></tr></table> or — other identification markings relating to N-MOS S-RAMS complying with the abovementioned descriptions	M 120	8101		8111	2101		21 H 01	9101	2111	91 L 01	21 H 11	9111	2112	91 L 11	21 H 12	9112		91 L 12	0
M 120	8101																			
	8111																			
2101																				
21 H 01	9101																			
2111	91 L 01																			
21 H 11	9111																			
2112	91 L 11																			
21 H 12	9112																			
	91 L 12																			
ex 85.21 D II	Static random access memories of N-MOS technology (N-MOS S-RAMS), with a storage capacity of 8 K bits, in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 17 × 39 mm, with not more than 24 connecting pins, and bearing: — an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations: <table><tr><td>4008</td><td>8104</td></tr><tr><td>4118</td><td>8108</td></tr><tr><td>PD 421</td><td>8112</td></tr><tr><td>4801</td><td>8114</td></tr><tr><td></td><td>8185</td></tr></table> or — Other identification markings relating to N-MOS-RAMS complying with the abovementioned description	4008	8104	4118	8108	PD 421	8112	4801	8114		8185	0								
4008	8104																			
4118	8108																			
PD 421	8112																			
4801	8114																			
	8185																			

CCT heading No	Description	Rate of autonomous duty (%)
ex 85.21 D II	Static random access memories of N-MOS technology (N-MOS S-RAMS), with a storage capacity of $2\text{ K} \times 8$ bits, in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 17×39 mm, with 24 connecting pins or not more than 32 contact areas and bearing: — an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations: MCM 2016 TMM 2016 2128 3528 TMS 4016 4802 58725 8128 or — other identification markings relating to N-MOS S-RAMS complying with the abovementioned description	8.5
ex 85.21 D II	Static random access memories of C-MOS technology (C-MOS S-RAMS) with a storage capacity of 64 K bits in the form of a monolithic integrated circuit contained in a housing whose exterior dimensions do not exceed 17×39 mm, with not more than 28 connecting pins and bearing: — an identification marking consisting of the following combination of figures and letters or including this combination: TC 5564 or — other identification markings relating to C-MOS S-RAMS complying with the abovementioned description	0
ex 85.21 D II	Random access memories of emitter coupled logic technology (ECL RAMS), with a storage capacity of 16 K bits, in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 11×31 mm, with 20 connecting pins, and bearing: — an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations: F 10480 100480 or — other identification markings relating to ECL RAMS complying with the abovementioned description	0

CCT heading No	Description	Rate of autonomous duty (%)																						
ex 85.21 D II	Static random access memory of TTL technology (TTL-S-RAM), with a storage capacity of 1 K bit, in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 16 × 30 mm, with not more than 22 connecting pins, and bearing: — an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations: <table><tr><td>2205</td><td>93412</td></tr><tr><td>2510</td><td>93 L 412</td></tr><tr><td>2511</td><td>93415</td></tr><tr><td>74 LS 214</td><td>93 L 415</td></tr><tr><td>74 LS 215</td><td>93422</td></tr><tr><td>74 LS 314</td><td>93 L 422</td></tr><tr><td>74 LS 315</td><td>93425</td></tr><tr><td>74 S 207</td><td>93 F 425</td></tr><tr><td>74 S 208</td><td>93 L 425</td></tr><tr><td>74 S 214</td><td></td></tr><tr><td>74 S 314</td><td></td></tr></table> or — other identification markings relating to TTL-S-RAMS complying with the abovementioned description	2205	93412	2510	93 L 412	2511	93415	74 LS 214	93 L 415	74 LS 215	93422	74 LS 314	93 L 422	74 LS 315	93425	74 S 207	93 F 425	74 S 208	93 L 425	74 S 214		74 S 314		0
2205	93412																							
2510	93 L 412																							
2511	93415																							
74 LS 214	93 L 415																							
74 LS 215	93422																							
74 LS 314	93 L 422																							
74 LS 315	93425																							
74 S 207	93 F 425																							
74 S 208	93 L 425																							
74 S 214																								
74 S 314																								
ex 85.21 D II	Single-chip microcomputer, in the form of a monolithic integrated circuit, consisting of an arithmetical unit with a capacity of 4 bits plus a read only memory (ROM) with a capacity of not less than 18 K bits and not more than 65 K bits and a random access memory (RAM) with a capacity of not less than 512 bits and not more than 4 K bits, contained in a housing whose exterior dimensions do not exceed 16 × 54 mm, with not more than 40 connecting pins, and bearing: — an identification marking either consisting of one of the following combinations of figures and letters or including one of those combinations: <table><tr><td>CD 3200 to 3299</td><td>TMC 1980 to 1999</td></tr><tr><td>TMC 0270 to 0279</td><td>TP 0310 to 03299</td></tr><tr><td>TMC 0500 to 0599</td><td>TP 0450 to 04599</td></tr><tr><td>TMC 0980 to 0989</td><td>TP 0480 to 04899</td></tr><tr><td>TMC 1500 to 1599</td><td>TP 0500 to 05999</td></tr></table> or — other identification markings relating to single-chip microcomputers complying with the abovementioned description	CD 3200 to 3299	TMC 1980 to 1999	TMC 0270 to 0279	TP 0310 to 03299	TMC 0500 to 0599	TP 0450 to 04599	TMC 0980 to 0989	TP 0480 to 04899	TMC 1500 to 1599	TP 0500 to 05999	0												
CD 3200 to 3299	TMC 1980 to 1999																							
TMC 0270 to 0279	TP 0310 to 03299																							
TMC 0500 to 0599	TP 0450 to 04599																							
TMC 0980 to 0989	TP 0480 to 04899																							
TMC 1500 to 1599	TP 0500 to 05999																							
ex 85.21 D II	Single-chip microcomputer, in the form of a monolithic integrated circuit, consisting of an arithmetical unit with a capacity of 8 bits, a 12 bit timer, an internal clock, a read only memory (ROM) with a capacity of 32 K bits and a random access memory (RAM) with a capacity of 1 K bit, with 48 input/output gates and contained in a housing whose exterior dimensions do not exceed 16.5 × 42 mm, with 64 connecting pins, and bearing:																							

CCT heading No	Description	Rate of autonomous duty (%)
ex 85.21 D II (cont'd)	— an identification marking either consisting of the following combination of figures and letters or including this combination: PD 7801 or — other identification markings relating to single-chip microcomputers complying with the abovementioned description	10
ex 85.21 D II	Single-chip microcomputer in the form of a monolithic integrated circuit, consisting of an arithmetical logic unit with a capacity of 8 bits, not more than two timers each with a capacity of not more than 16 bits, an internal clock, an electronic programmable read only memory (EPROM) UV erasable with a storage capacity of not less than 8 K bits and not more than 32 K bits and a random access memory (RAM) with a storage capacity of not less than 512 bits and not more than 4 K bits, with not less than 13 and not more than 32 input/output lines and contained in a housing whose exterior dimensions do not exceed 17 × 54 mm with not more than 40 connecting pins, with a quartz window on the upper surface and bearing: — an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations: 68701 68705 8741 A 8748 8749 8750 8751 or — other identification markings relating to single-chip microcomputers complying with the abovementioned description	0
ex 85.21 D II	P-MOS 12/24-hour clock circuit, incorporating an elapsed time facility, in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 53 × 14 mm, with 40 connecting pins, for the manufacture of instrument panel clocks and clocks of a similar type for motor vehicles (a), and bearing: — an identification marking either consisting of the following combination of figures and letters or including this combination: MM 53124 or — other identification markings relating to clock circuits complying with the abovementioned description	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 85.21 D II	C-MOS clock circuits, in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 16 × 54 mm, with not more than 42 connecting pins, for the production of automatic time-switches, instrument panel clocks and clocks of a similar type for motor vehicles (a). The case bears: — an identification marking either consisting of one of the following combinations of figures and letters or including one of these combinations: HI 2060 HI 2065 T 3605 or — other identification markings relating to clock circuits complying with the abovementioned description	0
ex 85.21 D II	Monolithic integrated circuit, consisting of eight independent elements capable of controlling the eight segments and/or characters of fluorescent or gas discharge displays, contained in a housing whose exterior dimensions do not exceed 7 × 23 mm, with 18 connecting pins, and bearing: — an identification marking either consisting of one of the following combinations of figures or including one of those combinations: 513 514 534 594 6118 6128 6138 or — other identification markings relating to circuits complying with the abovementioned description	0
ex 85.21 D II	Programmable, non-erasable, logic circuit (Field Programmable Logic Array) of TTL Schotky technology, with 48 AND functions and eight OR functions and 16 inputs, in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 17 × 39 mm, with 28 connecting pins, and bearing: — an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations: 82 S 100 82 S 101 93458 93459 or — other identification markings relating to programmable logic arrays complying with the abovementioned description	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 85.21 D II	Programmable, non-erasable, logic circuit (Field Programmable Gate Array) of bipolar technology, in the form of a monolithic integrated circuit with AND/NAND functions, containing 16 inputs and nine outputs, contained in a housing whose dimensions do not exceed 17 × 39 mm, with 28 connecting pins, and bearing: — an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations: 82 S 102 82 S 103 or — other identification markings relating to programmable gate arrays complying with the abovementioned description	0
ex 85.21 D II	Arithmetic-logic unit of H-MOS technology, in the form of a monolithic integrated circuit, consisting of one 32 bit register, one 24 bit register, one 4 bit register, twelve 1 bit registers, two 16 × 24 bit service memories, one logic network performing arithmetic and logic operations, decodifying logic, an error detection and management logic, one 8 bit counter, and a timing network, contained in a housing whose exterior dimensions do not exceed 23 × 82 mm, with 64 connecting pins, and bearing: — the identification marking ALU 0486 or — other identification markings relating to arithmetic-logic units complying with the abovementioned description	0
ex 85.21 D II	Sequence control circuit of H-MOS technology, in the form of a monolithic integrated circuit, consisting of one 32 bit register, three 16 bit registers, one 16 × 16 bit service memory, one 7 × 17 bit last in first out (LIFO) memory, one adder circuit, decodifying logic, priority logic, error detection and management logic, one 16 bit multiplexer, one 8 bit counter and a timing network, contained in a housing whose exterior dimensions do not exceed 23 × 82 mm, with 64 connecting pins, and bearing: — the identification marking CSS 0484 or — other identification markings relating to sequence control circuits complying with the abovementioned description	0
ex 85.21 D II	Logic control circuit of H-MOS technology in the form of a monolithic integrated circuit consisting of one 7 bit register, three timers, one multiplexer, sequential and combining networks intended to perform control operations, decodifying logic, error detection and management logic and a timing network, contained in a housing whose exterior dimensions do not exceed 23 × 82 mm, with 64 connecting pins, and bearing: — the identification marking MIC 0482 or — other identification markings relating to logic control circuits complying with the abovementioned description	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 85.21 D II	Amplifier, in the form of a monolithic integrated analogue circuit, contained in a housing whose dimensions do not exceed $1.65 \times 3.56 \times 3.56$ mm with not more than 10 connecting pins for use in products falling within subheading 90.19 B I (a), and bearing: — an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations: V 35 C 05 or — other identification markings relating to amplifiers complying with the abovementioned description	0
ex 85.21 D II	Direct access memory controllers of N-MOS technology (N-MOS DMA controller) in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 14×53 mm, with not more than 40 connecting pins, and bearing: — an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations: AM 9517 A 8237 or — other identification markings relating to N-MOS DMA controllers complying with the abovementioned description	11.5
ex 85.21 D II	Enhanced programmable communications interface (EPCI) in the form of a monolithic integrated circuit contained in a housing whose external dimensions do not exceed 37×15 mm, with not more than 28 connecting pins, and bearing: — an identification marking either consisting of the following combination of figures or including that combination: 2661 or — other identification markings relating to EPCIs complying with the above description	0
ex 85.21 D II	Image sensor consisting of not less than 128 and not more than 3 456 photosensitive areas, of a matrix linked to shift registers, amplification circuits and control circuits, in the form of a monolithic integrated circuit contained in a housing whose exterior dimensions do not exceed 16×46 mm, with a glass window on the upper surface and with not more than 24 connecting pins and bearing: — one of the following identification markings: TC 101 TC 102 TC 103 TC 104 or — other identification markings relating to linear image sensors complying with the abovementioned description	11.5

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 85.22 C II	Electromagnetic display, consisting of seven electromagnetic coils which by means of the residual magnetism in the stators provide indefinite memory, seven pivoting light-reflecting segments each of which is attached to a bar magnet. The display is contained in a housing whose dimensions do not exceed 28 x 36 x 50 mm	0
ex 90.01 A	Octagonal Fresnel lens of acrylic resin unmounted, for use in overhead projectors (a)	0
ex 90.19 A III	Vascular prostheses of which the largest opening has an internal diameter not exceeding 8 mm	0
ex 90.19 A III	Vascular prostheses of which the largest opening has an internal diameter exceeding 8 mm	4
ex 90.19 A III	Artificial heart valves	0
ex 90.19 B I	Receivers for hearing aids, contained in a housing whose external dimensions, including correcting points, do not exceed 3.2 x 6.5 x 4.5 mm	0
ex 90.19 B II	Reading appliances for the blind, in which a miniature camera using photo-transistors transmits letters onto a scanning board with piezo-electric pencils, and their parts and accessories	0
ex 90.20	Apparatus for the irradiation of biological samples incorporating permanently shielded caesium 137 radioactive sources, an exposure chamber whose volume does not exceed 930 cubic centimetres, an electrically driven turntable and a digital timer	0
ex 98.04 A II	Non-fibrous plastic pen-tips with an internal channel	0
ex 98.10 B	Flint wheels, whether or not with guard wheels, for use in the manufacture of non-refillable gas-fuelled pocket lighters (a)	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

COMMISSION REGULATION (EEC) No 3362/82

of 6 December 1982

concerning Annex IV to Regulation (EEC) No 3061/79 on common rules for imports of certain textile products originating in the People's Republic of China

THE COMMISSION OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community,

Having regard to Council Regulation (EEC) No 3061/79 of 20 December 1979 on common rules for imports of certain textile products originating in the People's Republic of China ⁽¹⁾, as last amended by Regulation (EEC) No 2007/82 ⁽²⁾, and in particular Articles 14 and 17 thereof,

Whereas, in Annex IV to Regulation (EEC) No 3061/79, it is stated that the allocations as between Member States of quantitative limits for 1983 have been published for the purposes of information and that the final version shall be the subject of a Community Regulation at the beginning of 1983;

Whereas it is appropriate to provide for 1983 the same allocations as those published in Annex IV to Regulation (EEC) No 3061/79 and to include the

quantitative limits established pursuant to Article 11 of that Regulation;

Whereas the measures provided for in this Regulation are in accordance with the opinion of the Textiles Committee,

HAS ADOPTED THIS REGULATION:

Article 1

The allocation of the Community quantitative limits set out in Annex IV to Regulation (EEC) No 3061/79 is hereby fixed for 1983 in the Annex to this Regulation.

Article 2

This Regulation shall enter into force on the third day following its publication in the *Official Journal of the European Communities*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 6 December 1982.

For the Commission

Antonio GIOLITTI

Member of the Commission

⁽¹⁾ OJ No L 345, 31. 12. 1979, p. 1.

⁽²⁾ OJ No L 216, 24. 7. 1982, p. 1.

ANNEX

When the constitutive material of the products of categories 1 to 114 is not specifically mentioned these products are to be taken to be made exclusively of wool or of fine animal hair, of cotton or of synthetic or artificial textile fibres.

Category	CCT heading No	NIMEXE code (1983)	Description	Third countries	Member States	Units	Quantitative limits from 1 January to 31 December 1983
1	55.05	55.05-13; 19; 21; 25; 27; 29; 33; 35; 37; 41; 45; 46; 48; 51; 53; 55; 57; 61; 65; 67; 69; 72; 78; 81; 83; 85; 87	Cotton yarn, not put up for retail sale	China	D F I BNL UK IRL DK GR EEC	Tonnes	1 232 517 106 142 64 93 53 162 2 369
2 (1)	55.09	55.09-03; 04; 05; 06; 07; 08; 09; 10; 11; 12; 13; 14; 15; 16; 17; 19; 21; 29; 32; 34; 35; 37; 38; 39; 41; 49; 51; 52; 53; 54; 55; 56; 57; 59; 61; 63; 64; 65; 66; 67; 68; 69; 70; 71; 73; 75; 76; 77; 78; 79; 80; 81; 82; 83; 84; 85; 87; 88; 89; 90; 91; 92; 93; 98; 99	Other woven fabrics of cotton: Woven fabrics of cotton, other than gauze, terry fabrics, narrow woven fabrics, pile fabrics, chenille fabrics, tulle and other net fabrics:	China (2)	D F I BNL UK IRL DK GR EEC	Tonnes	2 765 4 702 1 738 3 221 3 948 501 1 532 203 18 610
		55.09-06; 07; 08; 09; 51; 52; 53; 54; 55; 56; 57; 59; 61; 63; 64; 65; 66; 67; 70; 71; 73; 83; 84; 85; 87; 88; 89; 90; 91; 92; 93; 98; 99	a) Of which other than unbleached or bleached	China	D F I BNL UK IRL DK GR	Tonnes	277 470 174 (3) 395 50 153 152

(1) Category 2 excluding cotton fabrics (absorbent gauze), destined for the retail trade, not impregnated or coated with pharmaceutical substances, falling within heading No. 30.04 of the Common Customs Tariff, and smaller than 50 x 50 cm.

(2) See Appendix.

Category	CCT heading No	NIMEXE code (1983)	Description	Third countries	Member States	Units	Quantitative limits from 1 January to 31 December 1983
3	56.07 A	56.07-01; 04; 05; 07; 08; 10; 12; 15; 19; 20; 22; 25; 29; 30; 31; 35; 38; 39; 40; 41; 43; 45; 46; 47; 49 56.07-01; 05; 07; 08; 12; 15; 19; 22; 25; 29; 31; 35; 38; 40; 41; 43; 46; 47; 49	Woven fabrics of man-made fibres (discontinuous or waste): A. Of synthetic textile fibres: Woven fabrics of synthetic fibres (discontinuous or waste) other than narrow woven fabrics, pile fabrics (including terry fabrics) and chenille fabrics: a) Of which other than unbleached or bleached	China (1)	D F I BNL UK IRL DK GR EEC D F I BNL UK IRL DK GR	Tonnes	302 157 206 2 272 40 54 69 31 3 131 30 16 21 (1) 4 5 7 7
4	60.04 B I II a) b) c) IV b) 1 aa) dd) 2 ee) d) 1 aa) dd) 2 dd)	60.04-19; 20; 22; 23; 24; 26; 41; 50; 58; 71; 79; 89	Under garments, knitted or crocheted, not elastic or rubberized: Shirts, T-shirts, lightweight fine knit roll, polo or turtle necked jumpers and pullovers, under-vests and the like, knitted or crocheted, not elastic or rubberized, other than babies' garments, of cotton or synthetic textile fibres; T-shirts and lightweight fine knit roll, polo or turtle necked jumpers and pullovers, of regenerated textile fibres, other than babies' garments	China	D F I BNL UK IRL DK GR EEC	1 000 pieces	1 278 1 410 743 503 652 27 103 21 4 737
5	60.05 A I II b) 4 bb) 11 aaa) bbb) ccc) ddd) eee) 22 bbb) ccc) ddd) eee) fff)	60.05-01; 31; 33; 34; 35; 36; 39; 40; 41; 42; 43	Outer garments and other articles, knitted or crocheted, not elastic or rubberized: A. Outer garments and clothing accessories: Jerseys, pullovers, slip-overs, waistcoats, twinsets, cardigans, bedjackets and jumpers, knitted or crocheted, not elastic or rubberized, of wool, of cotton or of man-made textile fibres	China (1)	D F I BNL UK IRL DK GR EEC	1 000 pieces	1 596 810 734 435 1 226 30 94 22 4 947

(1) See Appendix.

Category	CCT heading No	NIMEXE code (1983)	Description	Third countries	Member States	Units	Quantitative limits from 1 January to 31 December 1983
6	61.01 B V d) 1 2 3 e) 1 2 3 61.02 B II e) 6 aa) bb) cc)	61.01-62; 64; 66; 72; 74; 76 61.02-66; 68; 72	Men's and boys' outer garments: Women's, girls' and infants' outer garments: B. Other: Men's and boys' woven breeches, shorts and trousers (including slacks), women's, girls' and infants' woven trousers and slacks, of wool, of cotton or of man-made textile fibres	China (1)	D F I BNL UK IRL DK GR EEC	1 000 pieces	2 933 1 044 611 929 273 42 301 27 6 166
7	60.05 A II b) 4 aa) 22 33 44 55 61.02 B II e) 7 bb) cc) dd)	60.05-22; 23; 24; 25 61.02-78; 82; 84	Outer garments and other articles, knitted or crocheted, not elastic or rubberized: A. Outer garments and clothing accessories: II. Other Women's, girls' and infants' outer garments: B. Other: Blouses and shirt-blouses, knitted, crocheted (not elastic or rubberized), or woven, for women, girls and infants, of wool, of cotton or of man-made textile fibres	China	D F I BNL UK IRL DK GR EEC	1 000 pieces	666 232 290 127 172 21 54 21 1 583
8	61.03 A	61.03-11; 15; 19	Men's and boys' under garments, including collars, shirt fronts and cuffs: Men's and boys' shirts, woven, of wool, of cotton or of man-made textile fibres	China	D F I BNL UK IRL DK GR EEC	1 000 pieces	3 408 582 628 510 859 41 399 25 6 452

(1) See Appendix.

Category	CCT heading No	NIMEXE code (1983)	Description	Third countries	Member States	Units	Quantitative limits from 1 January to 31 December 1983
9	55.08 62.02 B III a) 1	55.08-10; 30; 50; 80 62.02-71	Terry towelling and similar terry fabrics of cotton: Bed linen, table linen, toilet linen and kitchen linen; curtains and other furnishing articles: B. Other: Woven cotton terry fabrics; toilet and kitchen linen of woven cotton terry fabrics	China	D F I BNL UK IRL DK GR EEC	Tonnes	810 258 328 156 461 18 254 7 2 292
10	60.02 A	60.02-40	Gloves, mittens and mitts, knitted or crocheted, not elastic or rubberized: Gloves, mittens and mitts, knitted or crocheted, not elastic or rubberized, impregnated or coated with artificial plastic materials	China (1)	D UK	1 000 pairs	1 913 698
10 and 11	60.02	60.02-40; 50; 60; 70; 80	Gloves, mittens and mitts, knitted or crocheted, not elastic or rubberized	China	F	1 000 pairs	2 055
12	60.03 A B I II b) C D	60.03-11; 19; 20; 27; 30; 90	Stockings, under stockings, socks, ankle-socks, sockettes and the like, knitted or crocheted, not elastic or rubberized: Other than women's stockings of synthetic textile fibres	China	D F I BNL UK IRL DK GR EEC	1 000 pairs	1 077 4 572 446 1 060 962 28 250 43 8 438
13	60.04 B IV b) 1 cc) 2 dd) d) 1 cc) 2 cc)	60.04-48; 56; 75; 85	Under garments, knitted or crocheted, not elastic or rubberized: Men's and boys' underpants and briefs, women's, girls' and infants' (other than babies') knickers and briefs, knitted or crocheted, not elastic or rubberized, of cotton or synthetic textile fibres	China	BNL	1 000 pieces	663

(1) See Appendix.

Category	CCT heading No	NIMEXE code (1983)	Description	Third countries	Member States	Units	Quantitative limits from 1 January to 31 December 1983
14 B	61.01 B V b) 1 2 3	61.01-41; 42; 44; 46; 47	Men's and boys' outer garments: Men's and boys' woven overcoats, raincoats and other coats, cloaks and capes, other than those of category 14 A, of wool, of cotton or of man-made textile fibres	China	D I UK IRL	1 000 pieces	49 21 16 1
15 B	61.02 B II e) 1 aa) bb) cc) 2 aa) bb) cc)	61.02-31; 32; 33; 35; 36; 37; 39; 40	Women's, girls' and infants' outer garments: B. Other: Women's, girls' and infants' woven overcoats, raincoats and other coats, cloaks and capes; jackets and blazers, other than garments of category 15 A, of wool, of cotton or of man-made textile fibres	China	I IRL	1 000 pieces	25 3
16	61.01 B V c) 1 2 3	61.01-51; 54; 57	Men's and boys' outer garments: Men's and boys' woven suits (including coordinate suits consisting of two or three pieces, which are ordered, packed, consigned and normally sold together) of wool, of cotton or of man-made textile fibres, excluding ski suits	China	F	1 000 pieces	163
17	61.01 B V a) 1 2 3	61.01-34; 36; 37	Men's and boys' outer garments: Men's and boys' woven jackets (excluding waist jackets) and blazers, of wool, of cotton or of man-made textile fibres	China	I UK	1 000 pieces	23 40.1

Category	CCT heading No	NIMEXE code (1983)	Description	Third countries	Member States	Units	Quantitative limits from 1 January to 31 December 1983
18	61.03 B C	61.03-51; 55; 59; 81; 85; 89	Men's and boys' under garments, including collars, shirt fronts and cuffs: Men's and boys' woven under garments other than shirts, of wool, of cotton or of man-made textile fibres	China	D F I BNL UK	Tonnes	56 45 162 14 79
19	61.05 B I III	61.05-30; 99	Handkerchiefs: B. Other: Handkerchiefs of woven fabric, of a value of not more than 15 ECU/kg net weight	China (1)	D F I BNL UK IRL DK GR EEC	1 000 pieces	14 806 3 737 8 451 11 804 6 347 174 1 735 108 47 162
20	62.02 B I a) c)	62.02-12; 13; 19	Bed linen, table linen, toilet linen and kitchen linen; curtains and other furnishing articles: B. Other: Bed linen, woven	China	D F I BNL UK IRL DK GR EEC	Tonnes	(1)
21	61.01 B IV 61.02 B II d)	61.01-29; 31; 32 61.02-25; 26; 28	Men's and boys' outer garments: Women's, girls' and infants' outer garments: B. Other: Parkas; anoraks, windcheaters, waister jackets and the like, woven, of wool, of cotton or of man-made textile fibres	China	D F I BNL UK IRL DK GR EEC	1 000 pieces	2 120 (1) 562 376 220 298 13 53 27 3 669

(1) See Appendix.

Category	CCT heading No	NIMEXE code (1983)	Description	Third countries	Member States	Units	Quantitative limits from 1 January to 31 December 1983
23	56.05 B	56.05-51; 55; 61; 65; 71; 75; 81; 85; 91; 95; 99	Yarn of man-made fibres (discontinuous or waste), not put up for retail sale: B. Of regenerated textile fibres: Yarn of discontinuous or waste regenerated fibres, not put up for retail sale	China	BNL	Tonnes	1 913
24	60.04 B IV b) 1 bb) d) 1 bb)	60.04-47; 73	Under garments, knitted or crocheted, not elastic or rubberized: Men's and boys' pyjamas, knitted or crocheted, of cotton or of synthetic textile fibres	China	F BNL	1 000 pieces	238 79
25	60.04 B IV b) 2 aa) bb) d) 2 aa) bb)	60.04-51; 53; 81; 83	Under garments, knitted or crocheted, not elastic or rubberized: Women's, girls' and infants' (other than babies') knitted or crocheted pyjamas and night dresses, of cotton or synthetic fibres	China	F I BNL UK	1 000 pieces	294 215 84 126
26	60.05 A II b) 4 cc) 11 22 33 44 61.02 B II e) 4 bb) cc) dd) ee)	60.05-45; 46; 47; 48 61.02-48; 52; 53; 54	Outer garments and other articles, knitted or crocheted, not elastic or rubberized: A. Outer garments and clothing accessories: II. Other Women's, girls' and infants' outer garments: B. Other: Women's, girls' and infants' (other than babies') woven and knitted or crocheted dresses, of wool, of cotton or of man-made textile fibres	China	UK	1 000 pieces	333

Category	CCT heading No	NIMEXE code (1983)	Description	Third countries	Member States	Units	Quantitative limits from 1 January to 31 December 1983
27	60.05 A II(b) 4 dd) 61.02 B II(e) 5 aa) bb) cc)	60.05-51; 52; 54; 58 61.02-57; 58; 62	Outer garments and other articles, knitted or crocheted, not elastic or rubberized: A. Outer garments and clothing accessories: II. Other: Women's, girls' and infants' outer garments: B. Other: Women's, girls' and infants' (other than babies') woven and knitted or crocheted skirts, including divided skirts	China	UK	1 000 pieces	163
30 A	61.04 B I	61.04-11; 13; 18	Women's, girls' and infants' under garments: Women's, girls' and infants' woven pyjamas and night dresses, of wool, of cotton or of man-made textile fibres	China	F I	1 000 pieces	1 080 110
31	61.09 D	61.09-50	Corsets, corset-belts, suspender-belts, brassières, braces, suspenders, garters and the like (including such articles of knitted or crocheted fabrics) whether or not elastic: Brassières, woven, knitted or crocheted	China	UK	1 000 pieces	339
32	ex 58.04	58.04-07; 11; 15; 18; 41; 43; 45; 61; 63; 67; 69; 71; 75; 77; 78	Woven pile fabrics and chenille fabrics (other than terry towelling or similar terry fabrics of cotton falling within heading No 55.08 and fabrics falling within heading No 58.05): Woven pile fabrics and chenille fabrics (other than terry fabrics of cotton and narrow woven fabrics) of wool, of cotton or of man-made textile fibres	China	D F I BNL UK IRL DK GR EEC	Tonnes	640 416 322 167 430 36 104 54 2 169

Category	CCT heading No	NIMEXE code (1983)	Description	Third countries	Member States	Units	Quantitative limits from 1 January to 31 December 1983
36	51.04 B III	51.04-55; 56; 58; 62; 64; 66; 72; 74; 76; 81; 89; 93; 94; 97; 98	Woven fabrics of man-made fibres (continuous), including woven fabrics of monofil or strip falling within heading No 51.01 or 51.02: B. Woven fabrics of regenerated textile fibres: Woven fabrics of regenerated textile fibres (continuous) other than those for tyres and those containing elastomeric yarn	China	F	Tonnes	202
37	56.07 B	56.07-50; 51; 55; 56; 59; 60; 61; 65; 67; 68; 69; 70; 71; 72; 73; 74; 77; 78; 82; 83; 84; 87	Woven fabrics of man-made fibres (discontinuous or waste): B. Of regenerated textile fibres: Woven fabrics of regenerated textile fibres (discontinuous or waste) other than narrow woven fabrics, pile fabrics (including terry fabrics) and chenille fabrics: a) Of which other than unbleached or bleached	China	D F I BNL UK IRL DK GR EEC	Tonnes	1 588 650 725 573 842 47 841 38 4 304
37 a)		56.07-50; 55; 56; 59; 61; 65; 67; 69; 70; 71; 73; 74; 77; 78; 83; 84; 87		China	D F I BNL UK IRL DK GR EEC	Tonnes	476 203 218 172 244 14 252 12 1 591
39	62.02 B II a) c) III a) 2 c)	62.02-40; 42; 44; 46; 51; 59; 65; 72; 74; 77	Bed linen, table linen, toilet linen and kitchen linen; curtains and other furnishing articles: B. Other: Woven table linen, toilet and kitchen linen, other than of cotton terry fabric	China (1)	D F I BNL UK IRL DK GR EEC	Tonnes	1 041 636 529 457 371 30 94 458 3 616

(1) See Appendix.

Category	CCT heading No	NIMEXE code (1983)	Description	Third countries	Member States	Units	Quantitative limits from 1 January to 31 December 1983
40	62.02 B IV a) c)	62.02-83; 85; 89	Bed linen, table linen, toilet linen and kitchen linen, curtains and other furnishing articles: B. Other: Woven curtains (other than net curtains) and furnishing articles, of wool, of cotton or of man-made textile fibres	China	I	Tonnes	297 ⁽¹⁾
58	58.01	58.01-01; 11; 13; 17; 30; 80	Carpets, carpeting and rugs, knotted (made up or not)	China	GR	Tonnes	⁽¹⁾
59	58.02 ex A B 59.02 ex A	58.02-04; 06; 07; 09; 56; 61; 65; 71; 75; 81; 85; 90 59.02-01; 09	Other carpets, carpeting, rugs, mats and matting, and 'Kelem', 'Schumacks' and 'Karamanie' rugs and the like (made up or not): Felt and articles of felt, whether or not impregnated or coated: A. Felt in the piece or simply cut to rectangular shape: Woven, knitted or crocheted carpets, carpeting, rugs, mats and matting, and 'Kelem', 'Schumacks' and 'Karamanie' rugs and the like (made up or not); floor covering, of felt	China	F	Tonnes	176
68	60.04 A I II a) b) c) III a) b) c) d)	60.04-02; 03; 04; 06; 07; 08; 10; 11; 12; 14	Under garments, knitted or crocheted, not elastic or rubberized: A. Babies' garments; girls' garments up to and including commercial size 86: Babies' under garments of knitted or crocheted fabrics, not elastic or rubberized	China	UK	Tonnes	43

⁽¹⁾ See Appendix.

Category	CCT heading No	NIMEXE code (1983)	Description	Third countries	Member States	Units	Quantitative limits from 1 January to 31 December 1983
73	60.05 A II b) 3	60.05-16; 17; 19	Outer garments and other articles, knitted or crocheted, not elastic or rubberized: A. Outer garments and clothing accessories: II. Other: Track suits of knitted or crocheted fabric, not elastic or rubberized, of wool, of cotton or of man-made textile fibres	China	F UK DK	1 000 pieces	225 213 90
76	61.01 B I 61.02 B II a)	61.01-13; 15; 17; 19 61.02-12; 14	Men's and boys' outer garments: Women's, girls' and infants' outer garments: B. Other: Men's and boys' woven industrial and occupational clothing; women's, girls' and infants' woven aprons, smock-overalls and other industrial and occupational clothing (whether or not also suitable for domestic use), of wool, of cotton or of man-made textile fibres	China	F BNL	Tonnes	97 60
78	61.01 A II B III V f) 1 g) 1 2 3	61.01-09; 24; 25; 26; 81; 92; 95; 96	Men's and boys' outer garments: Men's and boys' woven bath robes, dressing gowns, smoking jackets and similar indoor wear, ski suits consisting of two or three pieces and other outer garments, except garments of categories 6, 14 A, 14 B, 16, 17, 21, 76 and 79, of wool, of cotton or of man-made textile fibres	China (1)	F I	Tonnes	231 200

(1) See Appendix.

Category	CCT heading No	NIMEXE code (1983)	Description	Third countries	Member States	Units	Quantitative limits from 1 January to 31 December 1983
80	61.02 A		Women's, girls' and infants' outer garments: A. Babies' garments; girls' garments up to and including commercial size 86: Women's, girls' and infants' under garments: A. Babies' garments; girls' garments up to and including commercial size 86: Babies' woven garments of wool, of cotton or of man-made textile fibres	China	UK	Tonnes	111
	61.04 A	61.02-01; 03 61.04-01; 09					
87	61.10	61.10-00	Gloves, mittens, mitts, stockings, socks and sockettes, not knitted or crocheted	China	UK	Tonnes	59
89	61.05 A	61.05-20	Handkerchiefs: A. Of woven cotton fabric, of a value of more than 15 ECU/kg net weight	China	D F I BNL UK IRL DK GR EEC	1 000 pieces	} (¹)

(¹) See Appendix.

Appendix to Annex

Category	Supplier country	Provisions								
2	China	Possibility of transfer with category 3 of up to 40 % of the category to which the transfer is made, except Benelux, where the category is merged with category 3.								
2 a)	China	The following levels apply to Benelux for the category combined with category 3 a): 208 tonnes for 1983.								
3	China	Possibility of transfer with category 2 of up to 40 % of the category to which the transfer is made, except Benelux, where the category is merged with category 2.								
3 a)	China	See category 2 a).								
5	China	The following sub-limits apply within the quantitative limits prescribed in the Annex for the Community and the United Kingdom: Jerseys and pullovers of fine animal hair, furthermore, for the UK this sub-limit covers the same products made of wool: <table><tr><td colspan="2">(pieces)</td></tr><tr><td></td><td>1983</td></tr><tr><td>EEC</td><td>46 800</td></tr><tr><td>UK</td><td>10 400</td></tr></table>	(pieces)			1983	EEC	46 800	UK	10 400
(pieces)										
	1983									
EEC	46 800									
UK	10 400									
6	China	The following sub-limits apply within the quantitative limits prescribed in the Annex for Benelux: Long trousers: 440 000 pieces for 1983.								
10	China	The quantitative limits prescribed in the Annex include gloves, mittens and mitts, knitted or crocheted, not elastic or rubberized, of category 11, of wool, of cotton or of man-made fibres. The following sub-limits apply within the quantitative limits prescribed in the Annex for the United Kingdom: Knitted gloves, mittens and mitts of category 10 (coated or impregnated): 22 500 pairs for 1983.								
19	China	The quantitative limits prescribed in the Annex include cotton handkerchiefs of category 89.								
20	China	See category 39.								
21	China	This figure includes a quantity reserved for the industry of 212 000 pieces for 1983.								

Category	Supplier country	Provisions
39	China	The quantitative limits prescribed in the Annex include bed linen of category 20. The following sub-limits apply within the quantitative limits prescribed in the Annex for France: Household linen other than embroidered: 157 tonnes for 1983. The following sub-limits apply within the quantitative limits prescribed in the Annex for Benelux: Bed linen: 39 tonnes for 1983.
40	China	An additional annual quantity of 60 tonnes has been agreed for 1983.
58	China	For Greece, further consultations will be held on imports.
78	China	The quantitative limits prescribed in the Annex include other women's outerwear of category 81.
89	China	See category 19.

For the Federal Republic of Germany, 26 % of all the quantitative limits prescribed in the Annex are reserved for use at the Berlin Fair.

