

Official Journal

of the European Communities

ISSN 0378-6978

L 215

Volume 26

5 August 1983

English edition

Legislation

Contents

I *Acts whose publication is obligatory*

- ★ Council Regulation (EEC) No 2189/83 of 28 March 1983 on the conclusion of an exchange of letters on the adjustment of Appendix B to the Arrangement with the United States of America concerning trade in certain steel products 1
 - Exchange of letters on the adjustment of Appendix B to the Arrangement with the United States of America concerning trade in certain steel products 2
 - ★ Council Regulation (EEC) No 2190/83 of 18 April 1983 amending Council Regulation (EEC) No 2870/82 on the restriction of exports of certain steel products to the United States of America 10
 - ★ Commission Decision No 2191/83/ECSC of 15 April 1983 on the adjustment of Appendix B to the Arrangement with the United States of America relating to steel . 15
 - ★ Commission Decision No 2192/83/ECSC of 20 April 1983 amending Commission Decision No 2872/82/ECSC on the restriction of exports of certain steel products to the United States of America 24
-

Corrigenda

- ★ Corrigendum to Council Regulation (EEC) No 2870/82 of 21 October 1982 on the restriction of exports of certain steel products to the United States of America (OJ No L 307, 1. 11. 1982) 30
- ★ Corrigendum to Commission Decision No 2872/82/ECSC of 28 October 1982 on the restriction of exports of certain steel products to the United States of America (OJ No L 307, 1. 11. 1982) 30

I

(Acts whose publication is obligatory)

**COUNCIL REGULATION (EEC) No 2189/83
of 28 March 1983**

on the conclusion of an exchange of letters on the adjustment of Appendix B to the Arrangement with the United States of America concerning trade in certain steel products

THE COUNCIL OF THE EUROPEAN COMMUNITIES,

HAS ADOPTED THIS REGULATION:

Having regard to the Treaty establishing the European Economic Community, and in particular Article 113 thereof,

Having regard to the proposal from the Commission,

Whereas, by Regulation (EEC) No 2869/82 ⁽¹⁾, the Council approved the conclusion of an Arrangement with the United States of America concerning trade in certain steel products;

Whereas Appendix B to the Arrangement stipulated that the list of NIMEXE codes covered by the Arrangement would be subject to further verification and amendments to be agreed upon by experts of both parties;

Whereas the said verification has revealed the need to determine with greater precision, in terms of NIMEXE codes, the products covered by the Arrangement,

Article 1

1. The exchange of letters on the adjustment of Appendix B to the Arrangement with the United States of America concerning trade in certain steel products is hereby approved on behalf of the European Economic Community to the extent that the Arrangement relates to products covered by the Treaty establishing the European Economic Community.

2. The text of the exchange of letters is attached to this Regulation.

Article 2

The President of the Council is hereby authorized to designate the person empowered to effect the exchange of letters in order to bind the European Economic Community.

Article 2

This Regulation shall enter into force on the day of its publication in the *Official Journal of the European Communities*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 28 March 1983.

For the Council

The President

J. ERTL

⁽¹⁾ OJ No L 307, 1. 11. 1982, p. 1.

EXCHANGE OF LETTERS

on the adjustment of Appendix B to the Arrangement with the United States of America
concerning trade in certain steel products

Department of Commerce,
Washington DC 20230,
USA

Brussels, 1983

Dear Mr . . . ,

As indicated in Appendix B to the Arrangement concerning trade in certain steel products between the European Coal and Steel Community and the United States, this Appendix has been verified by experts of both parties, who agreed on certain amendments to the NIMEXE codes referred to in the Appendix.

These changes are reflected in the enclosed new Appendix B, as amended.

I should be grateful if you would confirm the agreement of the US Government with the content of this letter.

Yours faithfully,

(s.)

(ENCLOSURE)

Appendix B

Product coverage

Description	NIMEXE code	TSUSA No (1983)
Hot-rolled carbon steel sheet and strip	73.08-01 ⁽⁹⁾	607.66-10
	73.08-03 ⁽³⁹⁾	607.67-10
	73.08-05	607.67-20
	73.08-07	607.67-30
	73.08-21 ⁽³⁹⁾	607.67-40
	73.08-25	607.83-42
	73.08-29	608.19-20
	73.08-41 ⁽³⁹⁾	608.21-20
	73.08-45	608.23-20
	73.08-49	
	73.10-16 ⁽¹⁾	
	73.10-49 ⁽¹⁾ ⁽⁷⁾ ⁽³⁴⁾	
	73.12-11 ⁽²⁾ ⁽⁹⁾	
	73.12-19 ⁽²⁾	
	73.12-40 ⁽²⁾ ⁽⁷⁾ ⁽³⁴⁾	
	73.12-88 ⁽²⁾ ⁽⁷⁾ ⁽³⁴⁾	
	73.12-89 ⁽²⁾ ⁽⁷⁾ ⁽³⁴⁾	
	73.13-11 ⁽⁷⁾ ⁽⁹⁾ ⁽⁴¹⁾	
	73.13-16 ⁽⁷⁾ ⁽⁹⁾ ⁽⁴¹⁾	
	73.13-17 ⁽³⁾	
	73.13-19 ⁽³⁾ ⁽³⁹⁾	
	73.13-21	
	73.13-23	
	73.13-26	
	73.13-32	
	73.13-34	
	73.13-36	
	73.13-62 ⁽⁷⁾ ⁽³⁴⁾ ⁽³⁶⁾ ⁽⁴¹⁾	
	73.13-88 ⁽⁷⁾ ⁽³⁴⁾ ⁽⁴¹⁾	
	73.62-10	
	73.63-29 ⁽¹⁾	
	73.63-79 ⁽¹⁾ ⁽³⁴⁾	
	73.64-20 ⁽²⁾	
	73.64-72 ⁽²⁾ ⁽³⁴⁾	
	73.64-79 ⁽²⁾ ⁽³⁴⁾	
	73.65-21 ⁽³⁾	
	73.65-23	
	73.65-25	
	73.73-35 ⁽¹⁾ ⁽²¹⁾	
Hot-rolled alloy steel sheet and strip	73.72-11 ⁽⁵⁾ ⁽⁹⁾	607.81-00
	73.72-19 ⁽⁴⁾ ⁽⁵⁾	608.38-20 ⁽⁷⁾
	73.73-35 ⁽⁵⁾ ⁽⁶⁾ ⁽²²⁾	608.55-20 ⁽⁷⁾
	73.73-36 ⁽⁵⁾ ⁽⁶⁾	608.67-20 ⁽⁷⁾
	73.73-39 ⁽⁴⁾ ⁽⁵⁾ ⁽⁶⁾	
	73.73-89 ⁽⁴⁾ ⁽⁵⁾ ⁽⁶⁾ ⁽³⁴⁾	
	73.74-21 ⁽⁵⁾ ⁽⁹⁾	
	73.74-29 ⁽⁴⁾ ⁽⁵⁾	
	73.74-89 ⁽⁴⁾ ⁽⁵⁾ ⁽³⁴⁾	
	73.75-11 ⁽⁵⁾ ⁽⁷⁾ ⁽⁹⁾	
	73.75-19 ⁽⁵⁾ ⁽⁷⁾ ⁽⁹⁾	
	73.75-39 ⁽⁴⁾	
	73.75-49 ⁽⁴⁾	
	73.75-79 ⁽⁴⁾ ⁽⁵⁾ ⁽⁷⁾ ⁽³⁴⁾	
Cold-rolled carbon steel sheet	73.08-03 ⁽⁴⁰⁾	607.82-20
	73.08-21 ⁽⁴⁰⁾	607.83-50
	73.08-41 ⁽⁴⁰⁾	607.83-55
	73.10-30 ⁽⁶⁾ ⁽⁸⁾	607.83-60
	73.10-49 ⁽⁶⁾ ⁽⁸⁾ ⁽³¹⁾ ⁽³⁴⁾	
	73.12-21 ⁽⁸⁾ ⁽¹⁰⁾	
	73.12-25 ⁽⁸⁾ ⁽⁹⁾	
	73.12-29 ⁽⁸⁾ ⁽¹⁰⁾	
	73.12-40 ⁽⁸⁾ ⁽³¹⁾ ⁽³⁴⁾	

Description	NIMEXE code	TSUSA No (1983)
	73.12-88 ⁽⁸⁾ ⁽³¹⁾ ⁽³⁴⁾ 73.12-89 ⁽⁸⁾ ⁽³¹⁾ ⁽³⁴⁾ 73.13-11 ⁽⁹⁾ 73.13-16 ⁽⁹⁾ 73.13-19 ⁽⁴⁰⁾ 73.13-41 73.13-43 73.13-45 73.13-47 73.13-49 ⁽¹⁰⁾ 73.13-50 ⁽¹⁰⁾ 73.13-62 ⁽⁸⁾ ⁽³¹⁾ ⁽³⁴⁾ ⁽³⁶⁾ 73.13-88 ⁽³⁴⁾ 73.63-50 ⁽⁶⁾ ⁽⁸⁾ 73.63-79 ⁽⁶⁾ ⁽⁸⁾ ⁽³¹⁾ ⁽³⁴⁾ 73.64-50 ⁽⁸⁾ 73.64-79 ⁽⁸⁾ ⁽³¹⁾ ⁽³⁴⁾ 73.65-53 73.65-55 ⁽¹⁰⁾ 73.65-70 ⁽¹⁰⁾ ⁽³⁴⁾ 73.73-55 ⁽⁶⁾ ⁽⁸⁾ ⁽²¹⁾	
Cold-rolled alloy steel sheet	73.73-55 ⁽⁵⁾ ⁽⁶⁾ ⁽⁸⁾ ⁽²²⁾ 73.73-59 ⁽⁴⁾ ⁽⁵⁾ ⁽⁶⁾ ⁽⁸⁾ 73.73-89 ⁽⁴⁾ ⁽⁵⁾ ⁽⁶⁾ ⁽⁸⁾ ⁽³¹⁾ ⁽³⁴⁾ 73.74-51 ⁽⁵⁾ ⁽⁸⁾ ⁽⁹⁾ 73.74-52 ⁽⁵⁾ ⁽⁸⁾ ⁽⁹⁾ 73.74-59 ⁽⁴⁾ ⁽⁵⁾ ⁽⁸⁾ 73.74-89 ⁽⁴⁾ ⁽⁸⁾ ⁽³¹⁾ ⁽³⁴⁾ 73.75-11 ⁽⁵⁾ ⁽⁹⁾ ⁽³¹⁾ 73.75-19 ⁽⁵⁾ ⁽⁹⁾ ⁽³¹⁾ 73.75-59 ⁽⁴⁾ ⁽⁵⁾ 73.75-69 ⁽⁴⁾ 73.75-79 ⁽⁴⁾ ⁽³¹⁾ ⁽³⁴⁾	607.93-20
Carbon steel plate (including clad plate)	73.09-00 ⁽¹¹⁾ 73.10-16 ⁽⁶⁾ ⁽¹¹⁾ ⁽¹²⁾ ⁽¹³⁾ 73.10-42 ⁽⁶⁾ ⁽¹⁵⁾ 73.10-45 ⁽⁶⁾ ⁽⁸⁾ 73.10-49 ⁽⁶⁾ ⁽³⁵⁾ 73.12-11 ⁽⁹⁾ ⁽¹¹⁾ ⁽¹²⁾ ⁽¹³⁾ 73.12-19 ⁽¹¹⁾ ⁽¹²⁾ ⁽¹³⁾ 73.12-40 ⁽¹²⁾ ⁽¹⁴⁾ ⁽³²⁾ 73.12-51 ⁽⁸⁾ ⁽¹²⁾ 73.12-59 ⁽⁸⁾ ⁽¹²⁾ 73.12-61 ⁽¹²⁾ ⁽¹⁴⁾ 73.12-63 ⁽¹²⁾ ⁽¹⁴⁾ 73.12-65 ⁽¹²⁾ ⁽¹⁴⁾ 73.12-71 ⁽¹⁵⁾ 73.12-75 ⁽⁸⁾ 73.12-81 ⁽¹²⁾ ⁽¹⁴⁾ 73.12-85 ⁽¹²⁾ ⁽¹⁴⁾ 73.12-87 ⁽¹²⁾ ⁽¹⁴⁾ 73.12-88 ⁽¹²⁾ ⁽¹⁴⁾ ⁽³²⁾ 73.12-89 ⁽¹²⁾ ⁽¹⁴⁾ ⁽⁴²⁾ 73.13-11 ⁽⁷⁾ ⁽⁹⁾ ⁽¹²⁾ ⁽¹³⁾ 73.13-16 ⁽⁷⁾ ⁽⁹⁾ ⁽¹²⁾ ⁽¹³⁾ 73.13-17 ⁽¹³⁾ 73.13-19 ⁽¹³⁾ ⁽³⁹⁾ 73.13-62 ⁽³⁷⁾ 73.13-64 ⁽¹²⁾ 73.13-65 ⁽¹²⁾ 73.13-67 ⁽¹²⁾ 73.13-68 ⁽¹²⁾ 73.13-72 ⁽¹²⁾ 73.13-74 ⁽¹²⁾ 73.13-76 ⁽¹²⁾ 73.13-78 73.13-79 73.13-84 ⁽¹²⁾ 73.13-86 ⁽¹²⁾ 73.13-87 ⁽¹²⁾	607.66-15 ⁽¹⁷⁾ 607.94-00 608.07-10 608.11-00

Description	NIMEXE code	TSUSA No (1983)
	73.13-88 ⁽¹²⁾ ⁽³²⁾ 73.13-89 ⁽¹²⁾ ⁽⁴²⁾ 73.62-30 ⁽¹¹⁾ 73.63-29 ⁽⁶⁾ ⁽¹¹⁾ ⁽¹²⁾ ⁽¹³⁾ 73.63-72 ⁽⁶⁾ ⁽¹⁵⁾ 73.63-74 ⁽⁶⁾ ⁽⁸⁾ 73.63-79 ⁽⁶⁾ ⁽³⁵⁾ 73.64-72 ⁽¹⁵⁾ 73.64-75 ⁽⁸⁾ 73.64-79 ⁽³⁵⁾ 73.65-21 ⁽¹³⁾ 73.65-70 ⁽³⁸⁾ 73.73-35 ⁽⁶⁾ ⁽¹¹⁾ ⁽¹²⁾ ⁽¹³⁾ ⁽²¹⁾ 73.73-72 ⁽⁶⁾ ⁽¹⁵⁾ ⁽¹⁶⁾ 73.73-74 ⁽⁶⁾ ⁽⁸⁾ ⁽¹⁶⁾ 73.73-83 ⁽⁶⁾ ⁽¹⁶⁾ ⁽³³⁾ 73.73-89 ⁽⁶⁾ ⁽¹⁶⁾ ⁽³³⁾ 73.74-72 ⁽¹⁵⁾ 73.74-74 ⁽⁸⁾ 73.74-83 ⁽¹⁶⁾ ⁽³³⁾ 73.74-89 ⁽¹⁶⁾ ⁽³³⁾ 73.75-73 ⁽¹⁶⁾ 73.75-79 ⁽¹⁶⁾	
Alloy steel plate	73.72-11 ⁽⁴⁾ ⁽⁹⁾ ⁽¹²⁾ 73.72-19 ⁽⁴⁾ ⁽¹²⁾ 73.72-39 ⁽⁴⁾ ⁽¹¹⁾ 73.73-35 ⁽⁶⁾ ⁽¹¹⁾ ⁽¹²⁾ ⁽²²⁾ 73.73-36 ⁽⁶⁾ ⁽¹¹⁾ ⁽¹²⁾ 73.73-39 ⁽⁴⁾ ⁽⁶⁾ ⁽¹¹⁾ ⁽¹²⁾ 73.73-55 ⁽⁶⁾ ⁽⁸⁾ ⁽¹²⁾ ⁽²²⁾ 73.73-59 ⁽⁴⁾ ⁽⁶⁾ ⁽¹²⁾ 73.74-21 ⁽⁹⁾ ⁽¹¹⁾ ⁽¹²⁾ 73.74-29 ⁽⁴⁾ ⁽¹¹⁾ ⁽¹²⁾ 73.74-72 ⁽¹¹⁾ ⁽¹²⁾ ⁽¹⁸⁾ 73.74-74 ⁽⁸⁾ ⁽¹²⁾ ⁽¹⁸⁾ 73.74-83 ⁽⁸⁾ ⁽¹²⁾ ⁽¹⁸⁾ ⁽³²⁾ 73.74-89 ⁽¹²⁾ ⁽¹⁴⁾ ⁽¹⁸⁾ ⁽³²⁾ 73.75-11 ⁽⁹⁾ ⁽¹²⁾ 73.75-19 ⁽⁹⁾ ⁽¹²⁾ 73.75-29 ⁽⁴⁾ 73.75-59 ⁽⁴⁾ ⁽¹²⁾ 73.75-73 ⁽¹²⁾ ⁽¹⁸⁾ ⁽³²⁾ 73.75-79 ⁽¹²⁾ ⁽¹⁸⁾ ⁽³²⁾	607.78-00 ⁽¹⁷⁾ 607.91-00 608.14-20
Carbon steel structural shapes	73.11-11 ⁽¹⁹⁾ 73.11-12 73.11-14 73.11-16 73.11-19 ⁽¹⁹⁾ 73.11-20 ⁽¹⁹⁾ 73.11-31 ⁽¹⁹⁾ 73.11-39 ⁽¹⁹⁾ 73.63-10 ⁽¹⁹⁾ ⁽²⁰⁾ 73.63-29 ⁽¹⁹⁾ ⁽²⁰⁾ 73.63-50 ⁽¹⁹⁾ ⁽²⁰⁾ 73.73-35 ⁽²⁰⁾ ⁽²¹⁾ 73.73-55 ⁽²⁰⁾ ⁽²¹⁾	609.80-05 609.80-15 609.80-35 609.80-41 609.80-45
Alloy steel structural shapes	73.73-13 ⁽²⁰⁾ 73.73-14 ⁽²⁰⁾ 73.73-19 ⁽²⁰⁾ 73.73-33 ⁽²⁰⁾ 73.73-34 ⁽²⁰⁾ 73.73-35 ⁽²⁰⁾ ⁽²²⁾ 73.73-36 ⁽²⁰⁾ 73.73-39 ⁽²⁰⁾ 73.73-43 ⁽²⁰⁾ 73.73-49 ⁽²⁰⁾ 73.73-53 ⁽²⁰⁾ 73.73-54 ⁽²⁰⁾ 73.73-55 ⁽²⁰⁾ ⁽²²⁾ 73.73-59 ⁽²⁰⁾	609.82-00

Description	NIMEXE code	TSUSA No (1983)
Carbon wire rod	73.10-11 ⁽²³⁾ 73.10-16 ⁽²⁴⁾ ⁽²⁵⁾ 73.63-21 ⁽²³⁾ 73.63-29 ⁽²⁴⁾ ⁽²⁵⁾ 73.73-25 ⁽²¹⁾ ⁽²³⁾ 73.73-35 ⁽²¹⁾ ⁽²⁴⁾ ⁽²⁵⁾	607.14-00 607.17-00 607.22-00 607.23-00
Hot-rolled carbon steel bar	73.09-00 ⁽³⁰⁾ 73.10-11 ⁽²⁶⁾ 73.10-16 ⁽²⁷⁾ ⁽²⁸⁾ 73.10-49 ⁽²⁷⁾ ⁽²⁹⁾ 73.12-11 ⁽⁹⁾ ⁽¹²⁾ ⁽³⁰⁾ 73.12-19 ⁽¹²⁾ ⁽³⁰⁾ 73.62-30 ⁽³⁰⁾ 73.63-21 ⁽²⁶⁾ 73.63-29 ⁽²⁷⁾ ⁽²⁸⁾ 73.63-79 ⁽²⁷⁾ ⁽²⁹⁾ 73.64-20 ⁽¹²⁾ ⁽³⁰⁾ 73.64-72 ⁽¹²⁾ ⁽³⁰⁾ ⁽³⁴⁾ 73.64-79 ⁽⁷⁾ ⁽¹²⁾ ⁽³⁰⁾ ⁽³⁴⁾ 73.73-35 ⁽²¹⁾ ⁽²⁷⁾ ⁽²⁸⁾	606.83-10 606.83-30 606.83-50
Hot-rolled alloy bar	73.73-25 ⁽²⁶⁾ 73.73-26 ⁽²⁶⁾ 73.73-29 ⁽⁴⁾ ⁽²⁶⁾ 73.73-35 ⁽²²⁾ ⁽²⁷⁾ ⁽²⁸⁾ 73.73-36 ⁽²⁷⁾ ⁽²⁸⁾ 73.73-39 ⁽⁴⁾ ⁽²⁷⁾ ⁽²⁸⁾ 73.73-89 ⁽⁴⁾ ⁽²⁷⁾ ⁽²⁹⁾ 73.74-21 ⁽⁹⁾ ⁽¹²⁾ ⁽³⁰⁾ 73.74-29 ⁽⁹⁾ ⁽¹²⁾ ⁽³⁰⁾	606.97-00
Carbon coated sheet (galvanized carbon steel sheet and other carbon coated steel)	73.10-42 ⁽⁵⁾ ⁽⁶⁾ ⁽⁸⁾ ⁽³²⁾ 73.10-45 ⁽⁵⁾ ⁽⁶⁾ ⁽⁸⁾ ⁽³²⁾ 73.10-49 ⁽⁵⁾ ⁽⁶⁾ ⁽⁸⁾ ⁽³²⁾ 73.12-40 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.12-61 ⁽⁵⁾ ⁽⁸⁾ 73.12-63 ⁽⁵⁾ ⁽⁸⁾ 73.12-71 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.12-75 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.12-81 ⁽⁵⁾ ⁽⁸⁾ 73.12-85 ⁽⁵⁾ ⁽⁸⁾ 73.12-87 ⁽⁵⁾ ⁽⁸⁾ 73.12-88 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.12-89 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.13-62 ⁽⁵⁾ ⁽³²⁾ ⁽⁴³⁾ 73.13-67 ⁽⁵⁾ 73.13-68 ⁽⁵⁾ 73.13-72 ⁽⁵⁾ 73.13-84 ⁽⁵⁾ 73.13-86 ⁽⁵⁾ 73.13-87 ⁽⁵⁾ 73.13-88 ⁽⁵⁾ ⁽³²⁾ 73.13-89 ⁽⁵⁾ ⁽³²⁾ 73.63-72 ⁽⁵⁾ ⁽⁶⁾ ⁽⁸⁾ ⁽³²⁾ 73.63-74 ⁽⁵⁾ ⁽⁶⁾ ⁽⁸⁾ ⁽³²⁾ 73.63-79 ⁽⁵⁾ ⁽⁶⁾ ⁽⁸⁾ ⁽³²⁾ 73.64-72 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.64-75 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.64-79 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.65-70 ⁽⁵⁾ ⁽⁴²⁾	608.07-30 608.13-10 608.13-20 608.13-30 608.13-40 608.13-50
Alloy coated sheet and terne plate and sheet	73.12-65 ⁽⁵⁾ ⁽⁸⁾ 73.13-74 ⁽⁵⁾ 73.73-72 ⁽⁵⁾ ⁽⁶⁾ ⁽⁸⁾ ⁽³²⁾ 73.73-74 ⁽⁵⁾ ⁽⁶⁾ ⁽⁸⁾ ⁽³²⁾ 73.73-89 ⁽⁵⁾ ⁽⁶⁾ ⁽⁸⁾ ⁽³²⁾ 73.74-72 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.74-74 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.74-83 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.74-89 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.75-73 ⁽⁵⁾ ⁽³²⁾ 73.75-79 ⁽⁵⁾ ⁽³²⁾	608.01-00 608.14-40

Description	NIMEXE code	TSUSA No (1983)
Tin plate	73.12-51 ⁽⁵⁾ ⁽⁸⁾ 73.12-59 ⁽⁵⁾ ⁽⁸⁾ 73.13-64 ⁽⁵⁾ 73.13-65 ⁽⁵⁾ 73.13-76 ⁽⁵⁾	607.96-00 607.97-00 607.99-00
Carbon and alloy rails	73.16-14 73.16-16 73.16-17 73.16-20	610.20-10 610.20-20 610.21-00
Carbon and alloy sheet piling	73.11-50	609.96-00 609.98-00

- (¹) Covered if of rectangular section. If three-sixteenths of an inch or over in thickness, excluded if eight inches or less in width or if not in coils.
- (²) If three-sixteenths of an inch or more in thickness, excluded if cut to length, or eight inches or less in width.
- (³) Covered if in coil.
- (⁴) Excluding 'tool steel', 'high-speed tool steel', 'tool steel of the type described in headnote 2 (H) (VII)' and 'chipper knife steel', as defined in subparagraph B 2 (H) (V), (VI), (VII) and (VIII) of Part 2 of Schedule 6 of the Tariff Schedules of the United States (annotated).
- (⁵) Covered if less than three-sixteenths of an inch in thickness.
- (⁶) Covered if of rectangular section.
- (⁷) Covered if hot-rolled.
- (⁸) Covered if over 12 inches in width.
- (⁹) Excluding 'silicon electrical steel', as defined in subparagraph B 2 (H) (IX) of Part 2 of Schedule 6 of the Tariff Schedules of the United States (annotated).
- (¹⁰) Excluded if less than 0,0142 of an inch in thickness and if black plate meeting ASTM specifications A-625 or A-650.
- (¹¹) Covered if over eight inches in width.
- (¹²) Covered if three-sixteenths of an inch or more in thickness.
- (¹³) Covered if not in coils.
- (¹⁴) Covered if hot-rolled and over eight inches in width or if cold-rolled and over 12 inches in width.
- (¹⁵) If less than three-sixteenths of an inch in thickness, covered if over 12 inches in width. If three-sixteenths of an inch or more in thickness, covered if over eight inches in width.
- (¹⁶) Covered if clad.
- (¹⁷) Excluding semi-finished products, over six inches in thickness, produced by rolling on a primary (slabbing) mill.
- (¹⁸) Excluded if clad.
- (¹⁹) Covered if having a maximum cross-sectional dimension of three inches or more.
- (²⁰) Covered if structural shapes.
- (²¹) Covered if contains 0,35 % or less lead or sulfur.
- (²²) Covered if contains over 0,35 % lead or sulfur.
- (²³) Covered if of circular section and 0,2 of an inch or over in diameter.
- (²⁴) Covered if coiled and if 18,8 mm or less in diameter.
- (²⁵) Covered if of circular section.
- (²⁶) Covered if cross-section, in the form of segments of circles, ovals isosceles triangles, rectangles, hexagons, octagons or quadrilaterals with only two sides parallel and the other two sides equal, and not hollow. If of rectangular section, covered if three-sixteenths of an inch or more in thickness and eight inches or less in width.
- (²⁷) Covered if cross-section, in the form of circles, segments of circles, ovals, isosceles triangles, rectangles, hexagons, octagons or quadrilaterals with only two sides parallel and the other two sides equal, and not hollow. If of rectangular section, covered if three-sixteenths of an inch or more in thickness and eight inches or less in width. If of circular section, covered if over 18,8 mm in diameter, or if 18,8 mm or less in diameter, and not in coils.

- (²⁸) Excluding round blooms and billets, semi-finished products of circular cross-section, having a length several times greater than the maximum cross-sectional dimension. A bloom is at least 36 square inches in cross-sectional area. A billet is less than 36 square inches but not less than three square inches in cross-sectional area.
- Note:* Billet rolled to bar tolerances or ordered to specifications could be classified as bar under the TSUSA.
- (²⁹) Excluded if cold formed.
- (³⁰) Covered if eight inches or less in width.
- (³¹) Covered if cold-rolled.
Covered if coated or plated with metal.
- (³³) If less than three-sixteenths of an inch in thickness, covered if over 12 inches in width. If three-sixteenths of an inch or more in thickness, covered when cold-rolled if over 12 inches in width and when hot-rolled if over eight inches in width.
- (³⁴) Excluded if coated, plated or clad with metal.
- (³⁵) Covered if clad, or plated or coated with metal, or otherwise surface-worked. If clad and if less than three-sixteenths of an inch in thickness, covered if over 12 inches in width. If clad or plated or coated with metal and if over three-sixteenths of an inch in thickness, covered if eight inches or more in width when not cold-rolled and if 12 inches or over in width when cold-rolled. If otherwise surface-worked, covered if not in coils, if three-sixteenths of an inch or over in thickness and eight inches or over in width and hot-rolled.
- (³⁶) Covered if enamelled.
- (³⁷) Covered if clad. If coated or plated with metal, but not silvered, gilded or platinum plated, covered if three-sixteenths of an inch or over in thickness.
- (³⁸) Covered if clad. If three-sixteenths of an inch or over in thickness, covered if coated or plated with metal. If three-sixteenths of an inch or over in thickness and otherwise surface-worked, covered if hot-rolled and cut to length.
- (³⁹) If three-sixteenths of an inch or over in thickness, covered if not pickled.
- (⁴⁰) Covered if three-sixteenths of an inch or over in thickness and pickled.
- (⁴¹) If three-sixteenths of an inch or over in thickness, excluded if cut to length.
- (⁴²) If cold-rolled, covered if coated or plated with metal. If hot-rolled, covered if coated or plated with metal or, if not coated or plated with metal, if cut to length.
- (⁴³) Excluded if silvered gilded or platinum plated.
-

Sir Roy Denman
The Head of the Delegation
Delegation of the Commission of
the European Communities
210 M Street, NW
Suite 707
Washington DC 20037

Dear Sir Roy,

This is in response to your letter of 29 March 1983 transmitting to the US Government a revised version of Appendix B to the Arrangement concerning trade in certain steel products between the European Communities and the United States. I am pleased to confirm that the revised Appendix B reflects the agreement reached by both parties in January to make certain amendments to the NIMEXE codes referred to in Appendix B.

The above is without prejudice to changes that may be required to cover any discrepancy in Appendix B found by either party subsequent to the January agreement.

Sincerely,

Lionel H. OLMER

COUNCIL REGULATION (EEC) No 2190/83

of 18 April 1983

amending Council Regulation (EEC) No 2870/82 on the restriction of exports of certain steel products to the United States of America

THE COUNCIL OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community, and in particular Article 113 thereof,

Having regard to the proposal from the Commission,

Whereas, by Regulation (EEC) No 2870/82 ⁽¹⁾, the Council established restrictions on exports of certain steel products to the United States of America;

Whereas Appendix B to the Arrangement concluded with the United States of America stipulated that the list of NIMEXE codes covered by the Arrangement would be subject to further verification and amendments to be agreed upon by experts of both parties;

Whereas the said verification has revealed the need to determine with greater precision, in terms of NIMEXE codes, the products covered by the said Arrangement; whereas Article 2 (1) of Regulation (EEC) No 2870/82 and Annex I thereto should be amended accordingly,

HAS ADOPTED THIS REGULATION:

Article 1

Regulation (EEC) No 2870/82 is hereby amended as follows:

1. Article 2 (1) shall be replaced by the following:

'1. Community export limits per product category shall be calculated by the Commission for the initial period and for the years 1984 and 1985 by application to the United States apparent consumption within the meaning of Article 5 of the Arrangement of the following percentages:

<i>Product category</i>	<i>Quota</i>
1. Hot-rolled sheet and strip	6,81 %
2. Cold-rolled sheet	5,11 %
3. Plate	5,36 %
4. Structural shapes	9,91 %
6. Hot-rolled bars	2,38 %
7. Coated sheet	3,27 %
8. Tinplate	2,20 %'

2. Annex I shall be replaced by the Annex to this Regulation.

Article 2

This Regulation shall enter into force on the day of its publication in the *Official Journal of the European Communities*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Luxembourg, 18 April 1983.

*For the Council**The President*

I. KIECHLE

⁽¹⁾ OJ No L 307, 1. 11. 1982, p. 3.

ANNEX

'ANNEX I

LIST OF PRODUCTS

Description	NIMEXE code	TSUSA No
CATEGORY 1		
Hot-rolled sheet and strip		
Carbon steel	73.10-49 (1) (7) (34) 73.12-40 (2) (7) (34) 73.12-88 (2) (7) (34) 73.12-89 (2) (7) (34) 73.13-62 (7) (34) (36) (41) 73.63-79 (1) (34) 73.64-79 (2) (34)	607.66-10 607.67-10 607.67-20 607.67-30 607.67-40 607.83-42 608.19-20 608.21-20 608.23-20
Alloy steel	73.73-89 (4) (5) (6) (34) 73.74-89 (4) (5) (34)	607.81-00 608.38-20 (7) 608.55-20 (7) 608.67-20 (7)
CATEGORY 2		
Cold-rolled sheet		
Carbon steel	73.10-30 (6) (8) 73.10-49 (6) (8) (31) (34) 73.12-25 (8) (9) 73.12-29 (8) (10) 73.12-40 (8) (31) (34) 73.12-88 (8) (31) (34) 73.12-89 (8) (31) (34) 73.13-62 (8) (31) (34) (36) 73.63-50 (6) (8) 73.63-79 (6) (8) (31) (34) 73.64-50 (8) 73.64-79 (8) (31) (34) 73.73-55 (6) (8) (21)	607.83-20 607.83-50 607.83-55 607.83-60
Alloy steel	73.73-55 (5) (6) (8) (22) 73.73-59 (4) (5) (6) (8) 73.73-89 (4) (5) (6) (8) (31) (34) 73.74-51 (5) (8) (9) 73.74-52 (5) (8) (9) 73.74-59 (4) (5) (8) 73.74-89 (4) (8) (31) (34)	607.93-20
CATEGORY 3		
Plate		
Carbon steel (including clad plate)	73.10-45 (6) (8) 73.10-49 (6) (35) 73.12-40 (12) (14) (32) 73.12-59 (8) (12) 73.12-61 (12) (14) 73.12-63 (12) (14) 73.12-65 (12) (14)	607.66-15 (17) 607.94-00 608.11-00 608.07-10

Description	NIMEXE code	TSUSA No
CATEGORY 3 carbon steel (including clad plate) <i>(cont'd)</i>	73.12-75 ⁽⁸⁾ 73.12-81 ⁽¹²⁾ ⁽¹⁴⁾ 73.12-85 ⁽¹²⁾ ⁽¹⁴⁾ 73.12-87 ⁽¹²⁾ ⁽¹⁴⁾ 73.12-88 ⁽¹²⁾ ⁽¹⁴⁾ ⁽³²⁾ 73.12-89 ⁽¹²⁾ ⁽¹⁴⁾ ⁽⁴²⁾ 73.13-62 ⁽³⁷⁾ 73.63-79 ⁽⁶⁾ ⁽³⁵⁾ 73.64-75 ⁽⁸⁾ 73.64-79 ⁽³⁵⁾ 73.73-74 ⁽⁶⁾ ⁽⁸⁾ ⁽¹⁶⁾ 73.73-83 ⁽⁶⁾ ⁽¹⁶⁾ ⁽³³⁾ 73.73-89 ⁽⁶⁾ ⁽¹⁶⁾ ⁽³³⁾ 73.74-74 ⁽⁸⁾ 73.74-83 ⁽¹⁶⁾ ⁽³³⁾ 73.74-89 ⁽¹⁶⁾ ⁽³³⁾	
Alloy steel	73.73-55 ⁽⁶⁾ ⁽⁸⁾ ⁽¹²⁾ ⁽²²⁾ 73.73-59 ⁽⁴⁾ ⁽⁶⁾ ⁽¹²⁾ 73.74-74 ⁽⁸⁾ ⁽¹²⁾ ⁽¹⁸⁾ 73.74-83 ⁽⁸⁾ ⁽¹²⁾ ⁽¹⁸⁾ ⁽³²⁾ 73.74-89 ⁽¹²⁾ ⁽¹⁴⁾ ⁽¹⁸⁾ ⁽³²⁾	607.78-00 ⁽¹⁷⁾ 607.91-00 608.14-20
CATEGORY 4 Structural shapes Carbon steel	73.11-20 ⁽¹⁹⁾ 73.11-31 ⁽¹⁹⁾ 73.11-39 ⁽¹⁹⁾ 73.63-10 ⁽¹⁹⁾ ⁽²⁰⁾ 73.63-50 ⁽¹⁹⁾ ⁽²⁰⁾ 73.73-55 ⁽²⁰⁾ ⁽²¹⁾	609.80-05 609.80-15 609.80-35 609.80-41 609.80-45
Alloy steel	73.73-13 ⁽²⁰⁾ 73.73-14 ⁽²⁰⁾ 73.73-19 ⁽²⁰⁾ 73.73-43 ⁽²⁰⁾ 73.73-49 ⁽²⁰⁾ 73.73-53 ⁽²⁰⁾ 73.73-54 ⁽²⁰⁾ 73.73-55 ⁽²⁰⁾ ⁽²²⁾ 73.73-59 ⁽²⁰⁾	609.82-00
CATEGORY 6 Hot-rolled bar Carbon steel	73.10-49 ⁽²⁷⁾ ⁽²⁹⁾ 73.63-79 ⁽²⁷⁾ ⁽²⁹⁾ 73.64-79 ⁽⁷⁾ ⁽¹²⁾ ⁽³⁰⁾ ⁽³⁴⁾	606.83-10 606.83-30 606.83-50
Alloy steel	73.73-89 ⁽⁴⁾ ⁽²⁷⁾ ⁽²⁹⁾	606.97-00
CATEGORY 7 Coated sheet Carbon steel (galvanized and other sheet)	73.10-45 ⁽⁵⁾ ⁽⁶⁾ ⁽⁸⁾ ⁽³²⁾ 73.10-49 ⁽⁵⁾ ⁽⁶⁾ ⁽⁸⁾ ⁽³²⁾ 73.12-40 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.12-61 ⁽⁵⁾ ⁽⁸⁾ 73.12-63 ⁽⁵⁾ ⁽⁸⁾ 73.12-75 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.12-81 ⁽⁵⁾ ⁽⁸⁾ 73.12-85 ⁽⁵⁾ ⁽⁸⁾ 73.12-87 ⁽⁵⁾ ⁽⁸⁾	608.07-30 608.13-10 608.13-20 608.13-30 608.13-40 608.13-50

Description	NIMEXE code	TSUSA No
CATEGORY 7 carbon steel (galvanized and other sheet) (<i>cont'd</i>)	73.12-88 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.12-89 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.13-62 ⁽⁵⁾ ⁽³²⁾ ⁽⁴³⁾ 73.63-74 ⁽⁵⁾ ⁽⁶⁾ ⁽⁸⁾ ⁽³²⁾ 73.63-79 ⁽⁵⁾ ⁽⁶⁾ ⁽⁸⁾ ⁽³²⁾ 73.64-75 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.64-79 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾	
Alloy steel coated sheet and terne plate and sheet	73.12-65 ⁽⁵⁾ ⁽⁸⁾ 73.73-74 ⁽⁵⁾ ⁽⁶⁾ ⁽⁸⁾ ⁽³²⁾ 73.73-89 ⁽⁵⁾ ⁽⁶⁾ ⁽⁸⁾ ⁽³²⁾ 73.74-74 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.74-83 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.74-89 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾	608.01-00 608.14-40
CATEGORY 8 Tinplate (not including blackplate)	73.12-59 ⁽⁵⁾ ⁽⁸⁾	607.96-00 607.97-00 607.99-00

- (1) Covered if of rectangular section. If three-sixteenths of an inch or over in thickness, excluded if eight inches or less in width or if not in coils.
- (2) If three-sixteenths of an inch or more in thickness, excluded if cut to length, or eight inches or less in width.
- (4) Excluding 'tool steel', 'high-speed tool steel', 'tool steel of the type described in headnote 2 (H) (VII)' and 'chipper knife steel' as defined in subparagraphs B 2 (H) (V), (VI), (VII) and (VIII) of part 2 of schedule 6 of the Tariff Schedules of the United States (annotated).
- (5) Covered if less than three-sixteenths of an inch in thickness.
- (6) Covered if of rectangular section.
- (7) Covered if hot-rolled.
- (8) Covered if over 12 inches in width.
- (9) Excluding 'silicon electrical steel', as defined in subparagraph B 2 (H) (IX) of Part 2 of Schedule 6 of the Tariff Schedules of the United States (annotated).
- (10) Excluded if less than 0,0142 of an inch in thickness and if blackplate meeting ASTM specifications A-625 or A-650.
- (12) Covered if of three-sixteenths of an inch or more in thickness.
- (14) Covered if hot-rolled and over eight inches in width or if cold-rolled and over 12 inches in width.
- (16) Covered if clad.
- (17) Excluding semi-finished products, over six inches in thickness, produced by rolling on a primary (slabbing) mill.
- (18) Excluded if clad.
- (19) Covered if having a maximum cross-sectional dimension of three inches or more.
- (20) Covered if structural shapes.
- (21) Covered if contains 0,35 % or less lead or sulfur.
- (22) Covered if contains over 0,35 % lead or sulfur.
- (27) Covered if cross-section, in the form of circles, segments of circles, ovals, isosceles triangles, rectangles, hexagons, octagons or quadrilaterals with only two sides parallel and the other two sides equal, and not hollow. If of rectangular section, covered if three-sixteenths of an inch or more in thickness and eight inches or less in width. If of circular section, covered if over 18,8 mm in diameter, or if 18,8 mm or less in diameter, and not in coils.
- (29) Excluded if cold-formed.
- (30) Covered if eight inches or less in width.
- (31) Covered if cold-rolled.
- (32) Covered if coated or plated with metal.

- (³³) If less than three-sixteenths of an inch in thickness, covered if over 12 inches in width. If three-sixteenths of an inch or more in thickness, covered when cold-rolled if over 12 inches in width and when hot-rolled if over eight inches in width.
 - (³⁴) Excluded if coated, plated or clad with metal.
 - (³⁵) Covered if clad, or plated or coated with metal, or otherwise surface-worked. If clad and if less than three-sixteenths of an inch in thickness, covered if over 12 inches in width. If clad or plated or coated with metal and if over three-sixteenths of an inch in thickness, covered if eight inches or more in width when not cold-rolled and if 12 inches or over in width when cold-rolled. If otherwise surface-worked, covered if not in coils, if three-sixteenths of an inch or over in thickness and eight inches or over in width and hot-rolled.
 - (³⁶) Covered if enamelled.
 - (³⁷) Covered if clad. If coated or plated with metal, but not silvered, gilded or platinum plated, covered if three-sixteenths of an inch or over in thickness.
 - (⁴¹) If three-sixteenths of an inch or over in thickness, excluded if cut to length.
 - (⁴³) Excluded if silvered, gilded or platinum plated.'
-

COMMISSION DECISION No 2191/83/ECSC

of 15 April 1983

on the adjustment of Appendix B to the Arrangement with the United States of America
relating to steel

THE COMMISSION OF THE EUROPEAN
COMMUNITIES,

HAS ADOPTED THIS DECISION:

Article 1

Having regard to the Treaty establishing the European Coal and Steel Community, and in particular Article 95 thereof,

Whereas, by Decision No 2871/82/ECSC ⁽¹⁾, the Commission approved the conclusion of an Arrangement with the United States of America relating to steel;

Whereas Appendix B to the Arrangement concluded with the United States of America stipulated that the list of NIMEXE codes covered by the Arrangement would be subject to further verification and amendments to be agreed upon by experts of both parties;

Whereas the said verification has revealed the need to determine with greater precision, in terms of NIMEXE codes, the products covered by the Arrangement;

Having consulted the Consultative Committee and with the unanimous assent of the Council,

1. The adjustments to Appendix B to the Arrangement between the European Coal and Steel Community and the United States of America concerning trade in certain steel products to be concluded in the form of an exchange of letters are hereby approved on behalf of the European Coal and Steel Community.

2. The text of the exchange of letters is annexed to this Decision.

Article 2

The Commission shall designate the person empowered to carry out the exchange of letters for the purpose of binding the European Coal and Steel Community.

Article 3

This Decision shall enter into force on the day of its publication in the *Official Journal of the European Communities*.

This Decision shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 15 April 1983.

For the Commission

Étienne DAVIGNON

Vice-President

⁽¹⁾ OJ No L 307, 1. 11. 1982, p. 11.

Mr L. Olmer,
Department of Commerce,
Washington DC 20230 — USA.

As indicated in Appendix B of the Arrangement concerning trade in certain steel products between the European Coal and Steel Community and the United States, this Appendix has been verified by experts of both parties, who agreed on certain amendments to the NIMEXE codes referred to in the Appendix.

These changes are reflected in the enclosed new Appendix B, as amended.

I should be grateful if you would confirm the agreement of the United States Government with the content of this letter.

Roy DENMAN

(ENCLOSURE)

Appendix B

Product coverage

Description	NIMEXE code	TSUSA No (1983)
Hot-rolled carbon steel sheet and strip	73.08-01 ⁽⁹⁾	607.66-10
	73.08-03 ⁽³⁹⁾	607.67-10
	73.08-05	607.67-20
	73.08-07	607.67-30
	73.08-21 ⁽³⁹⁾	607.67-40
	73.08-25	607.83-42
	73.08-29	608.19-20
	73.08-41 ⁽³⁹⁾	608.21-20
	73.08-45	608.23-20
	73.08-49	
	73.10-16 ⁽¹⁾	
	73.10-49 ⁽¹⁾ ⁽⁷⁾ ⁽³⁴⁾	
	73.12-11 ⁽²⁾ ⁽⁹⁾	
	73.12-19 ⁽²⁾	
	73.12-40 ⁽²⁾ ⁽⁷⁾ ⁽³⁴⁾	
	73.12-88 ⁽²⁾ ⁽⁷⁾ ⁽³⁴⁾	
	73.12-89 ⁽²⁾ ⁽⁷⁾ ⁽³⁴⁾	
	73.13-11 ⁽⁷⁾ ⁽⁹⁾ ⁽⁴¹⁾	
	73.13-16 ⁽⁷⁾ ⁽⁹⁾ ⁽⁴¹⁾	
	73.13-17 ⁽³⁾	
	73.13-19 ⁽³⁾ ⁽³⁹⁾	
	73.13-21	
	73.13-23	
	73.13-26	
	73.13-32	
	73.13-34	
	73.13-36	
	73.13-62 ⁽⁷⁾ ⁽³⁴⁾ ⁽³⁶⁾ ⁽⁴¹⁾	
	73.13-88 ⁽⁷⁾ ⁽³⁴⁾ ⁽⁴¹⁾	
	73.62-10	
	73.63-29 ⁽¹⁾	
	73.63-79 ⁽¹⁾ ⁽³⁴⁾	
	73.64-20 ⁽²⁾	
	73.64-72 ⁽²⁾ ⁽³⁴⁾	
	73.64-79 ⁽²⁾ ⁽³⁴⁾	
	73.65-21 ⁽³⁾	
	73.65-23	
	73.65-25	
	73.73-35 ⁽¹⁾ ⁽²¹⁾	
Hot-rolled alloy steel sheet and strip	73.72-11 ⁽⁵⁾ ⁽⁹⁾	607.81-00
	73.72-19 ⁽⁴⁾ ⁽⁵⁾	608.38-20 ⁽⁷⁾
	73.73-35 ⁽⁵⁾ ⁽⁶⁾ ⁽²²⁾	608.55-20 ⁽⁷⁾
	73.73-36 ⁽⁵⁾ ⁽⁶⁾	608.67-20 ⁽⁷⁾
	73.73-39 ⁽⁴⁾ ⁽⁵⁾ ⁽⁶⁾	
	73.73-89 ⁽⁴⁾ ⁽⁵⁾ ⁽⁶⁾ ⁽³⁴⁾	
	73.74-21 ⁽⁵⁾ ⁽⁹⁾	
	73.74-29 ⁽⁴⁾ ⁽⁵⁾	
	73.74-89 ⁽⁴⁾ ⁽⁵⁾ ⁽³⁴⁾	
	73.75-11 ⁽⁵⁾ ⁽⁷⁾ ⁽⁹⁾	
	73.75-19 ⁽⁵⁾ ⁽⁷⁾ ⁽⁹⁾	
	73.75-39 ⁽⁴⁾	
	73.75-49 ⁽⁴⁾	
	73.75-79 ⁽⁴⁾ ⁽⁵⁾ ⁽⁷⁾ ⁽³⁴⁾	
Cold-rolled carbon steel sheet	73.08-03 ⁽⁴⁰⁾	607.82-20
	73.08-21 ⁽⁴⁰⁾	607.83-50
	73.08-41 ⁽⁴⁰⁾	607.83-55
	73.10-30 ⁽⁶⁾ ⁽⁸⁾	607.83-60
	73.10-49 ⁽⁶⁾ ⁽⁸⁾ ⁽³¹⁾ ⁽³⁴⁾	
	73.12-21 ⁽⁸⁾ ⁽¹⁰⁾	
	73.12-25 ⁽⁸⁾ ⁽⁹⁾	
	73.12-29 ⁽⁸⁾ ⁽¹⁰⁾	
	73.12-40 ⁽⁸⁾ ⁽³¹⁾ ⁽³⁴⁾	

Description	NIMEXE code	TSUSA No (1983)
	73.12-88 ⁽⁸⁾ ⁽³¹⁾ ⁽³⁴⁾ 73.12-89 ⁽⁸⁾ ⁽³¹⁾ ⁽³⁴⁾ 73.13-11 ⁽⁹⁾ 73.13-16 ⁽⁹⁾ 73.13-19 ⁽⁴⁰⁾ 73.13-41 73.13-43 73.13-45 73.13-47 73.13-49 ⁽¹⁰⁾ 73.13-50 ⁽¹⁰⁾ 73.13-62 ⁽⁸⁾ ⁽³¹⁾ ⁽³⁴⁾ ⁽³⁶⁾ 73.13-88 ⁽³⁴⁾ 73.63-50 ⁽⁶⁾ ⁽⁸⁾ 73.63-79 ⁽⁶⁾ ⁽⁸⁾ ⁽³¹⁾ ⁽³⁴⁾ 73.64-50 ⁽⁸⁾ 73.64-79 ⁽⁸⁾ ⁽³¹⁾ ⁽³⁴⁾ 73.65-53 73.65-55 ⁽¹⁰⁾ 73.65-70 ⁽¹⁰⁾ ⁽³⁴⁾ 73.73-55 ⁽⁶⁾ ⁽⁸⁾ ⁽²¹⁾	
Cold-rolled alloy steel sheet	73.73-55 ⁽⁵⁾ ⁽⁶⁾ ⁽⁸⁾ ⁽²²⁾ 73.73-59 ⁽⁴⁾ ⁽⁵⁾ ⁽⁶⁾ ⁽⁸⁾ 73.73-89 ⁽⁴⁾ ⁽⁵⁾ ⁽⁶⁾ ⁽⁸⁾ ⁽³¹⁾ ⁽³⁴⁾ 73.74-51 ⁽⁵⁾ ⁽⁸⁾ ⁽⁹⁾ 73.74-52 ⁽⁵⁾ ⁽⁸⁾ ⁽⁹⁾ 73.74-59 ⁽⁴⁾ ⁽⁵⁾ ⁽⁸⁾ 73.74-89 ⁽⁴⁾ ⁽⁸⁾ ⁽³¹⁾ ⁽³⁴⁾ 73.75-11 ⁽⁵⁾ ⁽⁹⁾ ⁽³¹⁾ 73.75-19 ⁽⁵⁾ ⁽⁹⁾ ⁽³¹⁾ 73.75-59 ⁽⁴⁾ ⁽⁵⁾ 73.75-69 ⁽⁴⁾ 73.75-79 ⁽⁴⁾ ⁽³¹⁾ ⁽³⁴⁾	607.93-20
Carbon steel plate (including clad plate)	73.09-00 ⁽¹¹⁾ 73.10-16 ⁽⁶⁾ ⁽¹¹⁾ ⁽¹²⁾ ⁽¹³⁾ 73.10-42 ⁽⁶⁾ ⁽¹⁵⁾ 73.10-45 ⁽⁶⁾ ⁽⁸⁾ 73.10-49 ⁽⁶⁾ ⁽³⁵⁾ 73.12-11 ⁽⁹⁾ ⁽¹¹⁾ ⁽¹²⁾ ⁽¹³⁾ 73.12-19 ⁽¹¹⁾ ⁽¹²⁾ ⁽¹³⁾ 73.12-40 ⁽¹²⁾ ⁽¹⁴⁾ ⁽³²⁾ 73.12-51 ⁽⁸⁾ ⁽¹²⁾ 73.12-59 ⁽⁸⁾ ⁽¹²⁾ 73.12-61 ⁽¹²⁾ ⁽¹⁴⁾ 73.12-63 ⁽¹²⁾ ⁽¹⁴⁾ 73.12-65 ⁽¹²⁾ ⁽¹⁴⁾ 73.12-71 ⁽¹⁵⁾ 73.12-75 ⁽⁸⁾ 73.12-81 ⁽¹²⁾ ⁽¹⁴⁾ 73.12-85 ⁽¹²⁾ ⁽¹⁴⁾ 73.12-87 ⁽¹²⁾ ⁽¹⁴⁾ 73.12-88 ⁽¹²⁾ ⁽¹⁴⁾ ⁽³²⁾ 73.12-89 ⁽¹²⁾ ⁽¹⁴⁾ ⁽⁴²⁾ 73.13-11 ⁽⁷⁾ ⁽⁹⁾ ⁽¹²⁾ ⁽¹³⁾ 73.13-16 ⁽⁷⁾ ⁽⁹⁾ ⁽¹²⁾ ⁽¹³⁾ 73.13-17 ⁽¹³⁾ 73.13-19 ⁽¹³⁾ ⁽³⁹⁾ 73.13-62 ⁽³⁷⁾ 73.13-64 ⁽¹²⁾ 73.13-65 ⁽¹²⁾ 73.13-67 ⁽¹²⁾ 73.13-68 ⁽¹²⁾ 73.13-72 ⁽¹²⁾ 73.13-74 ⁽¹²⁾ 73.13-76 ⁽¹²⁾ 73.13-78 73.13-79 73.13-84 ⁽¹²⁾ 73.13-86 ⁽¹²⁾ 73.13-87 ⁽¹²⁾	607.66-15 ⁽¹⁷⁾ 607.94-00 608.07-10 608.11-00

Description	NIMEXE code	TSUSA No (1983)
	73.13-88 ⁽¹²⁾ ⁽³²⁾ 73.13-89 ⁽¹²⁾ ⁽⁴²⁾ 73.62-30 ⁽¹¹⁾ 73.63-29 ⁽⁶⁾ ⁽¹¹⁾ ⁽¹²⁾ ⁽¹³⁾ 73.63-72 ⁽⁶⁾ ⁽¹⁵⁾ 73.63-74 ⁽⁶⁾ ⁽⁸⁾ 73.63-79 ⁽⁶⁾ ⁽³⁵⁾ 73.64-72 ⁽¹⁵⁾ 73.64-75 ⁽⁸⁾ 73.64-79 ⁽³⁵⁾ 73.65-21 ⁽¹³⁾ 73.65-70 ⁽³⁸⁾ 73.73-35 ⁽⁶⁾ ⁽¹¹⁾ ⁽¹²⁾ ⁽¹³⁾ ⁽²¹⁾ 73.73-72 ⁽⁶⁾ ⁽¹⁵⁾ ⁽¹⁶⁾ 73.73-74 ⁽⁶⁾ ⁽⁸⁾ ⁽¹⁶⁾ 73.73-83 ⁽⁶⁾ ⁽¹⁶⁾ ⁽³³⁾ 73.73-89 ⁽⁶⁾ ⁽¹⁶⁾ ⁽³³⁾ 73.74-72 ⁽¹⁵⁾ 73.74-74 ⁽⁸⁾ 73.74-83 ⁽¹⁶⁾ ⁽³³⁾ 73.74-89 ⁽¹⁶⁾ ⁽³³⁾ 73.75-73 ⁽¹⁶⁾ 73.75-79 ⁽¹⁶⁾	
Alloy steel plate	73.72-11 ⁽⁴⁾ ⁽⁹⁾ ⁽¹²⁾ 73.72-19 ⁽⁴⁾ ⁽¹²⁾ 73.72-39 ⁽⁴⁾ ⁽¹¹⁾ 73.73-35 ⁽⁶⁾ ⁽¹¹⁾ ⁽¹²⁾ ⁽²²⁾ 73.73-36 ⁽⁶⁾ ⁽¹¹⁾ ⁽¹²⁾ 73.73-39 ⁽⁴⁾ ⁽⁶⁾ ⁽¹¹⁾ ⁽¹²⁾ 73.73-55 ⁽⁶⁾ ⁽⁸⁾ ⁽¹²⁾ ⁽²²⁾ 73.73-59 ⁽⁴⁾ ⁽⁶⁾ ⁽¹²⁾ 73.74-21 ⁽⁹⁾ ⁽¹¹⁾ ⁽¹²⁾ 73.74-29 ⁽⁴⁾ ⁽¹¹⁾ ⁽¹²⁾ 73.74-72 ⁽¹¹⁾ ⁽¹²⁾ ⁽¹⁸⁾ 73.74-74 ⁽⁸⁾ ⁽¹²⁾ ⁽¹⁸⁾ 73.74-83 ⁽⁸⁾ ⁽¹²⁾ ⁽¹⁸⁾ ⁽³²⁾ 73.74-89 ⁽¹²⁾ ⁽¹⁴⁾ ⁽¹⁸⁾ ⁽³²⁾ 73.75-11 ⁽⁹⁾ ⁽¹²⁾ 73.75-19 ⁽⁹⁾ ⁽¹²⁾ 73.75-29 ⁽⁴⁾ 73.75-59 ⁽⁴⁾ ⁽¹²⁾ 73.75-73 ⁽¹²⁾ ⁽¹⁸⁾ ⁽³²⁾ 73.75-79 ⁽¹²⁾ ⁽¹⁸⁾ ⁽³²⁾	607.78-00 ⁽¹⁷⁾ 607.91-00 608.14-20
Carbon steel structural shapes	73.11-11 ⁽¹⁹⁾ 73.11-12 73.11-14 73.11-16 73.11-19 ⁽¹⁹⁾ 73.11-20 ⁽¹⁹⁾ 73.11-31 ⁽¹⁹⁾ 73.11-39 ⁽¹⁹⁾ 73.63-10 ⁽¹⁹⁾ ⁽²⁰⁾ 73.63-29 ⁽¹⁹⁾ ⁽²⁰⁾ 73.63-50 ⁽¹⁹⁾ ⁽²⁰⁾ 73.73-35 ⁽²⁰⁾ ⁽²¹⁾ 73.73-55 ⁽²⁰⁾ ⁽²¹⁾	609.80-05 609.80-15 609.80-35 609.80-41 609.80-45
Alloy steel structural shapes	73.73-13 ⁽²⁰⁾ 73.73-14 ⁽²⁰⁾ 73.73-19 ⁽²⁰⁾ 73.73-33 ⁽²⁰⁾ 73.73-34 ⁽²⁰⁾ 73.73-35 ⁽²⁰⁾ ⁽²²⁾ 73.73-36 ⁽²⁰⁾ 73.73-39 ⁽²⁰⁾ 73.73-43 ⁽²⁰⁾ 73.73-49 ⁽²⁰⁾ 73.73-53 ⁽²⁰⁾ 73.73-54 ⁽²⁰⁾ 73.73-55 ⁽²⁰⁾ ⁽²²⁾ 73.73-59 ⁽²⁰⁾	609.82-00

Description	NIMEXE code	TSUSA No (1983)
Carbon wire rod	73.10-11 ⁽²³⁾ 73.10-16 ⁽²⁴⁾ ⁽²⁵⁾ 73.63-21 ⁽²³⁾ 73.63-29 ⁽²⁴⁾ ⁽²⁵⁾ 73.73-25 ⁽²¹⁾ ⁽²³⁾ 73.73-35 ⁽²¹⁾ ⁽²⁴⁾ ⁽²⁵⁾	607.14-00 607.17-00 607.22-00 607.23-00
Hot-rolled carbon steel bar	73.09-00 ⁽³⁰⁾ 73.10-11 ⁽²⁶⁾ 73.10-16 ⁽²⁷⁾ ⁽²⁸⁾ 73.10-49 ⁽²⁷⁾ ⁽²⁹⁾ 73.12-11 ⁽⁹⁾ ⁽¹²⁾ ⁽³⁰⁾ 73.12-19 ⁽¹²⁾ ⁽³⁰⁾ 73.62-30 ⁽³⁰⁾ 73.63-21 ⁽²⁶⁾ 73.63-29 ⁽²⁷⁾ ⁽²⁸⁾ 73.63-79 ⁽²⁷⁾ ⁽²⁹⁾ 73.64-20 ⁽¹²⁾ ⁽³⁰⁾ 73.64-72 ⁽¹²⁾ ⁽³⁰⁾ ⁽³⁴⁾ 73.64-79 ⁽⁷⁾ ⁽¹²⁾ ⁽³⁰⁾ ⁽³⁴⁾ 73.73-35 ⁽²¹⁾ ⁽²⁷⁾ ⁽²⁸⁾	606.83-10 606.83-30 606.83-50
Hot-rolled alloy bar	73.73-25 ⁽²⁶⁾ 73.73-26 ⁽²⁶⁾ 73.73-29 ⁽⁴⁾ ⁽²⁶⁾ 73.73-35 ⁽²²⁾ ⁽²⁷⁾ ⁽²⁸⁾ 73.73-36 ⁽²⁷⁾ ⁽²⁸⁾ 73.73-39 ⁽⁴⁾ ⁽²⁷⁾ ⁽²⁸⁾ 73.73-89 ⁽⁴⁾ ⁽²⁷⁾ ⁽²⁹⁾ 73.74-21 ⁽⁹⁾ ⁽¹²⁾ ⁽³⁰⁾ 73.74-29 ⁽⁹⁾ ⁽¹²⁾ ⁽³⁰⁾	606.97-00
Carbon coated sheet (galvanized carbon steel sheet and other carbon coated steel)	73.10-42 ⁽⁵⁾ ⁽⁶⁾ ⁽⁸⁾ ⁽³²⁾ 73.10-45 ⁽⁵⁾ ⁽⁶⁾ ⁽⁸⁾ ⁽³²⁾ 73.10-49 ⁽⁵⁾ ⁽⁶⁾ ⁽⁸⁾ ⁽³²⁾ 73.12-40 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.12-61 ⁽⁵⁾ ⁽⁸⁾ 73.12-63 ⁽⁵⁾ ⁽⁸⁾ 73.12-71 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.12-75 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.12-81 ⁽⁵⁾ ⁽⁸⁾ 73.12-85 ⁽⁵⁾ ⁽⁸⁾ 73.12-87 ⁽⁵⁾ ⁽⁸⁾ 73.12-88 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.12-89 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.13-62 ⁽⁵⁾ ⁽³²⁾ ⁽⁴³⁾ 73.13-67 ⁽⁵⁾ 73.13-68 ⁽⁵⁾ 73.13-72 ⁽⁵⁾ 73.13-84 ⁽⁵⁾ 73.13-86 ⁽⁵⁾ 73.13-87 ⁽⁵⁾ 73.13-88 ⁽⁵⁾ ⁽³²⁾ 73.13-89 ⁽⁵⁾ ⁽³²⁾ 73.63-72 ⁽⁵⁾ ⁽⁶⁾ ⁽⁸⁾ ⁽³²⁾ 73.63-74 ⁽⁵⁾ ⁽⁶⁾ ⁽⁸⁾ ⁽³²⁾ 73.63-79 ⁽⁵⁾ ⁽⁶⁾ ⁽⁸⁾ ⁽³²⁾ 73.64-72 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.64-75 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.64-79 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.65-70 ⁽⁵⁾ ⁽⁴²⁾	608.07-30 608.13-10 608.13-20 608.13-30 608.13-40 608.13-50
Alloy coated sheet and terne plate and sheet	73.12-65 ⁽⁵⁾ ⁽⁸⁾ 73.13-74 ⁽⁵⁾ 73.73-72 ⁽⁵⁾ ⁽⁶⁾ ⁽⁸⁾ ⁽³²⁾ 73.73-74 ⁽⁵⁾ ⁽⁶⁾ ⁽⁸⁾ ⁽³²⁾ 73.73-89 ⁽⁵⁾ ⁽⁶⁾ ⁽⁸⁾ ⁽³²⁾ 73.74-72 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.74-74 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.74-83 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.74-89 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.75-73 ⁽⁵⁾ ⁽³²⁾ 73.75-79 ⁽⁵⁾ ⁽³²⁾	608.01-00 608.14-40

Description	NIMEXE code	TSUSA No (1983)
Tin plate	73.12-51 ⁽⁵⁾ ⁽⁸⁾	607.96-00
	73.12-59 ⁽⁵⁾ ⁽⁸⁾	607.97-00
	73.13-64 ⁽⁵⁾	607.99-00
	73.13-65 ⁽⁵⁾	
	73.13-76 ⁽⁵⁾	
Carbon and alloy rails	73.16-14	610.20-10
	73.16-16	610.20-20
	73.16-17	610.21-00
	73.16-20	
Carbon and alloy sheet piling	73.11-50	609.96-00
		609.98-00

- (¹) Covered if of rectangular section. If three-sixteenths of an inch or over in thickness, excluded if eight inches or less in width or if not in coils.
- (²) If three-sixteenths of an inch or more in thickness, excluded if cut to length, or eight inches or less in width.
- (³) Covered if in coil.
- (⁴) Excluding 'tool steel', 'high-speed tool steel', 'tool steel of the type described in headnote 2 (H) (VII)' and 'chipper knife steel', as defined in subparagraph B 2 (H) (V), (VI), (VII) and (VIII) of Part 2 of Schedule 6 of the Tariff Schedules of the United States (annotated).
- (⁵) Covered if less than three-sixteenths of an inch in thickness.
- (⁶) Covered if of rectangular section.
- (⁷) Covered if hot-rolled.
- (⁸) Covered if over 12 inches in width.
- (⁹) Excluding 'silicon electrical steel', as defined in subparagraph B 2 (H) (IX) of Part 2 of Schedule 6 of the Tariff Schedules of the United States (annotated).
- (¹⁰) Excluded if less than 0,0142 of an inch in thickness and if black plate meeting ASTM specifications A-625 or A-650.
- (¹¹) Covered if over eight inches in width.
- (¹²) Covered if three-sixteenths of an inch or more in thickness.
- (¹³) Covered if not in coils.
- (¹⁴) Covered if hot-rolled and over eight inches in width or if cold-rolled and over 12 inches in width.
- (¹⁵) If less than three-sixteenths of an inch in thickness, covered if over 12 inches in width. If three-sixteenths of an inch or more in thickness, covered if over eight inches in width.
- (¹⁶) Covered if clad.
- (¹⁷) Excluding semi-finished products, over six inches in thickness, produced by rolling on a primary (slabbing) mill.
- (¹⁸) Excluded if clad.
- (¹⁹) Covered if having a maximum cross-sectional dimension of three inches or more.
- (²⁰) Covered if structural shapes.
- (²¹) Covered if contains 0,35 % or less lead or sulfur.
- (²²) Covered if contains over 0,35 % lead or sulfur.
- (²³) Covered if of circular section and 0,2 of an inch or over in diameter.
- (²⁴) Covered if coiled and if 18,8 mm or less in diameter.
- (²⁵) Covered if of circular section.
- (²⁶) Covered if cross-section, in the form of segments of circles, ovals isosceles triangles, rectangles, hexagons, octagons or quadrilaterals with only two sides parallel and the other two sides equal, and not hollow. If of rectangular section, covered if three-sixteenths of an inch or more in thickness and eight inches or less in width.
- (²⁷) Covered if cross-section, in the form of circles, segments of circles, ovals, isosceles triangles, rectangles, hexagons, octagons or quadrilaterals with only two sides parallel and the other two sides equal, and not hollow. If of rectangular section, covered if three-sixteenths of an inch or more in thickness and eight inches or less in width. If of circular section, covered if over 18,8 mm in diameter, or if 18,8 mm or less in diameter, and not in coils.

- (²⁸) Excluding round blooms and billets, semi-finished products of circular cross-section, having a length several times greater than the maximum cross-sectional dimension. A bloom is at least 36 square inches in cross-sectional area. A billet is less than 36 square inches but not less than three square inches in cross-sectional area.

Note: Billet rolled to bar tolerances or ordered to specifications could be classified as bar under the TSUSA.

- (²⁹) Excluded if cold formed.
- (³⁰) Covered if eight inches or less in width.
- (³¹) Covered if cold-rolled.
Covered if coated or plated with metal.
- (³³) If less than three-sixteenths of an inch in thickness, covered if over 12 inches in width. If three-sixteenths of an inch or more in thickness, covered when cold-rolled if over 12 inches in width and when hot-rolled if over eight inches in width.
- (³⁴) Excluded if coated, plated or clad with metal.
- (³⁵) Covered if clad, or plated or coated with metal, or otherwise surface-worked. If clad and if less than three-sixteenths of an inch in thickness, covered if over 12 inches in width. If clad or plated or coated with metal and if over three-sixteenths of an inch in thickness, covered if eight inches or more in width when not cold-rolled and if 12 inches or over in width when cold-rolled. If otherwise surface-worked, covered if not in coils, if three-sixteenths of an inch or over in thickness and eight inches or over in width and hot-rolled.
- (³⁶) Covered if enamelled.
- (³⁷) Covered if clad. If coated or plated with metal, but not silvered, gilded or platinum plated, covered if three-sixteenths of an inch or over in thickness.
- (³⁸) Covered if clad. If three-sixteenths of an inch or over in thickness, covered if coated or plated with metal. If three-sixteenths of an inch or over in thickness and otherwise surface-worked, covered if hot-rolled and cut to length.
- (³⁹) If three-sixteenths of an inch or over in thickness, covered if not pickled.
- (⁴⁰) Covered if three-sixteenths of an inch or over in thickness and pickled.
- (⁴¹) If three-sixteenths of an inch or over in thickness, excluded if cut to length.
- (⁴²) If cold-rolled, covered if coated or plated with metal. If hot-rolled, covered if coated or plated with metal or, if not coated or plated with metal, if cut to length.
- (⁴³) Excluded if silvered gilded or platinum plated.
-

Sir Roy Denman
The Head of the Delegation
Delegation of the Commission of
the European Communities
2100 M Street, NW
Suite 707
Washington DC 20037

Dear Sir Roy,

This is in response to your letter of 29 March 1983 transmitting to the US Government a revised version of Appendix B to the Arrangement concerning trade in certain steel products between the European Communities and the United States. I am pleased to confirm that the revised Appendix B reflects the agreement reached by both parties in January to make certain amendments to the NIMEXE codes referred to in Appendix B.

The above is without prejudice to changes that may be required to cover any discrepancy in Appendix B found by either party subsequent to the January agreement.

Sincerely,

Lionel H. OLMER

COMMISSION DECISION No 2192/83/ECSC

of 20 April 1983

amending Commission Decision No 2872/82/ECSC on the restriction of exports of certain steel products to the United States of America

THE COMMISSION OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Coal and Steel Community, and in particular the first and second paragraphs of Article 95 thereof,

Whereas, by Decision No 2872/82/ECSC ⁽¹⁾, the Commission established restrictions on exports of certain steel products to the United States of America;

Whereas Appendix B to the Arrangement concluded with the United States of America stipulated that the list of NIMEXE codes covered by the Arrangement would be subject to further verification and amendments to be agreed upon by experts of both parties;

Whereas the said verification has revealed the need to determine with greater precision, in terms of NIMEXE codes, the products covered by the Arrangement;

Whereas Annex I to Decision No 2872/82/ECSC should be amended accordingly;

Having consulted the Consultative Committee and with the unanimous assent of the Council,

HAS ADOPTED THIS DECISION:

Article 1

Annex I to Decision No 2872/82/ECSC is hereby replaced by the Annex to this Decision.

Article 2

This Decision shall enter into force on the day of its publication in the *Official Journal of the European Communities*.

This Decision shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 20 April 1983.

For the Commission

Étienne DAVIGNON

Vice-President

⁽¹⁾ OJ No L 307, 1. 11. 1982, p. 27.

ANNEX

ANNEX I

LIST OF PRODUCTS

Description	NIMEXE code	TSUSA No
CATEGORY 1		
Hot-rolled sheet and strip		
Carbon steel	73.08-01 ⁽⁹⁾	607.66-10
	73.08-03 ⁽³⁹⁾	607.67-10
	73.08-05	607.67-20
	73.08-07	607.67-30
	73.08-21 ⁽³⁹⁾	607.67-40
	73.08-25	607.83-42
	73.08-29	608.19-20
	73.08-41 ⁽³⁹⁾	608.21-20
	73.08-45	608.23-20
	73.08-49	
	73.10-16 ⁽¹⁾	
	73.12-11 ⁽²⁾ ⁽⁹⁾	
	73.12-19 ⁽²⁾	
	73.13-11 ⁽⁷⁾ ⁽⁹⁾ ⁽⁴¹⁾	
	73.13-16 ⁽⁷⁾ ⁽⁹⁾ ⁽⁴¹⁾	
	73.13-17 ⁽³⁾	
	73.13-19 ⁽³⁾ ⁽³⁹⁾	
	73.13-21	
	73.13-23	
	73.13-26	
	73.13-32	
	73.13-34	
	73.13-36	
	73.13-88 ⁽⁷⁾ ⁽³⁴⁾ ⁽⁴¹⁾	
	73.62-10	
	73.63-29 ⁽¹⁾	
	73.64-20 ⁽²⁾	
	73.64-72 ⁽²⁾ ⁽³⁴⁾	
	73.65-21 ⁽³⁾	
	73.65-23	
	73.65-25	
	73.73-35 ⁽¹⁾ ⁽²¹⁾	
Alloy steel	73.72-11 ⁽⁵⁾ ⁽⁹⁾	607.81-00
	73.72-19 ⁽⁴⁾ ⁽⁵⁾	608.38-20 ⁽⁷⁾
	73.73-35 ⁽⁵⁾ ⁽⁶⁾ ⁽²²⁾	608.55-20 ⁽⁷⁾
	73.73-36 ⁽⁵⁾ ⁽⁶⁾	608.67-20 ⁽⁷⁾
	73.73-39 ⁽⁴⁾ ⁽⁵⁾ ⁽⁶⁾	
	73.74-21 ⁽⁵⁾ ⁽⁹⁾	
	73.74-29 ⁽⁴⁾ ⁽⁵⁾	
	73.75-11 ⁽⁵⁾ ⁽⁷⁾ ⁽⁹⁾	
	73.75-19 ⁽⁵⁾ ⁽⁷⁾ ⁽⁹⁾	
	73.75-39 ⁽⁴⁾	
	73.75-49 ⁽⁴⁾	
	73.75-79 ⁽⁴⁾ ⁽⁵⁾ ⁽⁷⁾ ⁽³⁴⁾	
CATEGORY 2		
Cold-rolled sheet		
Carbon steel	73.08-03 ⁽⁴⁰⁾	607.83-20
	73.08-21 ⁽⁴⁰⁾	607.83-50
	73.08-41 ⁽⁴⁰⁾	607.83-55
	73.12-21 ⁽⁸⁾ ⁽¹⁰⁾	607.83-60

Description	NIMEXE code	TSUSA No
CATEGORY 2 Carbon steel (<i>cont'd</i>)	73.13-11 ⁽⁹⁾ 73.13-16 ⁽⁹⁾ 73.13-19 ⁽⁴⁰⁾ 73.13-41 73.13-43 73.13-45 73.13-47 73.13-49 ⁽¹⁰⁾ 73.13-50 ⁽¹⁰⁾ 73.13-88 ⁽³⁴⁾ 73.65-53 73.65-55 ⁽¹⁰⁾ 73.65-70 ⁽¹⁰⁾ ⁽³⁴⁾	
Alloy steel	73.75-11 ⁽⁵⁾ ⁽⁹⁾ ⁽³¹⁾ 73.75-19 ⁽⁵⁾ ⁽⁹⁾ ⁽³¹⁾ 73.75-59 ⁽⁴⁾ ⁽⁵⁾ 73.75-69 ⁽⁴⁾ 73.75-79 ⁽⁴⁾ ⁽³¹⁾ ⁽³⁴⁾	607.93-20
CATEGORY 3 Plate Carbon steel (including clad plate)	73.09-00 ⁽¹¹⁾ 73.10-16 ⁽⁶⁾ ⁽¹¹⁾ ⁽¹²⁾ ⁽¹³⁾ 73.10-42 ⁽⁶⁾ ⁽¹⁵⁾ 73.12-11 ⁽⁹⁾ ⁽¹¹⁾ ⁽¹²⁾ ⁽¹³⁾ 73.12-19 ⁽¹¹⁾ ⁽¹²⁾ ⁽¹³⁾ 73.12-51 ⁽⁸⁾ ⁽¹²⁾ 73.12-71 ⁽¹⁵⁾ 73.13-11 ⁽⁷⁾ ⁽⁹⁾ ⁽¹²⁾ ⁽¹³⁾ 73.13-16 ⁽⁷⁾ ⁽⁹⁾ ⁽¹²⁾ ⁽¹³⁾ 73.13-17 ⁽¹³⁾ 73.13-19 ⁽¹³⁾ ⁽³⁹⁾ 73.13-64 ⁽¹²⁾ 73.13-65 ⁽¹²⁾ 73.13-67 ⁽¹²⁾ 73.13-68 ⁽¹²⁾ 73.13-72 ⁽¹²⁾ 73.13-74 ⁽¹²⁾ 73.13-76 ⁽¹²⁾ 73.13-78 73.13-79 73.13-84 ⁽¹²⁾ 73.13-86 ⁽¹²⁾ 73.13-87 ⁽¹²⁾ 73.13-88 ⁽¹²⁾ ⁽³²⁾ 73.13-89 ⁽¹²⁾ ⁽⁴²⁾ 73.62-30 ⁽¹¹⁾ 73.63-29 ⁽⁶⁾ ⁽¹¹⁾ ⁽¹²⁾ ⁽¹³⁾ 73.63-72 ⁽⁶⁾ ⁽¹⁵⁾ 73.63-74 ⁽⁶⁾ ⁽⁸⁾ 73.64-72 ⁽¹⁵⁾ 73.65-21 ⁽¹³⁾ 73.65-70 ⁽³⁸⁾ 73.73-35 ⁽⁶⁾ ⁽¹¹⁾ ⁽¹²⁾ ⁽¹³⁾ ⁽²¹⁾ 73.73-72 ⁽⁶⁾ ⁽¹⁵⁾ ⁽¹⁶⁾ 73.74-72 ⁽¹⁵⁾ 73.75-73 ⁽¹⁶⁾ 73.75-79 ⁽¹⁶⁾	607.66-15 ⁽¹⁷⁾ 607.94-00 608.07-10 608.11-00
Alloy steel	73.72-11 ⁽⁴⁾ ⁽⁹⁾ ⁽¹²⁾ 73.72-19 ⁽⁴⁾ ⁽¹²⁾ 73.72-39 ⁽⁴⁾ ⁽¹¹⁾ 73.73-35 ⁽⁶⁾ ⁽¹¹⁾ ⁽¹²⁾ ⁽²²⁾ 73.73-36 ⁽⁶⁾ ⁽¹¹⁾ ⁽¹²⁾ 73.73-39 ⁽⁴⁾ ⁽⁶⁾ ⁽¹¹⁾ ⁽¹²⁾	607.78-00 ⁽¹⁷⁾ 607.91-00 608.14-20

Description	NIMEXE code	TSUSA No
CATEGORY 3 Alloy steel <i>(cont'd)</i>	73.74-21 ⁽⁹⁾ ⁽¹¹⁾ ⁽¹²⁾ 73.74-29 ⁽⁴⁾ ⁽¹¹⁾ ⁽¹²⁾ 73.74-72 ⁽¹¹⁾ ⁽¹²⁾ ⁽¹⁸⁾ 73.75-11 ⁽⁹⁾ ⁽¹²⁾ 73.75-19 ⁽⁹⁾ ⁽¹²⁾ 73.75-29 ⁽⁴⁾ 73.75-59 ⁽⁴⁾ ⁽¹²⁾ 73.75-73 ⁽¹²⁾ ⁽¹⁸⁾ ⁽³²⁾ 73.75-79 ⁽¹²⁾ ⁽¹⁸⁾ ⁽³²⁾	
CATEGORY 4 Structural shapes Carbon steel	73.11-11 ⁽¹⁹⁾ 73.11-12 73.11-14 73.11-16 73.11-19 ⁽¹⁹⁾ 73.63-29 ⁽¹⁹⁾ ⁽²⁰⁾ 73.73-35 ⁽²⁰⁾ ⁽²¹⁾	609.80-05 609.80-15 609.80-35 609.80-41 609.80-45
Alloy steel	73.73-33 ⁽²⁰⁾ 73.73-34 ⁽²⁰⁾ 73.73-35 ⁽²⁰⁾ ⁽²²⁾ 73.73-36 ⁽²⁰⁾ 73.73-39 ⁽²⁰⁾	609.82-00
CATEGORY 5 Wire rod	73.10-11 ⁽²³⁾ 73.10-16 ⁽²⁴⁾ ⁽²⁵⁾ 73.63-21 ⁽²³⁾ 73.63-29 ⁽²⁴⁾ ⁽²⁵⁾ 73.73-25 ⁽²¹⁾ ⁽²³⁾ 73.73-35 ⁽²¹⁾ ⁽²⁴⁾ ⁽²⁵⁾	607.14-00 607.17-00 607.22-00 607.23-00
CATEGORY 6 Hot-rolled bars Carbon steel	73.09-00 ⁽³⁰⁾ 73.10-11 ⁽²⁶⁾ 73.10-16 ⁽²⁷⁾ ⁽²⁸⁾ 73.12-11 ⁽⁹⁾ ⁽¹²⁾ ⁽³⁰⁾ 73.12-19 ⁽¹²⁾ ⁽³⁰⁾ 73.62-30 ⁽³⁰⁾ 73.63-21 ⁽²⁶⁾ 73.63-29 ⁽²⁷⁾ ⁽²⁸⁾ 73.64-20 ⁽¹²⁾ ⁽³⁰⁾ 73.64-72 ⁽¹²⁾ ⁽³⁰⁾ ⁽³⁴⁾ 73.73-35 ⁽²¹⁾ ⁽²⁷⁾ ⁽²⁸⁾	606.83-10 606.83-30 606.83-50
Alloy steel	73.73-25 ⁽²⁶⁾ 73.73-26 ⁽²⁶⁾ 73.73-29 ⁽⁴⁾ ⁽²⁶⁾ 73.73-35 ⁽²²⁾ ⁽²⁷⁾ ⁽²⁸⁾ 73.73-36 ⁽²⁷⁾ ⁽²⁸⁾ 73.73-39 ⁽⁴⁾ ⁽²⁷⁾ ⁽²⁸⁾ 73.74-21 ⁽⁹⁾ ⁽¹²⁾ ⁽³⁰⁾ 73.74-29 ⁽⁹⁾ ⁽¹²⁾ ⁽³⁰⁾	606.97-00

Description	NIMEXE code	TSUSA No
CATEGORY 7		
Coated sheet		
Carbon steel (galvanized and other)	73.10-42 ⁽⁵⁾ ⁽⁶⁾ ⁽⁸⁾ ⁽³²⁾ 73.12-71 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.13-67 ⁽⁵⁾ 73.13-68 ⁽⁵⁾ 73.13-72 ⁽⁵⁾ 73.13-84 ⁽⁵⁾ 73.13-86 ⁽⁵⁾ 73.13-87 ⁽⁵⁾ 73.13-88 ⁽⁵⁾ ⁽³²⁾ 73.13-89 ⁽⁵⁾ ⁽³²⁾ 73.63-72 ⁽⁵⁾ ⁽⁶⁾ ⁽⁸⁾ ⁽³²⁾ 73.64-72 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.65-70 ⁽⁵⁾ ⁽⁴²⁾	608.07-30 608.13-10 608.13-20 608.13-30 608.13-40 608.13-50
Alloy steel coated sheet, and terne plate and sheet	73.13-74 ⁽⁵⁾ 73.73-72 ⁽⁵⁾ ⁽⁶⁾ ⁽⁸⁾ ⁽³²⁾ 73.74-72 ⁽⁵⁾ ⁽⁸⁾ ⁽³²⁾ 73.75-73 ⁽⁵⁾ ⁽³²⁾ 73.75-79 ⁽⁵⁾ ⁽³²⁾	608.01-00 608.14-40
CATEGORY 8		
Tin plate (not including blackplate)	73.12-51 ⁽⁵⁾ ⁽⁸⁾ 73.13-64 ⁽⁵⁾ 73.13-65 ⁽⁵⁾ 73.13-76 ⁽⁵⁾	607.96-00 607.97-00 607.99-00
CATEGORY 9		
Rails		
Carbon steel and alloy steel	73.16-14 73.16-16 73.16-17 73.16-20	610.20-10 610.20-20 610.21-00
CATEGORY 10		
Sheet piling		
Carbon steel and alloy steel	73.11-50	609.96-00 609.98.00

- (¹) Covered if of rectangular section. If three-sixteenths of an inch or over in thickness, excluded if eight inches or less in width or if not in coils.
- (²) If three-sixteenths of an inch or more in thickness, excluded if cut to length, or eight inches or less in width.
- (³) Covered if in coil.
- (⁴) Excluding 'tool steel', 'high-speed tool steel', 'tool steel of the type described in headnote 2 (H) (VII)' and 'chipper knife steel', as defined in subparagraph B 2 (H) (V), (VI), (VII) and (VIII) of Part 2 of Schedule 6 of the Tariff Schedules of the United States (annotated).
- (⁵) Covered if less than three-sixteenths of an inch in thickness.
- (⁶) Covered if of rectangular section.
- (⁷) Covered if hot-rolled.
- (⁸) Covered if over 12 inches in width.
- (⁹) Excluding 'silicon electrical steel', as defined in subparagraph B 2 (H) (IX) of Part 2 of Schedule 6 of the Tariff Schedules of the United States (annotated).

- (¹⁰) Excluded if less than 0,0142 of an inch in thickness and if blackplate meeting ASTM specifications A-625 or A-650.
 - (¹¹) Covered if over eight inches in width.
 - (¹²) Covered if three-sixteenths of an inch or more in thickness.
 - (¹³) Covered if not in coils.
 - (¹⁵) If less than three-sixteenths of an inch in thickness, covered if over 12 inches in width. If three-sixteenths of an inch or more in thickness, covered if over eight inches in width.
 - (¹⁶) Covered if clad.
 - (¹⁷) Excluding semi-finished products, over six inches in thickness, produced by rolling on a primary (slabbing) mill.
 - (¹⁸) Excluded if clad.
 - (¹⁹) Covered if having a maximum cross-sectional dimension of three inches or more.
 - (²⁰) Covered if structural shapes.
 - (²¹) Covered if contains 0,35 % or less lead or sulfur.
 - (²²) Covered if contains over 0,35 % lead or sulfur.
 - (²³) Covered if of circular section and 0,2 of an inch or over in diameter.
 - (²⁴) Covered if coiled and if 18,8 mm or less in diameter.
 - (²⁵) Covered if of circular section.
 - (²⁶) Covered if cross-section, in the form of segments of circles, ovals, isosceles triangles, rectangles, hexagons, octagons or quadrilaterals with only two sides parallel and the other two sides equal, and not hollow. If of rectangular section, covered if three-sixteenths of an inch or more in thickness and eight inches or less in width.
 - (²⁷) Covered if cross-section, in the form of circles, segments of circles, ovals, isosceles triangles, rectangles, hexagons, octagons or quadrilaterals with only two sides parallel and the other two sides equal, and not hollow. If of rectangular section, covered if three-sixteenths of an inch or more in thickness and eight inches or less in width. If of circular section, covered if over 18,8 mm in diameter, or if 18,8 mm or less in diameter, and not in coils.
 - (²⁸) Excluding round blooms and billets, semi-finished products of circular cross-section, having a length several times greater than the maximum cross-sectional dimension. A bloom is at least 36 square inches in cross-sectional area. A billet is less than 36 square inches but not less than three square inches in cross-sectional area.
Note: Billet rolled to bar tolerances or ordered to specifications could be classified as bar under the TSUSA.
 - (³⁰) Covered if eight inches or less in width.
 - (³¹) Covered if cold-rolled.
 - (³²) Covered if coated or plated with metal.
 - (³⁴) Excluded if coated, plated or clad with metal.
 - (³⁸) Covered if clad. If three-sixteenths of an inch or over in thickness, covered if coated or plated with metal. If three-sixteenths of an inch or over in thickness and otherwise surface-worked, covered if hot-rolled and cut to length.
 - (³⁹) If three-sixteenths of an inch or over in thickness, covered if not pickled.
 - (⁴⁰) Covered if three-sixteenths of an inch or over in thickness and pickled.
 - (⁴¹) If three-sixteenths of an inch or over in thickness, excluded if cut to length.
 - (⁴²) If cold rolled, covered if coated or plated with metal. If hot-rolled, covered if coated or plated with metal or, if not coated or plated with metal, if cut to length.
-

CORRIGENDA

Corrigendum to Council Regulation (EEC) No 2870/82 of 21 October 1982 on the restriction of exports of certain steel products to the United States of America

(Official Journal of the European Communities No L 307 of 1 November 1982)

Page 4:

In the first subparagraph of Article 1 (1) replace the word 'after' by the words 'as from'.

Corrigendum to Commission Decision No 2872/82/ECSC of 28 October 1982 on the restriction of exports of certain steel products to the United States of America

(Official Journal of the European Communities No L 307 of 1 November 1982)

Page 28:

In the first subparagraph of Article 1 (1) replace the word 'after' by the words 'as from'.

CLASSIFICATION OF CHEMICALS IN THE COMMON CUSTOMS TARIFF OF THE EUROPEAN COMMUNITIES

IN SIX LANGUAGES

- Twenty thousand chemical names (internationally accepted common names, systematic names and synonyms).
- Six languages: Danish (Vol. I), German (Vol. II), English (Vol. III), French (Vol. IV), Italian (Vol. V) and Dutch (Vol. VI).
- Index of equivalent names in all six languages (Vol. VII — six languages).

Features of this publication are:

- the classification (heading and subheading) of a chemical in the Common Customs Tariff of the European Communities can be ascertained immediately from its name in any one of the six languages;
- the equivalent names are listed in all six languages (multilingual glossary).

The chemical names listed may be used to gain access to the European Communities Data and Information Network (ECDIN).

Each volume (except Vol. VII) may be ordered separately.

Price per single-language volume: ECU 9·60, Bfrs 400, £ Irl 6·70, £ 5·25, US \$ 11·50.

Price of a single-language volume plus the six-language volume: ECU 36·30, Bfrs 1 500, £ Irl 25·20, £ 19·50, US \$ 41.

Price of the complete publication: ECU 72, Bfrs 3 000, £ Irl 50, £ 39·20, US \$ 85·25.

Orders should be sent to:

OFFICE FOR OFFICIAL PUBLICATIONS OF THE EUROPEAN COMMUNITIES
L-2985 Luxembourg

HIGHER EDUCATION IN THE EUROPEAN COMMUNITY

A HANDBOOK FOR STUDENTS

1981 Edition

This handbook for students has been prepared, for the assistance of students and their advisers to bring together in all Community languages the basic information needed by those considering a period of higher education in another Member State.

The Handbook contains an entry for each of the Member States of the Community. Each entry consists of two main sections, a descriptive text and an appendix. The text gives general information on the structure of the higher education system, its institutions and the types of qualifications obtainable, on admission conditions and application procedures, and on fees, language requirements and grants, as well as an indication of important social elements such as social security counselling, accommodation, etc. The appendix to each country entry contains a list of addresses of organizations and institutions from which further information and/or application forms may be obtained, a bibliography of national information material, in most cases a table of subjects taught at each institution, and a glossary per national entry for the explanation of terms that have not been translated.

In addition to the national entries, the Handbook contains separate entries for the College of Europe at Bruges and the European University Institute at Florence.

Published in: Danish, Dutch, English, French, German, Greek, Italian.

Price (excluding VAT) in Luxembourg: ECU 4.35, Bfrs 180, £ Irl 3, £ 2.80, US \$ 6.15

± 350 pages.

Publication No CB-32-81-253-EN-C

ISBN 92-825-2432-9

OFFICE FOR OFFICIAL PUBLICATIONS OF THE EUROPEAN COMMUNITIES

L-2985 Luxembourg