

Official Journal

of the European Communities

ISSN 0378 - 6978

L 372

Volume 31

31 December 1988

English edition

Legislation

Contents

I *Acts whose publication is obligatory*

- ★ Council Regulation (EEC) No 4231/88 of 19 December 1988 opening and providing for the administration of a Community tariff quota for wine of fresh grapes originating in Yugoslavia (1989) 1
 - ★ Council Regulation (EEC) No 4232/88 of 19 December 1988 opening and providing for the administration of Community tariff quotas for sweet peppers, frozen peas and garlic originating in Yugoslavia (1989) 4
 - ★ Council Regulation (EEC) No 4233/88 of 19 December 1988 opening, allocating and providing for the administration of Community tariff quotas for 'Sljivovica' plum spirit and tobacco of the 'Prilep' type originating in Yugoslavia (1989) 7
 - ★ Council Regulation (EEC) No 4234/88 of 19 December 1988 establishing ceilings and Community surveillance for imports of certain products originating in Yugoslavia (1989) 15
-

II *Acts whose publication is not obligatory*

Council

88/653/ECSC:

- ★ Decision of the Representatives of the Governments of the Member States, meeting within the Council of 19 December 1988 establishing ceilings and Community supervision for imports of certain goods falling under the ECSC Treaty originating in Yugoslavia (1989) 39

I

(Acts whose publication is obligatory)

COUNCIL REGULATION (EEC) No 4231/88

of 19 December 1988

opening and providing for the administration of a Community tariff quota for wine of fresh grapes originating in Yugoslavia (1989)

THE COUNCIL OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community, and in particular Article 113 thereof,

Having regard to the proposal from the Commission,

Whereas Article 22 of the Cooperation Agreement between the European Economic Community and the Socialist Federal Republic of Yugoslavia, as modified and supplemented by the Additional Protocol to that Agreement establishing new trade arrangements⁽¹⁾, provides for the opening of a Community tariff quota for imports into the Community of 545 000 hectolitres of wine of fresh grapes originating in Yugoslavia; whereas the said products must be accompanied by a movement certificate;

Whereas, within the limits of this tariff quota, customs duties are to be phased out over the same periods and at the same rates as provided for in Articles 75 and 268 of the Act of Accession of Spain and Portugal; whereas the quota duties for 1989 are 55,6% of the duties applicable; whereas, however, Council Regulation (EEC) No 4150/87 of 21 December 1987 laying down arrangements for Spain's and Portugal's trade with Yugoslavia and amending Regulations (EEC) No 449/86 and No 2573/87⁽²⁾ provides that Portugal is to postpone application of the preferential arrangements for the products in question until 31 December 1990; whereas this Regulation therefore does not apply to Portugal; whereas the Community tariff quota in question should therefore be opened for 1989;

Whereas the wines in question are subject to the free-at-frontier reference price; whereas the said wines qualify for this tariff quota only if Article 54 of Council Regulation (EEC) No 822/87 of 16 March 1987 on the common organization of the market in wine⁽³⁾, as last amended by Regulation (EEC) No 1442/88⁽⁴⁾, is adhered

to; whereas Article 22 (6) of the Cooperation Agreement lays down that for wine of fresh grapes in containers holding two litres or less falling within CN codes 2204 21 25, ex 2204 21 29, 2204 21 35 or ex 2204 21 39, the fixed amount corresponding to the normal packaging costs referred to in Article 53 (1) of the said Regulation (EEC) No 822/87 is to be phased out within the limit of an annual volume of 29 000 hectolitres; whereas the said free-at-frontier price is thereby reduced by a corresponding amount; whereas it is therefore necessary to set up a double notification procedure for the administration of the said volume;

Whereas equal and continuous access to the quota should be ensured for all Community importers and the rates laid down for the quota should be applied consistently to all imports of the product in question into all the Member States until the quota is exhausted; whereas it is appropriate not to provide for allocation among Member States, without prejudice to the drawing, on the tariff quota, of such quantities as they may need, under conditions and according to a procedure to be determined; whereas this method of administration requires close cooperation between the Member States and the Commission and the latter must in particular be able to monitor the rate at which the tariff quota is used and inform the Member States accordingly;

Whereas, since the Kingdom of Belgium, the Kingdom of the Netherlands and the Grand Duchy of Luxembourg are united within and jointly represented by the Benelux Economic Union, any operation concerning the administration of the quota shares levied by that economic union may be carried out by any one of its members,

HAS ADOPTED THIS REGULATION:

Article 1

1. From 1 January to 31 December 1989 the customs duties applicable to imports into the Community excluding Portugal of the following products originating in Yugoslavia shall be suspended at the levels indicated below and within the limits of Community tariff quotas as shown below:

⁽¹⁾ OJ No L 389, 31. 12. 1987, p. 73.

⁽²⁾ OJ No L 389, 31. 12. 1987, p. 1.

⁽³⁾ OJ No L 84, 27. 3. 1987, p. 1.

⁽⁴⁾ OJ No L 132, 28. 5. 1988, p. 3.

Serial No	CN code	Description	Quota volume (hl)	Rate of duty (ECU/hl)
(1)	(2)	(3)	(4)	(5)
09.1515		Wine of fresh grapes, including fortified wines; grape must other than that of heading No 2009:	545 000	8
		– Other wine; grape must with fermentation prevented or arrested by the addition of alcohol:		
		– – In containers holding 2 litres or less:		
		– – – Other:		
		– – – – Of an actual alcoholic strength by volume not exceeding 13 % vol:		9,3
		– – – – – Other:		
	2204 21 25	– – – – – White ⁽¹⁾		
	ex 2204 21 29	– – – – – Other:		
		– – – – – – Other wines ⁽¹⁾		6
		– – – – – Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol:		
		– – – – – Other:		
		– – – – – White ⁽¹⁾		
	2204 21 35	– – – – – Other:		7,3
	ex 2204 21 39	– – – – – – Other wines ⁽¹⁾		
		– – – Other:		
		– – – Other:		
		– – – – Of an actual alcoholic strength by volume not exceeding 13 % vol:		6
		– – – – – Other:		
		– – – – – White		
	2204 29 25	– – – – – Other:		
	ex 2204 29 29	– – – – – – Other wines		7,3
		– – – – – Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol:		
		– – – – – Other:		
		– – – – – White		
	2204 29 35	– – – – – Other:		
	ex 2204 29 39	– – – – – – Other wines		

⁽¹⁾ The reference price for products falling within these CN codes is increased by a fixed amount corresponding to the normal packaging costs, which is being phased out at the rate laid down in Article 22 (6) of the Cooperation Agreement, for an annual volume of 29 000 hectolitres.

Within the limits of this tariff quota the Kingdom of Spain shall apply duties calculated in accordance with the relevant provisions of Regulation (EEC) No 4150/87.

2. The wine in question shall be subject to the free-at-frontier reference price. It shall qualify for the tariff quota only if Article 54 of Regulation (EEC) No 822/87 is adhered to.

3. Imports of these wines must be accompanied by a movement certificate.

4. If consignments of the products referred to in the footnote to paragraph 1 are imported and the fixed amount corresponding to the normal packaging costs which is being phased out progressively in accordance with Article 22 (6) of the Agreement, the Member State concerned shall, by notifying the Commission, draw an amount corresponding

to its requirements to the extent that the available balance of the said volume of 29 000 hectolitres so permits.

Article 2

The tariff quota referred to in Article 1 shall be administered by the Commission, which may take any appropriate measure with a view to ensuring the efficient administration thereof.

Article 3

If an importer presents in a Member State a declaration of entry into free circulation including a request for preferential benefit for a product covered by this Regulation, and if this declaration is accepted by the customs authorities, the Member State concerned shall draw, from the tariff quota, by means of notification to the Commission, a quantity corresponding to these needs.

The requests for drawing, with the indication of the date of acceptance of the said declaration, must be communicated to the Commission without delay.

The drawings are granted by the Commission on the basis of the date of acceptance of the declaration of entry into free circulation by the customs authorities of the Member State concerned, to the extent that the available balance so permits.

If a Member State does not use the quantities drawn, it shall return them as soon as possible to the tariff quota.

If the quantities requested are greater than the available balance of the tariff quota, allocation shall be made on a *pro rata* basis with respect to the requests. Member States shall be informed by the Commission in accordance with the same procedures.

Article 4

1. Member States shall take all appropriate measures to ensure that their drawings pursuant to Article 3 enable imports to be charged without interruption against their accumulated shares of the Community quota.

2. Each Member State shall ensure that importers of the product concerned have free access to the quota for such times as the balance of the tariff quota so permits.

3. Member States shall charge imports of the said product against their drawings as and when the goods are entered with the customs authorities under cover of declarations of entry into free circulation.

4. The extent to which the quota has been used up shall be determined on the basis of the imports charged in accordance with paragraph 3.

Article 5

At the request of the Commission, Member States shall inform it of imports actually charged against the quota.

Article 6

The Member States and the Commission shall cooperate closely to ensure that this Regulation is complied with.

Article 7

This Regulation shall enter into force on 1 January 1989.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 19 December 1988.

For the Council
The President
Th. PANGALOS

COUNCIL REGULATION (EEC) No 4232/88

of 19 December 1988

opening and providing for the administration of Community tariff quotas for sweet peppers,
frozen peas and garlic originating in Yugoslavia (1989)

THE COUNCIL OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community, and in particular Article 113 thereof,

Having regard to the proposal from the Commission,

Whereas Article 2 of the Additional Protocol to the Cooperation Agreement between the European Economic Community and the Socialist Federal Republic of Yugoslavia establishing new trade arrangements⁽¹⁾ provides for the opening of Community tariff quotas for imports into the Community of:

- 1 200 tonnes of sweet peppers falling within CN code 0709 60 10;
- 1 300 tonnes of frozen peas falling within CN code 0710 21 00; and
- 300 tonnes of garlic falling within CN code ex 0703 20 00,

originating in Yugoslavia;

Whereas, within the limits of these tariff quotas, customs duties are to be phased out over the same periods and at the same rates as provided for in Articles 75, 243 and 268 of the Act of Accession of Spain and Portugal; whereas the quota duties for 1989 are equal to 63,6 % of the basic duties for sweet peppers and garlic and 50 % of the basic duty for frozen peas; whereas, however, Council Regulation (EEC) No 4150/87 of 21 December 1987 laying down arrangements for Spain's and Portugal's trade with Yugoslavia and amending Regulations (EEC) No 449/86 and No 2573/87⁽²⁾ provides that those Member States are to postpone application of the preferential arrangements for products covered by Regulation (EEC) No 1035/72⁽³⁾, as last amended by Regulation (EEC) No 1113/88⁽⁴⁾ until 31 December 1989 and 31 December 1990 respectively; whereas this Regulation, therefore, only applies with regard

to sweet peppers and garlic to the Community as constituted on 31 December 1985, but with regard to frozen peas it applies to the Community as at present constituted; whereas these Community tariff quotas in question should therefore be opened for 1989;

Whereas equal and continuous access to the quota should be ensured for all Community importers and the rates laid down for the quota should be applied consistently to all imports of the products in question into all Member States until the quota is exhausted; whereas, however, the quota should not in this case be allocated among the Member States, without prejudice to the drawing against the quota volume of such quantities as they may need, under the conditions and according to the procedure laid down in Article 2 (1); whereas this method of administration requires close cooperation between the Member States and the Commission and the latter must in particular be able to monitor the rate at which the quota is used and inform the Member States accordingly;

Whereas if, during the quota period, the tariff quota is almost totally used up, it is indispensable that Member States return to this quota the entirety of the drawings made which have not been used, in order to avoid one part of the Community tariff quota remaining unused in one Member State when it could be used in others;

Whereas since the Kingdom of Belgium, the Kingdom of the Netherlands and the Grand Duchy of Luxembourg are united within and jointly represented by the Benelux Economic Union, any operation concerning the administration of the quota share levied by that economic union may be carried out by any one of its members,

HAS ADOPTED THIS REGULATION:

Article 1

The duties applicable to imports into the Community of the following products originating in Yugoslavia shall be suspended during the periods and at the levels indicated below and within the limits of Community tariff quotas as shown below:

⁽¹⁾ OJ No L 389, 31. 12. 1987, p. 73.

⁽²⁾ OJ No L 389, 31. 12. 1987, p. 1.

⁽³⁾ OJ No L 118, 20. 5. 1972, p. 1.

⁽⁴⁾ OJ No L 110, 22. 4. 1988, p. 33.

Order No	CN code	Description	Volume of tariff quota (tonnes)	Rate of duty (%)	Applicability
09.1507	ex 0703 20 00	Garlic, from 1 February to 31 May 1989	300	7,6	in the Community as constituted on 31 December 1985
09.1509	ex 0709 60 10	Sweet peppers, from 1 January to 31 December 1989	1 200	4,0	in the Community as constituted on 31 December 1985
09.1511	0710 21 00	Peas (<i>Pisum sativum</i>), from 1 January to 31 December 1989	1 300	9,0	in the Community of Twelve

Within the limits of the tariff quota for peas (*Pisum sativum*), the Kingdom of Spain and the Portuguese Republic shall apply duties calculated in accordance with Regulation (EEC) No 4150/87.

Article 2

1. If an importer gives notification of imminent imports of the product in question into a Member State and applies to take advantage of the quota, the Member State concerned shall inform the Commission and draw an amount corresponding to its requirements to the extent that the available balance of the quota so permits.

2. Without prejudice to Article 3, shares drawn pursuant to paragraph 1 shall be valid until the end of the quota period.

Article 3

1. Once at least 80 % of the tariff quota as defined in Article 1 (1) has been used up, the Commission shall notify the Member States thereof.

2. It shall also notify Member States in this case of the date from which drawings on the tariff quota must be made according to the following provisions:

If an importer presents in a Member State a declaration of entry into free circulation including a request for preferential benefit for a product covered by this Regulation, and if this declaration is accepted by the customs authorities, the Member State concerned shall draw from the tariff quota, by means of notification to the Commission, a quantity corresponding to these needs.

The requests for drawing, with the indication of the date of acceptance of the said declaration; must be communicated to the Commission without delay.

The drawings are granted by the Commission on the basis of the date of acceptance of the declaration of entry into free circulation by the customs authorities of the Member State concerned, to the extent that the available balance so permits.

If a Member State does not use the quantities drawn, it shall return them as soon as possible to the tariff quota.

If the quantities requested are greater than the available balance of the quota, allocation shall be made on a *pro rata* basis with respect to the requests. Member States shall be informed by the Commission in accordance with the same procedures.

3. Within a time limit laid down by the Commission starting from the date referred to in the first subparagraph of paragraph 2, Member States shall be required to return to the tariff quota all the quantities which have not been used on that date, within the meaning of Article 4 (3) and (4).

Article 4

1. Member States shall take all appropriate measures to ensure that their drawings pursuant to Article 2 (1) enable imports to be charged without interruption against their accumulated shares of the Community quotas.

2. Each Member State shall ensure that importers of the product concerned have free access to the quota for such time as the residual balance of the quota volume so permits.

3. Member States shall charge imports of the products concerned against their drawings as and when the goods are entered with the customs authorities for free circulation.

4. The extent to which the quota has been used up shall be determined on the basis of the imports charged in accordance with paragraph 3.

Article 5

At the request of the Commission, Member States shall inform it of imports of the products concerned actually charged against the quota.

Article 6

The Member States and the Commission shall cooperate closely to ensure that this Regulation is complied with.

Article 7

This Regulation shall enter into force on 1 January 1989.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 19 December 1988.

For the Council
The President
Th. PANGALOS

COUNCIL REGULATION (EEC) No 4233/88

of 19 December 1988

opening, allocating and providing for the administration of Community tariff quotas for 'Sljivovica' plum spirit and tobacco of the 'Prilep' type originating in Yugoslavia (1989)

THE COUNCIL OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community, and in particular Article 113 thereof,

Having regard to the proposal from the Commission,

Whereas Articles 21 and 23 of the Cooperation Agreement between the European Economic Community and the Socialist Federal Republic of Yugoslavia ⁽¹⁾ supplemented by the Protocol to that Agreement establishing new trade arrangements ⁽²⁾ provide for the opening of Community tariff quotas for imports into the Community of:

- 5 420 hectolitres of plum spirit marketed under the name of 'Sljivovica' falling within CN code ex 2208 90 33 at a duty of ECU 0,3 per hectolitre per % degree of alcohol plus ECU 3 per hectolitre; and
- 1 500 tonnes of tobacco of the 'Prilep' type falling within CN code ex 2401 10 60 or ex 2401 20 60, as defined in an exchange of letters dated 11 July 1980, at a duty of 7 % *ad valorem* with a minimum amount levied of ECU 13 per 100 kilograms net weight and a maximum of ECU 45 per 100 kilograms net weight,

originating in Yugoslavia;

Whereas the above products must be accompanied by a certificate of authenticity; whereas the tariff quotas in question should therefore be opened for 1989;

Whereas, within the limits of these tariff quotas, customs duties are to be phased out over the same periods and at the same rates as provided for in Articles 75 and 243 of the Act of Accession of Spain and Portugal; whereas, within the limits of the tariff quotas, the Kingdom of Spain and the Portuguese Republic are to apply customs duties calculated in accordance with Council Regulation (EEC) No 4150/87 of 27 December 1987 laying down arrangements for Spain's

and Portugal's trade with Yugoslavia and amending Regulations (EEC) No 449/86 and 2573/87 ⁽³⁾;

Whereas all Community importers should be ensured equal and continuous access to the said quotas and the duty rates laid down for the quotas should be applied consistently to all imports of the products in question into all Member States until the quotas are exhausted;

Whereas, for the period of application of this Regulation, it appears necessary to maintain an allocation between the Member States of the quotas concerned, since the administrations of the Member States are unable to provide by 1 January 1989, the administrative and technical conditions required for the Community management of quotas for these products originating in Yugoslavia; whereas it does, however, seem advisable to provide for a further increase in the Community reserve;

Whereas provision should be made for a mechanism to prevent, when the Community quota is not used up, goods being imported into a Member State which has used up its share only after the full application of customs duties, or after having been diverted to another Member State whose share has not yet been used up;

Whereas, under these circumstances, if, during the quota period, the Community reserve were to be almost entirely used up, Member States should return to the said reserve all of the unused portion of their initial shares so as to avoid part of the Community tariff quota from remaining unused in one Member State, when it could be used in others;

Whereas, taking into account the traditional trends in trade, the allocation maintained between Member States must, so as to reflect as closely as possible the actual market trend of the products in question, be carried out *pro rata* the needs of the Member States, calculated, on the one hand, on the basis of the statistical data relating to imports of the said products from Yugoslavia over a representative reference period and, on the other hand, on the basis of the economic outlook for the quota periods considered;

Whereas during the last three years for which statistics are available the corresponding imports into each Member State were as follows:

⁽¹⁾ OJ No L 41, 14. 2. 1983, p. 2.

⁽²⁾ OJ No L 389, 31. 12. 1987, p. 73.

⁽³⁾ OJ No L 389, 31. 12. 1987, p. 1.

Member State	CN code ex 2208 90 33 'Sljivovica' (in hl)			CN codes ex 2401 10 60 ex 2401 20 60 (in tonnes)		
	1985	1986	1987	1985	1986	1987
Benelux	71	20	38	—	70	299
Denmark	20	9	15	—	—	—
Germany	3 205	758	672	138	269	588
Greece	—	—	—	—	—	—
Spain	—	6	—	—	180	128
France	38	36	25	—	30	123
Ireland	—	—	—	—	—	—
Italy	—	—	—	850	664	600
Portugal	—	—	—	—	—	—
United Kingdom	—	10	—	—	—	1

Whereas during the last three years the products in question were imported regularly only by certain Member States and not at all or only occasionally by the other Member States; whereas in these circumstances initial shares should in the first instance be allocated only to the genuine importing Member States, while the others should be guaranteed access to quotas when they actually import the goods; whereas these allocation arrangements will ensure the uniform collection of the duties applicable;

Whereas to allow for the trend of imports of the products in question in the various Member States the quotas should be divided into two parts, the first being allocated among certain Member States and the second held as a reserve to cover any subsequent requirements of Member States which have used up their initial shares and any requirements which might arise in the other Member States; whereas, to afford importers in each Member State some degree of certainty, an appropriate level for the first part of the Community quotas would, in the present circumstances, be 54 % of their volume:

Whereas this form of administration requires close collaboration between the Member States and the

Commission and the Commission must be able to keep account of quota utilization rates and inform the Member States accordingly;

Whereas since the Kingdom of Belgium, the Kingdom of the Netherlands and the Grand Duchy of Luxembourg are united within and jointly represented by the Benelux Economic Union, any operation concerning the administration of the quota shares allocated to that economic union may be carried out by any one of its members,

HAS ADOPTED THIS REGULATION:

Article 1

1. From 1 January to 31 December 1989 the customs duties applicable to imports into the Community of the following products originating in Yugoslavia shall be suspended at the levels indicated below and within the limits of Community tariff quotas as shown below:

Order No	CN code	Description	Quota volume	Rate of duty
09.1503	ex 2208 90 33	Plum spirit marketed under the name of Sljivovica, in containers holding two litres or less	5 420 hl	ECU 0,3 per hl per % degree of alcohol plus ECU 3 per hl
09.1505	ex 2401 10 60 ex 2401 20 60	Tobacco of the Prilep type	1 500 tonnes	7 % <i>ad valorem</i> , min. ECU 13/100 kg/net max. ECU 45/100 kg/net

Within the limits of these tariff quotas, the Kingdom of Spain and the Portuguese Republic shall apply duties calculated in accordance with Regulation (EEC) No 4150/87.

2. Imports of these products must be accompanied by certificates of authenticity issued by the competent Yugoslav authority and conforming with the models annexed to this Regulation.

Article 2

1. The tariff quotas referred to in Article 1 shall be divided into two parts.

2. The first part of each tariff quota, amounting to 2 930 hectolitres and 810 tonnes respectively, shall be allocated among certain Member States as follows:

(a) 'Sljivovica' plum spirit falling within CN code ex 2208 90 33:

(in hectolitres)

Benelux	79
Denmark	29
Germany	2 761
France	61

(b) Tobacco of the 'Prilep' type falling within CN code ex 2401 10 60 or ex 2401 20 60

(in tonnes)

Benelux	76
Germany	205
Spain	63
France	32
Italy	434

The above quota shares shall be valid until 31 December 1989.

3. The second part of each quota, amounting to:

- 2 490 hectolitres of 'Sljivovica' plum spirit falling within CN code ex 2208 90 33 and
- 640 tonnes of tobacco of the 'Prilep' type falling within CN code ex 2401 10 60 or ex 2401 20 60 respectively,

shall constitute the corresponding Community reserve.

4. If an importer indicates that he is about to import any of the products in question into a Member State which does not participate in the initial allocation or which has exhausted its initial quota and applies to use the corresponding quota, the Member State concerned shall inform the Commission and draw an amount corresponding to its requirements to the extent that the available balance of the quota so permits.

5. Without prejudice to Article 3, the drawings made pursuant to paragraph 4 shall be valid until the end of the quota period.

Article 3

1. Once at least 80 % of the reserve of one of the tariff quotas, as defined in Article 2 (3), has been used up, the Commission shall inform the Member States thereof.

2. It shall also notify Member States in this case of the date from which drawings on the Community reserve must be made according to the following provisions:

If an importer presents in a Member State a declaration of entry into free circulation including a request for preferential benefit for a product covered by this Regulation, and if this declaration is accepted by the customs authorities, the Member State concerned shall draw, from the Community reserve, by means of notification to the Commission, a quantity corresponding to these needs.

The requests for drawing, with the indication of the date of acceptance of the said declaration, must be communicated to the Commission without delay.

The drawings are granted by the Commission on the basis of the date of acceptance of the declaration of entry into free circulation by the customs authorities of the Member State concerned, to the extent that the available balance so permits.

If a Member State does not use the quantities drawn, it shall return them as soon as possible to the reserve.

If the quantities requested are greater than the available balance of the reserve, allocation shall be made on a *pro rata* basis with respect to the requests. Member States shall be informed by the Commission in accordance with the same procedures.

3. Within a time limit fixed by the Commission as from the date referred to in the first subparagraph of paragraph 2, Member States shall be required to return to the reserve all the quantities which have not been used on that date, within the meaning of Article 5 (3) and (4).

Article 4

The Commission shall keep an account of the shares drawn by the Member States pursuant to Articles 2 and 3 and shall, as soon as it has been notified, inform each State of the extent to which the reserves have been used up.

It shall inform the Member States, of the amounts still in reserve after amounts have been returned thereto pursuant to Article 3.

It shall ensure that the drawing which uses up a reserve does not exceed the balance available and to this end shall notify the amount of that balance to the Member State making the last drawing.

Article 5

1. The Member States shall take all measures necessary to ensure that drawings of shares pursuant to Article 2 (4) and Article 3 are carried out in such a way that imports may be

charged without interruption against their accumulated shares in the Community tariff quotas.

2. The Member States shall ensure that importers of the products in question have free access to the shares allocated to them.

3. The Member States shall charge imports of the products against their shares as and when they are entered with the customs authorities for free circulation.

4. The extent to which a Member State has used up its share shall be determined on the basis of imports charged in accordance with paragraph 3.

Article 6

At the request of the Commission, Member States shall inform it of imports of the products concerned actually charged against their shares.

Article 7

The Member States and the Commission shall cooperate closely in order to ensure that this Regulation is complied with.

Article 8

This Regulation shall enter into force on 1 January 1989.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 19 December 1988.

For the Council

The President

Th. PANGALOS

1 Exporter (name, full address, country) Exportateur (nom, adresse complète, pays)	2 No	ORIGINAL						
	3 Quota year Année contingentaire	4 Country of destination Pays de destination						
5 Consignee (name, full address, country) Destinataire (nom, adresse complète, pays)	6 Issuing authority Organisme émetteur							
	7 CERTIFICATE OF AUTHENTICITY CERTIFICAT D'AUTHENTICITÉ Plum spirit 'Šljivovica' Eau-de-vie de prunes «Šljivovica» (CN Code ex 2208 90 33) (Code NC ex 2208 90 33)							
8 Place and date of shipment — Means of transport Lieu et date d'embarquement — Moyen de transport	<table border="1"> <tr> <td data-bbox="73 923 994 1550" rowspan="2"> 9 Marks and numbers — Number and kind of packages Marques et numéros — Nombre et nature des colis </td> <td data-bbox="994 923 1150 1550"> 10 % vol of alcohol % vol d'alcool </td> <td data-bbox="1150 923 1299 1550"> 11 Litres Litres </td> </tr> <tr> <td></td> <td></td> </tr> </table>			9 Marks and numbers — Number and kind of packages Marques et numéros — Nombre et nature des colis	10 % vol of alcohol % vol d'alcool	11 Litres Litres		
9 Marks and numbers — Number and kind of packages Marques et numéros — Nombre et nature des colis	10 % vol of alcohol % vol d'alcool	11 Litres Litres						
12 % vol of alcohol and litres (in words) % vol d'alcool et litres (en lettres)								
13 CERTIFICATE BY THE ISSUING AUTHORITY — VISA DE L'ORGANISME ÉMETTEUR I hereby certify that the plum spirit 'Šljivovica' described in this certificate corresponds with the definition given on the reverse. Je certifie que l'eau-de-vie de prunes «Šljivovica» décrite dans ce certificat correspond à la définition figurant au verso. <table> <tr> <td>Place</td> <td>Date</td> </tr> <tr> <td>Lieu</td> <td>Date</td> </tr> </table> (Stamp and signature) (Cachet et signature)				Place	Date	Lieu	Date	
Place	Date							
Lieu	Date							

DEFINITION

Plum spirit with an alcoholic strength of 40 % vol or more, marketed under the name ŠLJIVOVICA, corresponding to the specifications laid down in the Regulation relating to the quality of spirituous beverages, published in the Official Journal of the Socialist Federal Republic of Yugoslavia on 7 October 1971.

DÉFINITION

Eau-de-vie de prunes ayant un titre alcoométrique égal ou supérieur à 40 % vol, commercialisée sous la dénomination ŠLJIVOVICA correspondant à la spécification reprise dans la réglementation relative à la qualité des boissons alcooliques publiée au Journal officiel de la république socialiste fédérative de Yougoslavie le 7 octobre 1971.

1 Exporter (name, full address, country) Exportateur (nom, adresse complète, pays)	2 No	ORIGINAL
	3 Quota year Année contingentaire	4 Country of destination Pays de destination
5 Consignee (name, full address, country) Destinataire (nom, adresse complète, pays)	6 Issuing authority Organisme émetteur	
	7 CERTIFICATE OF AUTHENTICITY CERTIFICAT D'AUTHENTICITÉ Tobacco — Tabac 'Prilep' (CN Code ex 2401 10 60 and ex 2401 20 60) (Code NC ex 2401 10 60 et ex 2401 20 60)	
8 Place and date of shipment — Means of transport Lieu et date d'embarquement — Moyen de transport	9 Marks and numbers — Number and kind of packages Marques et numéros — Nombre et nature des colis	
11 Net weight (kg) (in words) Poids net (kg) (en lettres)		
12 CERTIFICATE BY THE ISSUING AUTHORITY — VISA DE L'ORGANISME ÉMETTEUR I hereby certify that the tobacco described in this certificate is 'Prilep' tobacco within the meaning of the Agreement. Je certifie que le tabac décrit dans ce certificat est le tabac «Prilep» au sens de l'accord. Place Date Lieu Date (Stamp and signature) (Cachet et signature)		10 Net weight (kg) Poids net (kg)

COUNCIL REGULATION (EEC) No 4234/88

of 19 December 1988

establishing ceilings and Community surveillance for imports of certain products originating in Yugoslavia (1989)

THE COUNCIL OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community, and in particular Article 113 thereof,

Having regard to the proposal from the Commission,

Whereas a Cooperation Agreement between the European Economic Community and the Socialist Federal Republic of Yugoslavia ⁽¹⁾ was concluded on 24 January 1983;

Whereas Article 1 of Protocol 1 to that Agreement provides that imports of specified products are to be subject to annual ceilings above which the customs duties actually applied in respect of third countries may be re-established; whereas an Additional Protocol to that Cooperation Agreement ⁽²⁾ establishing new trade arrangements and amending the said Protocol 1 has been concluded and entered into force on 1 January 1989; whereas, moreover, a new Supplementary Protocol to the Cooperation Agreement between the European Economic Community and the Socialist Federal Republic of Yugoslavia concerning trade in textile products, hereinafter referred to as the 'Supplementary Protocol', has been initialled; whereas, pending the entry into force of the Supplementary Protocol, the arrangements laid down by the Council Decision 87/537/EEC of 11 December 1986 on the provisional application of the Agreement between the European Economic Community and the Socialist Federal Republic of Yugoslavia on trade in textile products ⁽³⁾ should be applied from 1 January 1989; whereas, under these circumstances, the Commission must be kept regularly informed of the trend of imports of the said products and it is therefore necessary for imports of those products to be subject to surveillance; whereas the said annual tariff ceilings should therefore be opened at appropriate levels for 1989;

Whereas Council Regulation (EEC) No 4150/87 of 21 December 1987 laying down arrangements for Spain's and Portugal's trade with Yugoslavia and amending Regulations (EEC) No 449/86 and (EEC) No 2573/87 ⁽⁴⁾ provides that from its entry into force the Kingdom of Spain and the Portuguese Republic are to apply duties progressively reducing the gap between the basic duties and the preferential duties in accordance with a given timetable;

Whereas Community surveillance may be achieved by means of an administrative procedure based on charging imports of the products in question against the ceilings at Community level as and when those products are entered with the customs authorities for free circulation; whereas this administrative procedure must make provision for the possibility of re-establishing customs duties as soon as the ceilings are reached at Community level;

Whereas this administrative procedure requires close and particularly rapid cooperation between the Member States and the Commission and the latter must in particular be able to follow the progress of quantities charged against the ceilings and keep the Member States informed; whereas this cooperation has to be particularly close since the Commission must be able to take appropriate measures to re-establish customs tariffs if one of the ceilings is reached,

HAS ADOPTED THIS REGULATION:

Article 1

1. From 1 January to 31 December 1989, imports into the Community of certain products originating in Yugoslavia and listed in Annexes I, II, III and IV shall be subject to ceilings and Community surveillance.

The description of the products referred to in the first subparagraph, their combined nomenclature codes and the corresponding ceilings or sub-ceilings are set out in the said Annexes. In Annex II, the ceilings are indicated in column 4 (b).

2. The ceilings laid down for certain products listed in Annex II which have been the subject of an outward processing operation in accordance with the Community rules on economic outward processing are indicated in column 4 (a).

3. Quantities shall be charged against the ceilings or sub-ceilings as and when the products are entered with customs authorities for free circulation accompanied by a movement certificate in accordance with the rules contained in Protocol 3 to the Agreement.

With regard to the ceilings established for categories 5, 6, 7, 8, 15 and 16 of column 4 (a) of Annex II, reimported goods which have been the subject of an outward processing

⁽¹⁾ OJ No L 41, 14. 2. 1983, p. 1.

⁽²⁾ OJ No L 389, 31. 12. 1987, p. 73.

⁽³⁾ OJ No L 318, 7. 11. 1987, p. 51.

⁽⁴⁾ OJ No L 389, 31. 12. 1987, p. 1.

operation in accordance with the Community rules on economic outward processing may be charged against the respective ceilings only if the movement certificate issued by the competent Yugoslav authorities contains a reference to the prior authorization provided for by the Community rules on economic outward processing.

Goods may be charged against a ceiling or sub-ceiling only if the movement certificate is presented before the date on which customs duties are re-established.

The extent to which the ceilings and sub-ceilings are used up shall be determined at Community level on the basis of the imports charged against them in the manner defined in the first, second and third sub-paragraphs.

Member States shall periodically inform the Commission of imports charged in accordance with the above procedure; such information shall be supplied under the conditions laid down in paragraph 5.

4. As soon as the ceilings or sub-ceilings have been reached, the Commission may adopt a regulation re-establishing, until the end of the calendar year, the customs duties actually applied in respect of third countries.

However, should customs duties be re-established, imports of the products listed in Annex V which have obtained originating status within the meaning of Protocol 3 to the Agreement in the free zone established by the Agreements signed at Osimo shall continue to benefit from exemption from customs duties provided that originating status is certified on the movement certificate by the competent Yugoslav authorities.

5. Member States shall send the Commission not later than the 15th day of each month statements of the quantities charged during the preceding month. If the Commission so requests, they shall provide such statements for a period of 10 days and forward them within five clear days of the end of each 10-day period.

Article 2

The Member States and the Commission shall cooperate closely to ensure that this Regulation is complied with.

Article 3

This Regulation shall enter into force on 1 January 1989.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 19 December 1988.

For the Council
The President
Th. PANGALOS

ANNEX I

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0010	3102 ⁽¹⁾ 3102 10 10	Mineral or chemical fertilizers, nitrogenous: — — Urea containing more than 45 % by weight of nitrogen on the dry anhydrous product	3 712
01.0020	3102 10 91 3102 10 99 3102 21 00 3102 29 3102 29 10 3102 29 90 3102 30 3102 30 10 3102 30 90 3102 40 3102 40 10 3102 40 90 3102 50 3102 50 90 3102 60 00 3102 70 00 3102 80 00 3102 90 00	— — — Other urea in aqueous solution — — — Other — Ammonium sulphate; double salts and mixtures of ammonium sulphate and ammonium nitrate: — — Ammonium sulphate — — Other: — — — Ammonium sulphate-nitrate — — — Other — Ammonium nitrate, whether or not in aqueous solution: — — In aqueous solution — — Other — Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilizing substances: — — With a nitrogen content not exceeding 28 % by weight — — With a nitrogen content exceeding 28 % by weight — Sodium nitrate: — — Other fertilizers — Double salts and mixtures of calcium nitrate and ammonium nitrate — Calcium cyanamide — Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution — Other, including mixtures not specified in the foregoing subheadings	32 586
01.0030	3105 ⁽¹⁾	Mineral or chemical fertilizers containing two or three of the fertilizing elements nitrogen, phosphorus and potassium; other fertilizers; goods of this chapter in tablets or similar forms or in packages of a gross weight not exceeding 10 kg	51 780
01.0040	3915 3915 90 3915 90 91 3915 90 99 3916 3916 90 ex 3916 90 90 3917 3917 10	Waste, parings and scrap, of plastics: — Of other plastics: — — Other: — — — Of epoxide resins — — — Other Monofilament of which any cross-sectional dimension exceeds 1 mm, rods, sticks and profile shapes, whether or not surface-worked but not otherwise worked, of plastics: — Of other plastics: — — Other: — Of regenerated cellulose Tubes, pipes and hoses, and fittings therefor (for example, joints, elbows, flanges), of plastics: — Artificial guts (sausage casings) of hardened protein or of cellulosic materials:	1 524

⁽¹⁾ Yugoslavia may not export to Italy quantities larger than those consolidated in the GATT.

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0040 (cont'd)	ex 3917 10 90	— — Of cellulose plastic materials: — Of regenerated cellulose — tubes, pipes and hoses, rigid	1 524 (cont'd)
	3917 29	— — Of other plastics: — — — Seamless and cut to a length exceeding the maximum cross-sectional dimension, whether or not surface-worked, but not otherwise worked:	
	ex 3917 29 19	— — — — Other: — Of regenerated cellulose	
	3917 32	— — Other, not reinforced or otherwise combined with other materials, without fittings: — — — Seamless and cut to a length exceeding the maximum cross-sectional dimension, whether or not surface-worked, but not otherwise worked:	
	ex 3917 32 51	— — — — Other: — Of regenerated cellulose	
	3917 39	— — Other: — — — Seamless and cut to a length exceeding the maximum cross-sectional dimension, whether or not surface-worked, but not otherwise worked:	
	ex 3917 39 19	— — — — Other: — Of regenerated cellulose	
	3919	Self-adhesive plates, sheets, film, foil, tape, strip and other flat shapes, of plastics, whether or not in rolls:	
	3919 10	— In rolls of a width not exceeding 20 cm: — — Other:	
	ex 3919 10 90	— — — Other: — Of regenerated cellulose	
	3919 90	— Other: — — Other:	
	ex 3919 90 90	— — — Other: — Of regenerated cellulose	
	3920	Other plates, sheets, film, foil and strip, of plastics, non-cellular and not reinforced, laminated, supported or similarly combined with other materials: — Of cellulose or its chemical derivatives:	
	3920 71	— — Of regenerated cellulose: — — — Sheets, film or strip, coiled or not, of a thickness of less than 0,75 mm:	
	3920 71 11	— — — — Not printed	
	3920 71 19	— — — — Printed	
	3920 71 90	— — — Other	
	3921	Other plates, sheets, film, foil and strip, of plastics: — Cellular:	
	3921 14 00	— — Of regenerated cellulose	
01.0050	3912	Cellulose and its chemical derivatives, not elsewhere specified or included, in primary forms:	955
	3912 20	— Cellulose nitrates (including collodions): — — Non-plasticized:	

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0050 (cont'd)	3912 20 11	— — — Collodions and celloidin	955 (cont'd)
	3912 20 19	— — — Other	
	3912 20 90	— — Plasticized	
	3915	Waste, parings and scrap, of plastics:	
	3915 90	— Of other plastics:	
		— — Other:	
	ex 3915 90 93	— — — Of cellulose and its chemical derivatives	
	3916	Monofilament of which any cross-sectional dimensions exceeds 1 mm, rods, sticks and profile shapes, whether or not surface-worked but not otherwise worked, of plastics:	
	3916 90	— Of other plastics:	
	ex 3916 90 90	— — Other:	
		— Of cellulose nitrates	
	3917	Tubes, pipes and hoses, and fittings therefor (for example, joints, elbows, flanges), of plastics:	
		— Tubes, pipes and hoses, rigid:	
	3917 29	— — Of other plastics:	
		— — — Seamless and cut to a length exceeding the maximum cross-sectional dimension, whether or not surface-worked, but not otherwise worked:	
	ex 3917 29 19	— — — — Other:	
		— Of cellulose nitrates	
		— Other tubes, pipes and hoses:	
	3917 32	— — Other, not reinforced or otherwise combined with other materials, without fittings:	
		— — — Seamless and cut to a length exceeding the maximum cross-sectional dimension, whether or not surface-worked, but not otherwise worked:	
	ex 3917 32 51	— — — — Other:	
		— Of cellulose nitrates	
	3917 39	— — Other:	
		— — — Seamless and cut to a length exceeding the maximum cross-sectional dimension, whether or not surface-worked, but not otherwise worked:	
	ex 3917 39 19	— — — — Other:	
		— Of cellulose nitrates	
	3919	Self-adhesive plates, sheets, film, foil, tape, strip and other flat shapes, of plastics, whether or not in rolls:	
	3919 10	— In rolls of a width not exceeding 20 cm:	
		— — Other:	
	ex 3919 10 90	— — — Other:	
		— Of cellulose nitrates	
	3919 90	— Other:	
		— — Other:	
	ex 3919 90 90	— — — Other:	
		— Of cellulose nitrates	
	3920	Other plates, sheets, film, foil and strip, of plastics, non-cellular and not reinforced, laminated, supported or similarly combined with other materials:	
		— Of cellulose or its chemical derivatives:	
	3920 72 00	— — Of vulcanized fibre	

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0050 (cont'd)	3921	Other plates, sheets, film, foil and strip, of plastics:	955 (cont'd)
		– Cellular:	
	3921 19	– – Of other plastics:	
	3921 19 90	– – – Other	
	3921 90	– Other:	
	3921 90 90	– – Other	
01.0060	4011	New pneumatic tyres, of rubber:	4 980
	4011 10 00	– Of a kind used on motor cars (including station wagons and racing cars)	
	4011 20 00	– Of a kind used on buses or lorries	
	4011 30	– Of a kind used on aircraft:	
	4011 30 90	– – Other	
		– Other:	
	4011 91 00	– – Having a 'herring-bone' or similar tread	
	4011 99 00	– – Other	
	4012	Retreaded or used pneumatic tyres of rubber; solid or cushion tyres, interchangeable tyre treads and tyre flaps, of rubber:	
	4012 10	– Retreaded tyres:	
	ex 4012 10 90	– – Other:	
		– Other than of the kind used on bicycles or cycles with auxiliary motor, on motor-cycles or motor-scooters	
	4012 20	– Used pneumatic tyres:	
	ex 4012 20 90	– – Other:	
		– Other than of the kind used on bicycles or cycles with auxiliary motor, on motor-cycles or motor-scooters	
	4013	Inner tubes, of rubber:	
	4013 10	– Of a kind used on motor cars (including station wagons and racing cars), buses or lorries:	
		– – Of the kind used on motor cars (including station wagons and racing cars)	
	4013 10 10	– – Of the kind used on motor cars (including station wagons and racing cars)	
	4013 10 90	– – Of the kind used on buses or lorries	
		– Other:	
	4013 90 90	– – Other	
01.0080	4203	Articles of apparel and clothing accessories, of leather or of composition leather:	487
	4203 10 00	– Articles of apparel	
		– Gloves, mittens and mitts:	
	4203 21 00	– – Specially designed for use in sports	
		– – Other:	
		– – – Other:	
	4203 29 91	– – – – Men's and boys'	
	4203 29 99	– – – – Other	
	4203 30 00	– Belts and bandoliers	
	4203 40 00	– Other clothing accessories	
01.0090	4412	Plywood, veneered panels and similar laminated wood:	132 968 m ³
	4420	Wood marquetry and inlaid wood; caskets and cases for jewellery or cutlery, and similar articles, of wood; statuettes and other ornaments, of wood; wooden articles of furniture not falling within Chapter 94:	
	4420 90	– Other:	
	4420 90 10	– – Wood marquetry and inlaid wood	
01.0100	4410	Particle board and similar board of wood or other ligneous materials; whether or not agglomerated with resins or other organic binding substances	34 162

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0110	6401	Waterproof footwear with outer soles and uppers of rubber or of plastics, the uppers of which are neither fixed to the sole nor assembled by stitching, riveting, nailing, screwing, plugging or similar processes	576
	6402	Other footwear with outer soles and uppers of rubber or plastics	
01.0120	6403	Footwear with outer soles of rubber, plastics, leather or composition leather and uppers of leather	680
01.0130	6404	Footwear with outer soles of rubber, plastics, leather or composition leather and uppers of textile materials	285
	6405	Other footwear:	
	6405 90	— Other:	
	6405 90 10	— — With outer soles of rubber, plastics, leather or composition leather	
01.0140	7004	Drawn glass and blown glass, in sheets, whether or not having an absorbent or reflecting layer, but not otherwise worked	7 141
	7004 10	— Glass, coloured throughout the mass (body tinted), opacified, flashed or having an absorbent or reflecting layer:	
	7004 10 30	— — Antique glass	
	7004 10 50	— — Horticultural sheet glass	
	7004 10 90	— — Other	
	7004 90	— Other glass:	
	7004 90 50	— — Antique glass	
	7004 90 70	— — Horticultural sheet glass	
		— — Other, of a thickness:	
	7004 90 91	— — — Not exceeding 2,5 mm	
	7004 90 93	— — — Exceeding 2,5 mm but not exceeding 3,5 mm	
	7004 90 95	— — — Exceeding 3,5 mm but not exceeding 4,5 mm	
	7004 90 99	— — — Exceeding 4,5 mm	
01.0150	9405	Lamps and lighting fittings including searchlights and spotlights and parts thereof, not elsewhere specified or included; illuminated signs, illuminated name-plates and the like, having a permanently fixed light source, and parts thereof not elsewhere specified or included:	2 228
	9405 91	— Parts:	
		— — Of glass:	
		— — — Articles for electrical lighting fittings (excluding searchlights and spotlights):	
	9405 91 19	— — — — Other (for example, diffusers, ceiling lights, bowls, cups, lampshades, globes, tulip-shaped pieces)	
01.0160	7304	Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel:	13 594
	7304 10	— Line pipe of a kind used for oil or gas pipelines:	
	7304 10 10	— — Of an external diameter not exceeding 168,3 mm	
	7304 10 30	— — Of an external diameter exceeding 168,3 mm, but not exceeding 406,4 mm	
	7304 10 90	— — Of an external diameter exceeding 406,4 mm	
	7304 20	— Casing, tubing and drill pipe, of a kind used in drilling for oil or gas:	
		— — Other:	
	7304 20 91	— — — Of an external diameter not exceeding 406,4 mm	
	7304 20 99	— — — Of an external diameter exceeding 406,4 mm	
		— Other, of circular cross-section, of iron or non-alloy steel:	
	7304 31	— — Cold-drawn or cold-rolled (cold-reduced):	
		— — — Other:	
	7304 31 91	— — — — Precision tubes	
	7304 31 99	— — — — Other	

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0160 (cont'd)	7304 39	— — Other:	13 594 (cont'd)
	7304 39 10	— — — Unworked, straight and of uniform wall-thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall-thicknesses ⁽¹⁾	
		— — — Other:	
		— — — — Other:	
		— — — — — Other:	
		— — — — — Threaded or threadable tubes (gas pipe):	
	7304 39 51	— — — — — Plated or coated with zinc	
	7304 39 59	— — — — — Other	
		— — — — — Other, of an external diameter:	
	7304 39 91	— — — — — Not exceeding 168,3 mm	
	7304 39 93	— — — — — Exceeding 168,3 mm, but not exceeding 406,4 mm	
	7304 39 99	— — — — — Exceeding 406,4 mm	
		— Other, of circular cross-section, of stainless steel:	
	7304 41	— — Cold-drawn or cold-rolled (cold-reduced):	
	7304 41 90	— — — Other	
	7304 49	— — Other:	
	7304 49 10	— — — Unworked, straight and of uniform wall-thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall-thicknesses ⁽¹⁾	
		— — — Other:	
		— — — — Other:	
	7304 49 91	— — — — — Of an external diameter not exceeding 406,4 mm	
	7304 49 99	— — — — — Of an external diameter exceeding 406,4 mm	
		— Other, of circular cross-section, of other alloy steel:	
	7304 51	— — Cold-drawn or cold-rolled (cold-reduced):	
		— — — Straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0,9 % but not more than 1,15 % of carbon, not less than 0,5 % but not more than 2 % of chromium and not more than 0,5 % of molybdenum, of a length:	
	7304 51 11	— — — — Not exceeding 4,5 m	
	7304 51 19	— — — — Exceeding 4,5 m	
		— — — Other:	
		— — — — Other:	
	7304 51 91	— — — — — Precision tubes	
	7304 51 99	— — — — — Other	
	7304 59	— — Other:	
	7304 59 10	— — — Unworked, straight and of uniform wall-thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall-thicknesses ⁽¹⁾	
		— — — Other, straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0,9 % but not more than 1,15 % of carbon, not less than 0,5 % but not more than 2 % of chromium and not more than 0,5 % of molybdenum, of a length:	
	7304 59 31	— — — — Not exceeding 4,5 m	
	7304 59 39	— — — — Exceeding 4,5 m	
		— — — Other:	
		— — — — Other:	
	7304 59 91	— — — — — Of an external diameter not exceeding 168,3 mm	
	7304 59 93	— — — — — Of an external diameter exceeding 168,3 mm, but not exceeding 406,4 mm	
	7304 59 99	— — — — — Of an external diameter exceeding 406,4 mm	
	7304 90	— Other:	
	7304 90 90	— — Other	

⁽¹⁾ Entry under this code is subject to conditions laid down in the relevant Community provisions. See also Section II, paragraph B, of the preliminary provisions (combined nomenclature).

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0160 (cont'd)	7305	Other tubes and pipes (for example, welded, riveted or similarly closed), having internal and external circular cross-sections, the external diameter of which exceeds 406,4 mm, of iron or steel:	13 594 (cont'd)
	7306	Other tubes, pipes and hollow profiles (for example, open seam or welded, riveted or similarly closed), of iron or steel:	
	7306 10	— Line pipe of a kind used for oil or gas pipelines:	
		— — Longitudinally welded, of an external diameter of:	
	7306 10 11	— — — Not more than 168,3 mm	
	7306 10 19	— — — More than 168,3 mm, but not more than 406,4 mm	
	7306 10 90	— — Spirally welded	
	7306 20 00	— Casing and tubing of a kind used in drilling for oil or gas	
	7306 30	— Other, welded, of circular cross-section, of iron or non-alloy steel:	
		— — Other:	
		— — — Precision tubes, with a wall thickness:	
	7306 30 21	— — — — Not exceeding 2 mm	
	7306 30 29	— — — — Exceeding 2 mm	
		— — — Other:	
	7306 30 30	— — — — Electrical conduit tubes	
		— — — — Threaded or threadable tubes (gas pipe):	
	7306 30 51	— — — — — Plated or coated with zinc	
	7306 30 59	— — — — — Other	
		— — — — Other, of an external diameter:	
		— — — — — Not exceeding 168,3 mm:	
	7306 30 71	— — — — — Plated or coated with zinc	
	7306 30 79	— — — — — Other	
	7306 30 90	— — — — — Exceeding 168,3 mm, but not exceeding 406,4 mm	
	7306 40	— Other, welded, of circular cross-section, of stainless steel:	
		— — Other:	
	7306 40 91	— — — Cold-drawn or cold-rolled (cold-reduced)	
	7306 40 99	— — — Other	
	7306 50	— Other, welded, of circular cross-section, of other alloy steel:	
		— — Other:	
	7306 50 91	— — — Precision tubes	
	7306 50 99	— — — Other	
	7306 60	— Other, welded, of non-circular cross-section:	
		— — Other:	
		— — — Of rectangular (including square) cross-section, with a wall thickness:	
	7306 60 31	— — — — Not exceeding 2 mm	
	7306 60 39	— — — — Exceeding 2 mm	
	7306 60 90	— — — Of other sections	
	7306 90 00	— Other	
01.0165	7407	Copper bars, rods and profiles:	4 210
	ex 7407 10 00	— Of refined copper:	
		— — Solid	
		— Of copper alloys:	
	7407 21	— — Of copper-zinc base alloys (brass):	
	7407 21 10	— — — Bars and rods	

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0165 (cont'd)	ex 7407 21 90	— — — Profiles: — Solid	4 210 (cont'd)
		— — Of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel silver):	
	ex 7407 22 10	— — — Of copper-nickel base alloys (cupro-nickel): — Solid	
	ex 7407 22 90	— — — Of copper-nickel-zinc base alloys (nickel silver): — Solid	
	ex 7407 29 00	— — Other — Solid	
	7408	Copper wire:	
01.0170	7409	Copper plates, sheets and strip, of a thickness exceeding 0,15 mm:	1 124
01.0180	7407	Copper bars, rods and profiles:	3 123
	ex 7407 10 00	— Of refined copper: — Hollow	
		— Of copper alloys:	
	7407 21	— — Of copper-zinc base alloys (brass):	
	ex 7407 21 90	— — — Profiles: — Hollow	
		— — Of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel silver):	
	ex 7407 22 10	— — — Of copper-nickel base alloys (cupro-nickel): — Hollow	
	ex 7407 22 90	— — — Of copper-nickel-zinc base alloys (nickel silver): — Hollow	
	ex 7407 29 00	— — Other — Hollow	
	7411	Copper tubes and pipes	
01.0190	7604	Aluminium bars, rods and profiles, excluding code 7604 21 00	1 875
	7605	Aluminium wire:	
01.0200	7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	4 110
01.0210	7903	Zinc dust, powders and flakes:	3 094
	7905	Zinc plates, sheets, strip and foil:	
01.0220	8501	Electric motors and generators (excluding generating sets):	5 827
	8501 10	— Motors of an output not exceeding 37,5 W:	
	8501 10 10	— — Synchronous motors of an output not exceeding 18 W:	
		— — Other:	
	8501 10 91	— — — Universal AC/DC motors	
	8501 10 93	— — — AC motors	
	8501 10 99	— — — DC motors	
	8501 20	— Universal AC/DC motors of an output exceeding 37,5 W:	
	8501 20 90	— — Other — Other DC motors; DC generators:	
	8501 31	— — Of an output not exceeding 750 W:	
	8501 31 90	— — — Other:	
	8501 32	— — Of an output exceeding 750 W but not exceeding 75 kW: — — — Other:	
	8501 32 91	— — — — Of an output exceeding 750 W but not exceeding 7,5 kW	
	8501 32 99	— — — — Of an output exceeding 7,5 kW but not exceeding 75 kW	

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0220 (cont'd)	8501 33	— — Of an output exceeding 75 kW but not exceeding 375 kW: — — — Other:	5 827 (cont'd)
	8501 33 91	— — — — Traction motors	
	8501 33 99	— — — — Other	
	8501 34	— — Of an output exceeding 375 kW: — — — Other:	
	8501 34 50	— — — — Traction motors — — — — Other, of an output:	
	8501 34 91	— — — — — Exceeding 375 kW but not exceeding 750 kW	
	8501 34 99	— — — — — Exceeding 750 kW — Other AC motors, single phase:	
	8501 40 90	— — Other — Other AC motors, multi-phase:	
	8501 51	— — Of an output not exceeding 750 W:	
	8501 51 90	— — — Other:	
	8501 52	— — Of an output exceeding 750 W but not exceeding 75 kW: — — — Other:	
	8501 52 91	— — — — Of an output exceeding 750 W but not exceeding 7,5 kW	
	8501 52 93	— — — — Of an output exceeding 7,5 kW but not exceeding 37 kW	
	8501 52 99	— — — — Of an output exceeding 37 kW but not exceeding 75 kW	
	8501 53	— — Of an output exceeding 75 kW: — — — Other:	
	8501 53 50	— — — — Traction motors — — — — Other, of an output:	
	8501 53 91	— — — — — Exceeding 75 kW but not exceeding 750 kW:	
	8501 53 99	— — — — — Exceeding 750 kW — AC generators (alternators):	
	8501 61	— — Of an output not exceeding 75 kVA: — — — Other:	
	8501 61 91	— — — — Of an output not exceeding 7,5 kVA	
	8501 61 99	— — — — Of an output exceeding 7,5 kVA but not exceeding 75 kVA	
	8501 62	— — Of an output exceeding 75 kVA but not exceeding 375 kVA:	
	8501 62 90	— — — Other	
	8501 63	— — Of an output exceeding 375 kVA but not exceeding 750 kVA:	
	8501 63 90	— — — Other	
	8501 64 00	— — Of an output exceeding 750 kVA	
	8502	Electric generating sets and rotary converters: — Generating sets with compression-ignition internal combustion piston engines (diesel or semi-diesel engines):	
	8502 11	— — Of an output not exceeding 75 kVA:	
	8502 11 90	— — — Other	
	8502 12	— — Of an output exceeding 75 kVA but not exceeding 375 kVA:	
	8502 12 90	— — — Other	
	8502 13	— — Of an output exceeding 375 kVA: — — — Other:	
	8502 13 91	— — — — Of an output exceeding 375 kVA but not exceeding 750 kVA	
	8502 13 99	— — — — Of an output exceeding 750 kVA	
	8502 20	— Generating sets with spark-ignition internal combustion piston engines — — Other:	

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0220 (cont'd)	8502 20 91	— — — Of an output not exceeding 7,5 kVA	5 827 (cont'd)
	8502 20 99	— — — Of an output exceeding 7,5 kVA	
	8502 30	— Other generating sets:	
		— — Other:	
	8502 30 91	— — — Turbo-generators	
	8502 30 99	— — — Other	
	8502 40	— Electric rotary converters:	
	8502 40 90	— — Other	
01.0230	8503	Parts suitable for use solely or principally with the machines of code 8501 or 8502:	2 437
	8503 00 10	— Non-magnetic retaining rings	
	8503 00 90	— Other	
	8504	Electrical transformers, static converters (for example, rectifiers) and inductors:	
	8504 90	— Parts:	
		— — Of transformers and inductors:	
	8504 90 11	— — — Ferrite cores	
	8504 90 19	— — — Other	
01.0240	ex 8544	Insulated (including enamelled or anodized) wire, cable (including coaxial cable) and other insulated electric conductors, whether or not fitted with connectors; optical fibre cables, made up of individually sheathed fibres, whether or not assembled with electric conductors or fitted with connectors excluding products of CN codes 8544 30 10 and 8544 70 00	2 516
01.0250	8546	Electrical insulators of any material	441
01.0270	8716	Trailers and semi-trailers; other vehicles, not mechanically propelled; parts thereof:	2 739
	8716 10	— Trailers and semi-trailers of the caravan type, for housing or camping:	
	8716 10 10	— — Trailer tents	
		— — Other, of a weight:	
	8716 10 91	— — — Not exceeding 750 kg	
	8716 10 93	— — — Exceeding 750 kg but not exceeding 3 500 kg	
	8716 10 99	— — — Exceeding 3 500 kg	
	8716 20	— Self-loading or self-unloading trailers and semi-trailers for agricultural purposes:	
	8716 20 10	— — Manure spreaders	
	8716 20 90	— — Other	
		— Other trailers and semi-trailers for the transport of goods:	
	8716 31 00	— — Tanker trailers and tanker semi-trailers	
	8716 39	— — Other:	
	8716 39 90	— — — Other	
	8716 40 00	— Other trailers and semi-trailers	
01.0280	9401	Seats (other than those of code 9402), wheater or not convertible into beds, and parts thereof:	8 498
	9401 30	— Swivel seats with variable height adjustment:	
	9401 30 10	— — Upholstered, with backrest and fitted with castors or glides	
	9401 30 90	— — Other	
	9401 40 00	— Seats other than garden seats or camping equipment, convertible into beds	
	9401 50 00	— Seats of cane, osier, bamboo or similar materials	
		— Other seats, with wooden frames:	
	9401 61 00	— — Upholstered	

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0280 (cont'd)	9401 69 00	- - Other	8 498 (cont'd)
		- Other seats, with metal frames:	
	9401 71 00	- - Upholstered	
	9401 79 00	- - Other	
	9401 80 00	- Other seats	
	9401 90	- Parts:	
	9401 90 90	- - Other	
01.0290	9403	Other furniture and parts thereof:	7 478
	9403 10	- Metal furniture of a kind used in offices:	
	9403 10 10	- - Drawing tables (other than those of code 9017)	
		- - Other:	
		- - - Not exceeding 80 cm in height:	
	9403 10 51	- - - - Desks	
	9403 10 59	- - - - Other	
		- - - Exceeding 80 cm in height:	
	9403 10 91	- - - - Cupboards with doors, shutters or flaps	
	9403 10 93	- - - - Filing, card-index and other cabinets	
	9403 10 99	- - - - Other	
	9403 20	- Other metal furniture:	
		- - Other:	
	9403 20 91	- - - Beds	
	9403 20 99	- - - Other	
	9403 30	- Wooden furniture of a kind used in offices:	
		- - Not exceeding 80 cm in height:	
	9403 30 11	- - - Desks	
	9403 30 19	- - - Other	
		- - Exceeding 80 cm in height:	
	9403 30 91	- - - Cupboards with doors, shutters or flaps; filing, card-index and other cabinets	
	9403 30 99	- - - Other	
	9403 40 00	- Wooden furniture of a kind used in the kitchen	
	9403 50 00	- Wooden furniture of a kind used in the bedroom	
	9403 60	- Other wooden furniture:	
	9403 60 10	- - Wooden furniture of a kind used in the dining room and the living room	
	9403 60 30	- - Wooden furniture of a kind used in shops	
	9403 70	- Furniture of plastics:	
	9403 70 90	- - Other	
	9403 80 00	- Furniture of other materials, including cane, osier, bamboo or similar materials	
	9403 90	- Parts:	
	9403 90 10	- - Of metal	
	9403 90 30	- - Of wood	
	9403 90 90	- - Of other materials	

ANNEX II

Order No (category)	CN code	Description	Ceiling: (a) for products covered by Article 1 (2) (b) for products covered by Article 1 (1)
(1)	(2)	(3)	(4)
02.0010 (1)	5204 11 00 5204 19 00 5205 11 00 5205 12 00 5205 13 00 5205 14 00 5205 15 10 5205 15 90 5205 21 00 5205 22 00 5205 23 00 5205 24 00 5205 25 10 5205 25 30 5205 25 90 5205 31 00 5205 32 00 5205 33 00 5205 34 00 5205 35 10 5205 35 90 5205 41 00 5205 42 00 5205 43 00 5205 44 00 5205 45 10 5205 45 30 5205 45 90 5206 11 00 5206 12 00 5206 13 00 5206 14 00 5206 15 10 5206 15 90 5206 21 00 5206 22 00 5206 23 00 5206 24 00 5206 25 10 5206 25 90 5206 31 00 5206 32 00 5206 33 00 5206 34 00 5206 35 10 5206 35 90 5206 41 00 5206 42 00 5206 43 00 5206 44 00 5206 45 10 5206 45 90 ex 5604 90 00	Cotton yarn not put up for retail sale	(b) 6 900 tonnes
02.0020 (2)	5208 11 10 5208 11 90 5208 12 11 5208 12 13 5208 12 15	Woven fabrics of cotton, other than gauze, terry fabrics, narrow woven fabrics, pile fabrics, chenille fabrics, tulle and other net fabrics	(b) 8 531 tonnes

(1)	(2)	(3)	(4)
02.0020 (2) (cont'd)	5208 12 19 5208 12 91 5208 12 93 5208 12 95 5208 12 99 5208 13 00 5208 19 00 5208 21 10 5208 21 90 5208 22 11 5208 22 13 5208 22 15 5208 22 19 5208 22 91 5208 22 93 5208 22 95 5208 22 99 5208 23 00 5208 29 00 5208 31 00 5208 32 11 5208 32 13 5208 32 15 5208 32 19 5208 32 91 5208 32 93 5208 32 95 5208 32 99 5208 33 00 5208 39 00 5208 41 00 5208 42 00 5208 43 00 5208 49 00 5208 51 00 5208 52 10 5208 52 90 5208 53 00 5208 59 00 5209 11 00 5209 12 00 5209 19 00 5209 21 00 5209 22 00 5209 29 00 5209 31 00 5209 32 00 5209 39 00 5209 41 00 5209 42 00 5209 43 00 5209 49 10 5209 49 90 5209 51 00 5209 52 00 5209 59 00 5210 11 10 5210 11 90 5210 12 00 5210 19 00 5210 21 10 5210 21 90 5210 22 00 5210 29 00 5210 31 10 5210 31 90 5210 32 00 5210 39 00		(b) 8 531 tonnes (cont'd)

(1)	(2)	(3)	(4)
02.0020 (2) (cont'd)	5210 41 00 5210 42 00 5210 49 00 5210 51 00 5210 52 00 5210 59 00 5211 11 00 5211 12 00 5211 19 00 5211 21 00 5211 22 00 5211 29 00 5211 31 00 5211 32 00 5211 39 00 5211 41 00 5211 42 00 5211 43 00 5211 49 11 5211 49 19 5211 49 90 5211 51 00 5211 52 00 5211 59 00 5212 11 10 5212 11 90 5212 12 10 5212 12 90 5212 13 10 5212 13 90 5212 14 10 5212 14 90 5212 15 10 5212 15 90 5212 21 10 5212 21 90 5212 22 10 5212 22 90 5212 23 10 5212 23 90 5212 24 10 5212 24 90 5212 25 10 5212 25 90 ex 5811 00 00 ex 6308 00 00		(b) 8 531 tonnes (cont'd)
02.0025 (2A)	5208 31 00 5208 32 11 5208 32 13 5208 32 15 5208 32 19 5208 32 91 5208 32 93 5208 32 95 5208 32 99 5208 33 00 5208 39 00 5208 41 00 5208 42 00 5208 43 00 5208 49 00 5208 51 00 5208 52 10 5208 52 90 5208 53 00 5208 59 00	Of which other than unbleached or bleached	(b) 1 910 tonnes

(1)	(2)	(3)	(4)
02.0025 (2A) (cont'd)	5209 11 00 5209 12 00 5209 19 00 5209 21 00 5209 22 00 5209 29 00 5209 31 00 5209 32 00 5209 39 00 5209 41 00 5209 42 00 5209 43 00 5209 49 10 5209 49 90 5209 51 00 5209 52 00 5209 59 00 5210 31 10 5210 31 90 5210 32 00 5210 39 00 5210 41 00 5210 42 00 5210 49 00 5210 51 00 5210 52 00 5210 59 00 5211 31 00 5211 32 00 5211 39 00 5211 41 00 5211 42 00 5211 43 00 5211 49 11 5211 49 19 5211 49 90 5211 51 00 5211 52 00 5211 59 00 5212 13 10 5212 13 90 5212 14 10 5212 14 90 5212 15 10 5212 15 90 5212 21 10 5212 21 90 5212 22 10 5212 22 90 5212 23 10 5212 23 90 5212 24 10 5212 24 90 5212 25 10 5212 25 90 ex 5811 00 00 ex 6308 00 00		(b) 1 910 tonnes (cont'd)
02.0030 (3)	5512 11 00 5512 19 10 5512 19 90 5512 21 00 5512 29 10 5512 29 90 5512 91 00 5512 99 10 5512 99 90	Woven fabrics of synthetic fibres (staple or waste) other than narrow woven fabrics, pile fabrics (including terry fabrics) and chenille fabrics	Ceiling delayed

(1)	(2)	(3)	(4)
02.0030 (3) (cont'd)	5513 11 10		
	5513 11 30		
	5513 11 90		
	5513 12 00		
	5513 13 00		
	5513 19 00		
	5513 21 10		
	5513 21 30		
	5513 21 90		
	5513 22 00		
	5513 23 00		
	5513 29 00		
	5513 31 00		
	5513 32 00		
	5513 33 00		
	5513 39 00		
	5513 41 00		
	5513 42 00		
	5513 43 00		
	5513 49 00		
	5514 11 00		
	5514 12 00		
	5514 13 00		
	5514 19 00		
	5514 21 00		
	5514 22 00		
	5514 23 00		
	5514 29 00		
	5514 31 00		
	5514 32 00		
	5514 33 00		
	5514 39 00		
	5514 41 00		
	5514 42 00		
	5514 43 00		
	5514 49 00		
	5515 11 10		
	5515 11 30		
	5515 11 90		
	5515 12 10		
	5515 12 30		
	5515 12 90		
	5515 13 11		
	5515 13 19		
	5515 13 91		
	5515 13 99		
	5515 19 10		
	5515 19 30		
	5515 19 90		
	5515 21 10		
	5515 21 30		
	5515 21 90		
	5515 22 11		
	5515 22 19		
	5515 22 91		
	5515 22 99		
	5515 29 10		
	5515 29 30		
	5515 29 90		
	5515 91 10		
	5515 91 30		
	5515 91 90		
	5515 92 11		
	5515 92 19		
	5515 92 91		
	5515 92 99		
	5515 99 10		
	5515 99 30		
	5515 99 90		

(1)	(2)	(3)	(4)
02.0030 (3) (cont'd)	5803 90 30 ex 5905 00 70 ex 6308 00 00		
(a) 02.0050 (b) 02.0055 (5)	6101 10 90 6101 20 90 6101 30 90 6102 10 90 6102 20 90 6102 30 90 6110 10 10 6110 10 31 6110 10 39 6110 10 91 6110 10 99 6110 20 91 6110 20 99 6110 30 91 6110 30 99	Jerseys, pullovers, slipovers, waistcoats, twinsets, cardigans, bed jackets and jumpers (other than jackets and blazers), anoraks, windcheaters, waister jackets and the like, knitted or crocheted	(a) 3 566 000 pieces (b) 1 682 000 pieces
(a) 02.0060 (b) 02.0065 (6)	6203 41 10 6203 41 90 6203 42 31 6203 42 33 6203 42 35 6203 42 90 6203 43 19 6203 43 90 6203 49 19 6203 49 50 6204 61 10 6204 62 31 6204 62 33 6204 62 35 6204 63 19 6204 69 19	Men's or boys' woven breeches, shorts (other than swimwear) and trousers (including slacks), women's or girls' woven trousers and slacks, of wool, of cotton or of man-made fibres	(a) 11 440 000 pieces (b) 794 000 pieces
(a) 02.0070 (b) 02.0075 (7)	6106 10 00 6106 20 00 6106 90 10 6206 20 00 6206 30 00 6206 40 00	Women's or girls' blouses, shirts and shirt-blouses, whether or not knitted or crocheted of wool, cotton or man-made fibres	(a) 6 126 000 pieces (b) 446 000 pieces
(a) 02.0080 (b) 02.0085 (8)	6205 10 00 6205 20 00 6205 30 00	Men's or boys' shirts, other than knitted or crocheted, of wool, cotton or man-made fibres	(a) 15 736 000 pieces (b) 2 422 000 pieces
02.0090 (9)	5802 11 00 5802 19 00 6302 60 00	Terry towelling and similar woven terry fabrics of cotton; toilet linen and kitchen linen, other than knitted or crocheted, of terry towelling and similar woven terry fabrics, of cotton	(b) 737 tonnes
(a) 02.0150 (b) 02.0155 (15)	6202 11 00 6202 12 10 ex 6202 12 90 6202 13 10 ex 6202 13 90 6204 31 00 6204 32 90 6204 33 90 6204 39 19 6210 30 00	Women's or girls' woven overcoats, raincoats and other coats, cloaks and capes; jackets and blazers, of wool, of cotton or of man-made textile fibres (other than parkas) (of category 21)	(a) 6 219 000 pieces (b) 584 000 pieces

(1)	(2)	(3)	(4)
(a) 02.0160 (b) 02.0165 (16)	6203 11 00 6203 12 00 6203 19 10 6203 19 30 6203 21 00 6203 22 90 6203 23 90 6203 29 19	Men's or boys' suits and ensembles, other than knitted or crocheted, of wool of cotton or of man-made fibres, excluding ski suits	(a) 3 552 000 pieces (b) 486 000 pieces
02.0670 (67)	6113 00 10 6117 10 00 6117 20 00 6117 80 00 6117 90 00 6301 20 10 6301 30 10 6301 40 10 6301 90 10 6302 10 10 6302 10 90 6302 40 00 6303 11 00 6303 12 00 6303 19 00 6304 11 00 6304 91 00 ex 6305 20 00 6305 31 10 ex 6305 39 00 ex 6305 90 00 6307 10 10 6307 90 10	Knitted or crocheted clothing accessories other than for babies, household linen of all kinds, knitted or crocheted; curtains (including drapes) and interior blinds, curtain or bed valances and other furnishing articles knitted or crocheted blankets and travelling rugs, other knitted or crocheted articles including parts of garments or of clothing accessories	(b) 630 tonnes

ANNEX III

Order No (category)	CN code	Description	Ceiling (tonnes)
03.0010	2710 00	Petroleum oils and oils obtained from bituminous minerals, other than crude; preparations not elsewhere specified or included, containing by weight 70 % or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations:	728 578
		— Light oils:	
		— — For other purposes:	
		— — — Special spirits:	
	2710 00 21	— — — — White spirit	
	2710 00 25	— — — — Other	
		— — — Other:	
		— — — — Motor spirit:	
	2710 00 31	— — — — — Aviation spirit	
		— — — — — Other, with a lead content:	
	2710 00 33	— — — — — Not exceeding 0,013 g/litre	
	2710 00 35	— — — — — Exceeding 0,013 g/litre	
	2710 00 37	— — — — Spirit type jet fuel	
	2710 00 39	— — — — Other light oils	
		— Medium oils:	
		— — For other purposes:	
		— — — Kerosene:	
	2710 00 51	— — — — Jet fuel	
	2710 00 55	— — — — Other	
	2710 00 59	— — — Other	
		— Heavy oils:	
		— — Gas oil:	
	2710 00 69	— — — For other purposes	
		— Fuel oils:	
	2710 00 79	— — — For other purposes	
		— Lubricating oils; other oils:	
	2710 00 95	— — — To be mixed in accordance with the terms of additional note 6 (CN) to this chapter ⁽¹⁾	
	2710 00 99	— — — For other purposes	
	2711	Petroleum gases and other gaseous hydrocarbons:	
		— Liquefied:	
	2711 12	— — Propane:	
		— — — Propane of a purity not less than 99 %:	
	2711 12 11	— — — — For use as a power or heating fuel	
		— — — Other:	
	2711 12 99	— — — — For other purposes	
	2711 13	— — Butanes:	
	2711 13 90	— — — For other purposes	
		— In gaseous state:	
	2711 29 00	— — Other	
	2712	Petroleum jelly; paraffin wax, microcrystalline petroleum wax, slack wax, ozokerite, lignite wax, peat wax, other mineral waxes, and similar products obtained by synthesis or by other processes, whether or not coloured:	
		— Petroleum jelly:	
	2712 10	— — Other	
	2712 10 90	— — — Other	
	2712 20 00	— Paraffin wax containing by weight less than 0,75 % of oil	
	2712 90	— Other:	
		— — Other:	
		— — — Crude:	
	2712 90 39	— — — — For other purposes	
	2712 90 90	— — — Other	
	2713	Petroleum coke, petroleum bitumen and other residues of petroleum oils or of oils obtained from bituminous minerals:	
	2713 90	— Other residues of petroleum oils or of oils obtained from bituminous minerals:	
	2713 90 90	— — Other	

⁽¹⁾ Entry under this code is subject to conditions laid down in the relevant Community provisions.

ANNEX IV

Order No	CN code	Description	Ceiling (tonnes)
04.0030	7202	Ferro-alloys	7 344
		— Ferro-silicon:	
	7202 21	— — Containing by weight more than 55 % of silicon:	
	7202 21 10	— — — Containing by weight more than 55 % but not more than 80 % of silicon	
	7202 21 90	— — — Containing by weight more than 80 % of silicon	
	7202 29 00	— — Other	
04.0040	7202 30 00	— Ferro-silico-manganese	1 179
04.0050		— Ferro-chromium:	1 811
	7202 41	— — Containing by weight more than 4 % of carbon:	
	7202 41 10	— — — Containing by weight more than 4 % but not more than 6 % of carbon	
	7202 41 90	— — — Containing by weight more than 6 % of carbon	
	7202 49	— — Other:	
	7202 49 10	— — — Containing by weight not more than 0,05 % of carbon	
	7202 49 50	— — — Containing by weight more than 0,05 % but not more than 0,5 % of carbon	
	7202 49 90	— — — Containing by weight more than 0,5 % but not more than 4 % of carbon	
04.0055	ex 7202 49 10 ex 7202 49 50	of which: — Ferro-chromium containing by weight not more than 0,10 % of carbon and more than 30 % but not more than 90 % of chromium (super-refined ferro-chromium), maximum	904
04.0090	7901	Unwrought zinc:	2 588
		— Zinc, not alloyed:	
	7901 11 00	— — Containing by weight 99,99 % or more of zinc	
	7901 12	— — Containing by weight less than 99,99 % of zinc:	
	7901 12 10	— — — Containing by weight 99,95 % or more but less than 99,99 % of zinc	
	7901 12 30	— — — Containing by weight 98,5 % or more but less than 99,95 % of zinc	
	7901 12 90	— — — Containing by weight 97,5 % or more but less than 98,5 % of zinc	
	7901 20 00	— Zinc alloys	

ANNEX V

CN code	Description
4410	Particle board and similar board of wood or other ligneous materials, whether or not agglomerated with resins or other organic binding substances
4412	Plywood, veneered panels and similar laminated wood
4420	Wood marquetry and inlaid wood; caskets and cases for jewellery or cutlery, and similar articles, of wood; statuettes and other ornaments, of wood; wooden articles of furniture not falling within Chapter 94:
4420 90	– Other:
4420 90 10	– – Wood marquetry and inlaid wood
8501	Electric motors and generators (excluding generating sets):
8501 10	– Motors of an output not exceeding 37,5 W:
8501 10 10	– – Synchronous motors of an output not exceeding 18 W
	– – Other:
8501 10 91	– – – Universal AC/DC motors
8501 10 93	– – – AC motors
8501 10 99	– – – DC motors
8501 20	– Universal AC/DC motors of an output exceeding 37,5 W:
8501 20 90	– – Other
	– Other DC motors; DC generators:
8501 31	– – Of an output not exceeding 750 W:
8501 31 90	– – – Other
8501 32	– – Of an output exceeding 750 W but not exceeding 75 kW:
	– – – Other:
8501 32 91	– – – – Of an output exceeding 750 W but not exceeding 7,5 kW
8501 32 99	– – – – Of an output exceeding 7,5 kW but not exceeding 75 kW
8501 33	– – Of an output exceeding 75 kW but not exceeding 375 kW:
	– – – Other:
8501 33 91	– – – – Traction motors
8501 33 99	– – – – Other
8501 34	– – Of an output exceeding 375 kW:
	– – – Other:
8501 34 50	– – – – Traction motors
	– – – – Other:
8501 34 91	– – – – – Of an output exceeding 375 kW but not exceeding 750 kW
8501 34 99	– – – – – Of an output exceeding 750 kW
8501 40	– Other AC motors, single phase:
8501 40 90	– – Other
	– Other AC motors, multi-phase:
8501 51	– – Of an output not exceeding 750 W:
8501 51 90	– – – Other
8501 52	– – Of an output exceeding 750 W but not exceeding 75 kW:
	– – – Other:
8501 52 91	– – – – Of an output exceeding 750 W but not exceeding 7,5 kW
8501 52 93	– – – – Of an output exceeding 7,5 kW but not exceeding 37 kW
8501 52 99	– – – – Of an output exceeding 37 kW but not exceeding 75 kW
8501 53	– – Of an output exceeding 75 kW:
	– – – Other:

CN code	Description
8501 53 50	- - - - Traction motors
	- - - - Other:
8501 53 91	- - - - - Of an output exceeding 75 kW but not exceeding 750 kW
8501 53 99	- - - - - Of an output exceeding 750 kW
	- AC generators (alternators):
8501 61	- - Of an output not exceeding 75 kVA:
	- - - Other:
8501 61 91	- - - - Of an output not exceeding 7,5 kVA
8501 61 99	- - - - Of an output exceeding 7,5 kVA but not exceeding 75 kVA
8501 62	- - Of an output exceeding 75 kVA but not exceeding 375 kVA:
8501 62 90	- - - Other
8501 63	- - Of an output exceeding 375 kVA but not exceeding 750 kVA:
8501 63 90	- - - Other
8501 64 00	- - Of an output exceeding 750 kVA
8502	Electric generating sets and rotary converters:
	- Generating sets with compression-ignition internal combustion piston engines (diesel or semi-diesel engines):
8502 11	- - Of an output not exceeding 75 kVA:
8502 11 90	- - - Other
8502 12	- - Of an output exceeding 75 kVA but not exceeding 375 kVA:
8502 12 90	- - - Other
8502 13	- - Of an output exceeding 375 kVA:
	- - - Other:
8502 13 91	- - - - Of an output exceeding 375 kVA but not exceeding 750 kVA
8502 13 99	- - - - Of an output exceeding 750 kVA
8502 20	- Generating sets with spark-ignition internal combustion piston engines:
	- - Other:
8502 20 91	- - - Of an output not exceeding 7,5 kVA
8502 20 99	- - - Of an output exceeding 7,5 kVA
8502 30	- Other generating sets:
	- - Other:
8502 30 91	- - - Turb-generators
8502 30 99	- - - Other
8502 40	- Electric rotary converters:
8502 40 90	- - Other
8503 00	Parts suitable for use solely or principally with the machines of code 8501 or 8502:
8503 00 10	- Non-magnetic retaining rings
8503 00 90	- Other
8504	Electrical transformers, static converters (for example, rectifiers) and inductors:
8504 90	- Parts:
	- - Of transformers and inductors:
8504 90 11	- - - Ferrite cores
8504 90 19	- - - Other
8504 90 90	- - Of static converters
8546	Electrical insulators of any material

II

(Acts whose publication is not obligatory)

COUNCIL

DECISION OF THE REPRESENTATIVES OF THE GOVERNMENTS OF THE
MEMBER STATES, MEETING WITHIN THE COUNCIL

of 19 December 1988

establishing ceilings and Community supervision for imports of certain goods falling under the
ECSC Treaty originating in Yugoslavia (1989)

(88/653/ECSC)

THE REPRESENTATIVES OF THE GOVERNMENTS OF THE
MEMBER STATES OF THE EUROPEAN COAL AND STEEL
COMMUNITY, MEETING WITHIN THE COUNCIL,

In agreement with the Commission,

HAVE DECIDED AS FOLLOWS:

Article 1

1. From 1 January to 31 December 1989 imports into the Community of certain products originating in Yugoslavia and indicated in Article 3 of the Agreement between the Member States of the European Coal and Steel Community, of the one part, and the Socialist Federal Republic of Yugoslavia, of the other part ⁽¹⁾, shall be subject to annual ceilings and to Community supervision in the Community.

2. In application of the provisions of Article 16 of the Agreement, the contracting parties will begin negotiations towards concluding an additional Protocol to the Agreement determining the future regime of their commerce. Pending the conclusion of the Protocol in question, the system provided for by Article 3 of the Agreement should be extended for 1989.

3. Within the limits of these tariff ceilings, the Kingdom of Spain and the Portuguese Republic shall apply customs duties calculated according to Decision 87/603/ECSC of the Representatives of the Governments of the Member States, meeting within the Council, and of the Commission of 21 December 1987 laying down the arrangements for

Spain's and Portugal's trade with Yugoslavia in products falling under the ECSC Treaty and amending Decisions 86/69/ECSC and 87/456/ECSC ⁽²⁾.

The description of the goods referred to in the preceding subparagraph, their CN codes and the levels of the indicative ceilings are given in the Annex hereto.

4. Amounts shall be set off against the ceilings as and when the goods are entered with customs authorities for free circulation and accompanied by a movement certificate conforming to the rules contained in Protocol 3 to the Cooperation Agreement between the European Economic Community and the Socialist Federal Republic of Yugoslavia ⁽³⁾.

Goods shall be set off against the ceilings only if the movement certificate has been submitted before the date on which customs duties are re-established.

The reaching of a ceiling shall be determined at Community level on the basis of imports set off against it in the manner defined in the preceding subparagraphs.

The Member States shall periodically inform the Commission of imports effected in accordance with the above rules; such information shall be supplied under the conditions laid down in paragraph 6.

5. As soon as the ceilings are reached at Community level, Member States may at any time, at the request of any one of them or of the Commission, and in respect of the whole of the Community, re-establish the levying of the customs duties applicable to third countries.

⁽²⁾ OJ No L 389, 31. 12. 1987, p. 61.

⁽³⁾ OJ No L 41, 14. 2. 1983, p. 2.

⁽¹⁾ OJ No L 41, 14. 2. 1983, p. 113.

Within the framework of the foregoing provisions, the Commission shall coordinate the procedures for re-establishing the customs duties applicable to third countries, in particular by notifying the date common to the whole of the Community and directly applicable in each Member State. The notification shall be published in the *Official Journal of the European Communities*.

6. Member States shall forward to the Commission, not later than the 15th day of each month, statements of the amounts set off during the preceding month. They shall, if the Commission so requests, make up such statements for periods of 10 days and forward them within five clear days of expiry of the preceding 10-day period.

Article 2

Member States and the Commission shall cooperate closely to ensure that this Decision is complied with.

Article 3

Member States shall take all measures necessary to implement this Decision.

Done at Brussels, 19 December 1988.

The President
Th. PANGALOS

ANNEX

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0010		Pig iron and spiegeleisen in pigs, blocks or other primary forms: - Non-alloy pig iron containing by weight 0,5 % or less of phosphorus: - - Containing by weight not less than 0,4 % of manganese: 7201 10 11 - - - Containing by weight 1 % or less of silicon 7201 10 19 - - - Containing by weight more than 1 % of silicon 7201 10 30 - - - Containing by weight not less than 0,1 % but less than 0,4 % of manganese 7201 10 90 - - - Containing by weight less than 0,1 % of manganese - - Non-alloy pig iron containing by weight more than 0,5 % of phosphorus - Alloy pig iron: 7201 30 10 - - - Containing by weight not less than 0,3 % but not more than 1 % of titanium and not less than 0,5 % but not more than 1 % of vanadium 7201 30 90 - - - Other 7201 40 00 - Spiegeleisen Ferro-alloys: - Other: - - Other: - - - Ferro-phosphorus: 7202 99 11 - - - - Containing by weight more than 3 % but less than 15 % of phosphorus Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94 %, in lumps, pellets or similar forms: 7203 90 00 - Other	25 495
06.0020		Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated: - In coils, not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa: 7208 11 00 - - Of a thickness exceeding 10 mm - - Of a thickness of 4,75 mm or more but not exceeding 10 mm: 7208 12 10 - - - Intended for re-rolling ⁽¹⁾ - - - Other: 7208 12 91 - - - - With patterns in relief 7208 12 99 - - - - Other - - Of a thickness of 3 mm or more but less than 4,75 mm: 7208 13 10 - - - Intended for re-rolling ⁽¹⁾ - - - Other: 7208 13 91 - - - - With patterns in relief 7208 13 99 - - - - Other - - Of a thickness of less than 3 mm: 7208 14 10 - - - Intended for re-rolling ⁽¹⁾ 7208 14 90 - - - Other - Other, in coils, not further worked than hot-rolled: - - Of a thickness exceeding 10 mm: 7208 21 10 - - - With patterns in relief	37 012

⁽¹⁾ Entry within this code is subject to conditions laid down in the relevant Community provisions.

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0020 (cont'd)	7208 21 90	— — — Other	37 012 (cont'd)
		— — Of a thickness of 4,75 mm or more but not exceeding 10 mm:	
	7208 22 10	— — — Intended for re-rolling ⁽¹⁾	
		— — — Other:	
	7208 22 91	— — — — With patterns in relief	
	7208 22 99	— — — — Other	
		— — Of a thickness of 3 mm or more but less than 4,75 mm:	
	7208 23 10	— — — Intended for re-rolling ⁽¹⁾	
		— — — Other:	
	7208 23 91	— — — — With patterns in relief	
	7208 23 99	— — — — Other	
		— — Of a thickness of less than 3 mm:	
	7208 24 10	— — — Intended for re-rolling ⁽¹⁾	
	7208 24 90	— — — Other	
		Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated:	
		— Not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
		— — Other, of a thickness of 4,75 mm or more:	
	ex 7211 12 10	— — — Of a width exceeding 500 mm:	
		— (2)	
		— — Other:	
	ex 7211 19 10	— — — Of a width exceeding 500 mm:	
		— (2)	
		— Other, not further worked than hot-rolled:	
		— — Other, of a thickness of 4,75 mm or more:	
	ex 7211 22 10	— — — Of a width exceeding 500 mm:	
		— (2)	
		— — Other:	
	ex 7211 29 10	— — — Of a width exceeding 500 mm:	
		— (2)	
06.0030		Semi-finished products of iron or non-alloy steel:	24 388
		— Containing by weight less than 0,25 % of carbon:	
		— — Other:	
		— — — Of circular or polygonal cross-section:	
		— — — — Rolled or obtained by continuous casting:	
	7207 19 15	— — — — Other	
		— Containing by weight 0,25 % or more of carbon:	
		— — Or circular or polygonal cross-section:	
		— — — Rolled or obtained by continuous casting:	
		— — — — Other:	
	7207 20 55	— — — — Containing by weight 0,25 % or more but less than 0,6 % of carbon	
		Bars and rods, hot-rolled, in irregularly wound coils of iron or non-alloy steel:	
	7213 10 00	— Containing indentations, ribs, grooves or other deformations produced during the rolling process	
	7213 31 00	— Other, containing by weight less than 0,25 % of carbon	
	7213 39 00		
	7213 41 00	— Other, containing by weight 0,25 % or more but less than 0,6 % of carbon	
	7213 49 00		

⁽¹⁾ Entry within this code is subject to conditions laid down in the relevant Community provisions.

⁽²⁾ Flat-rolled products of a weight of 500 kg or more.

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0030 (cont'd)		Other bars and rods of other alloy steel, not further worked than forged hot-rolled, hot-drawn or hot-extruded but including those twisted after rolling:	24 388 (cont'd)
	7214 20 00	— Containing indentations, ribs, grooves, or other deformations produced during the rolling process or twisted after rolling	
	7214 40 10	— Other, containing by weight less than 0,25 % of carbon	
	7214 40 91		
	7214 40 99		
	7214 50 10	— Other, containing by weight 0,25 % or more but less than 0,6 % of carbon	
	7214 50 91		
	7214 50 99		
		Other bars and rods of iron or non-alloy steel:	
		— Other:	
	7215 90 10	— — Hot-rolled, hot-drawn or extruded not further worked than clad	3 479
		Other bars and rods of other alloy steel, angles, shapes and sections of other alloy steel:	
		— Hollow drill bars and rods:	
	7228 80 90	— — Of non-alloy steel	
06.0040		Semi-finished products of iron or non-alloy steel:	
		— Containing by weight less than 0,25 % of carbon:	
		— — Other:	
		— — — Blanks for angles, shapes and sections:	
	7207 19 31	— — — Rolled or obtained by continuous casting	
		— Containing by weight 0,25 % or more of carbon:	
		— — Blanks for angles, shapes and sections:	
	7207 20 71	— — — Rolled or obtained by continuous casting	
		Angles, shapes and sections of iron or non-alloy steel:	
	7216 10 00	— U-, I- or H-sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm	
	7216 21 00	— L- or T-sections, not further worked than hot-rolled, hot-drawn or extruded of a height of less than 80 mm	
	7216 22 00		
	7216 31 00	— U-, I- or H-sections, not further worked than hot-rolled, hot-drawn or extruded of a height of 80 mm or more	
	7216 32 00		
	7216 33 00		
	7216 40 10	— L- or T-sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more	
	7216 40 90		
	7216 50 10	— Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded	
	7216 50 90	— Other:	
	7216 90 10	— — Hot-rolled, hot-drawn or extruded, not further worked than clad:	7 192
		Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements, welded angles, shapes and sections, of iron or steel	
	7301 10 00	— Sheet piling	
06.0050		Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated	7 192
		— Not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
		— — Other, of a thickness of 4,75 mm or more:	

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0050 (cont'd)	ex 7211 12 90	- - - Of a width not exceeding 500 mm: - (1) - - Other: - - - Of a width not exceeding 500 mm:	7 192 (cont'd)
	ex 7211 19 91	- - - - Of a thickness of 3 mm or more but less than 4,75 mm: - (2)	
	7211 19 99	- - - - Of a thickness of less than 3 mm: - (1) - Other, not further worked than hot-rolled: - - Other, of a thickness of 4,75 mm or more:	
	ex 7211 22 90	- - - Of a width not exceeding 500 mm: - (1) - Other, not further worked than hot-rolled: - - Other: - - - Of a width not exceeding 500 mm (ECSC):	
	ex 7211 29 91	- - - - Of a thickness of 3 mm or more but less than 4,75 mm: - (1)	
	ex 7211 29 99	- - - - Of a thickness of less than 3 mm: - (1) - Clad: - - Of a width exceeding 500 mm: - - - Not further worked than surface-treated:	
	ex 7212 60 91	- - - - Hot-rolled, not further worked than clad: - (1)	
06.0060		Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated:	44 608
		- Not in coils, not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
		- - Other, of a thickness exceeding 10 mm	
	7208 32 10		
	7208 32 30		
	7208 32 51		
	7208 32 59		
	7208 32 91		
	7208 32 99		
	7208 33 10	- - Other, of a thickness of 4,75 mm or more but not exceeding 10 mm	
	7208 33 91		
	7208 33 99		
	7208 34 10	- - Other, of a thickness of 3 mm or more but less than 4,75 mm	
	7208 34 90		
	7208 35 10	- - Other, of a thickness of less than 3 mm	
	7208 35 91		
	7208 35 93		
	7208 35 99		
		- - Other, not in coils, not further worked than hot-rolled	
	7208 42 10	- - Other, of a thickness exceeding 10 mm	
	7208 42 30		
	7208 42 51		
	7208 42 59		
	7208 42 91		
	7208 42 99		
	7208 43 10	- - Other, of a thickness of 4,75 mm or more but not exceeding 10 mm	
	7208 43 91		
	7208 43 99		
	7208 44 10	- - Other, of a thickness of 3 mm or more but less than 4,75 mm	
	7208 44 90		
	7208 45 10	- - Other, of a thickness of less than 3 mm	
	7208 45 91		
	7208 45 93		
	7208 45 99		
		- Other:	
	7208 90 10	- - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	

(1) Other than products of steel containing, by weight, not less than 0,60 % of carbon and having a content, by weight, less than 0,04 % of phosphorus and sulphur taken separately and less than 0,07 % of these elements taken together.

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0060 (cont'd)		Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced) not clad, plated or coated:	
		— In coils, not further worked than cold-rolled (cold-reduced) of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
	7209 12 10	— — Of a thickness exceeding 1 mm but less than 3 mm	
	7209 12 90		
	7209 13 10	— — Of a thickness of 0,5 mm or more but not exceeding 1 mm	
	7209 13 90		
	7209 14 10	— — Of a thickness of less than 0,5 mm	
	7209 14 90	— — Other, in coils not further worked than cold-rolled (cold reduced):	
	7209 22 10	— — Of a thickness exceeding 1 mm but less than 3 mm	
	7209 22 90		
	7209 23 10	— — Of a thickness of 0,5 mm or more but not exceeding 1 mm	
	7209 23 90		
	7209 24 10	— — Of a thickness of less than 0,5 mm	
	7209 24 91		
	7209 24 99		
		— Not in coils, not further worked than cold-rolled (cold-reduced) of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
	7209 32 10	— — Of a thickness exceeding 1 mm but less than 3 mm	
	7209 32 90		
	7209 33 10	— — Of a thickness of 0,5 mm or more but not exceeding 1 mm	
	7209 33 90		
	7209 34 10	— — Of a thickness of less than 0,5 mm	
	7209 34 90		
		— Other, not in coils, not further worked than cold-rolled (cold-reduced):	
	7209 42 10	— — Of a thickness exceeding 1 mm but not exceeding 3 mm	
	7209 42 90		44 608 (cont'd)
	7209 43 10	— — Of a thickness of 0,5 mm or more but not exceeding 1 mm	
	7209 43 90		
	7209 44 10	— — Of a thickness of less than 0,5 mm	
	7209 44 90		
		— Other:	
	7209 90 10	— — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
		Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated:	
		— Plated or coated with tin:	
		— — Of a thickness of 0,5 mm or more:	
	7210 11 10	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
		— — — Of a thickness of less than 0,5 mm:	
	7210 12 11	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
	7210 12 19		
		— Plated or coated with lead, including terne-plate:	
	7210 20 10	— — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
		— Electrolytically plated or coated with zinc:	
		— — Of steel of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
	7210 31 10	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
		— — — Other:	

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0060 (cont'd)	7210 39 10	- - - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	44 608 (cont'd)
		- Otherwise plated or coated with zinc:	
		- - Corrugated:	
	7210 41 10	- - - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
		- - Other:	
	7210 49 10	- - - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
		- Plated or coated with chromium oxides or with chromium and chromium oxides:	
	7210 50 10	- - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
		- Plated or coated with aluminium:	
		- - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square):	
	7210 60 11	- - - Plated or coated with aluminium-zinc alloys	
	7210 60 19	- - - Other	
		- Painted, varnished or plastic coated:	
	7210 70 11	- - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
	7210 70 19	- Other:	
		- - Other:	
	7210 90 31	- - - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
	7210 90 33		
	7210 90 35		
	7210 90 39		
		Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated:	
		- Not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
		- - Other, of a thickness of 4,75 mm or more:	
	ex 7211 12 10	- - - Of a width exceeding 500 mm:	
		- (1)	
		- - Other:	
	ex 7211 19 10	- - - Of a width exceeding 500 mm:	
		- (1)	
		- Other, not further worked than hot-rolled:	
		- - Other, of a thickness of 4,75 mm or more:	
	ex 7211 22 10	- - - Of a width exceeding 500 mm:	
		- (1)	
		- - Other:	
	ex 7211 29 10	- - - Of a width exceeding 500 mm:	
		- (1)	
		Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated:	
		- Not further worked than cold-rolled (cold-reduced) of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
	7211 30 10	- - Of a width exceeding 500 mm	
		- Other, not further worked than cold-rolled (cold-reduced):	
		- - Containing by weight less than 0,25 % of carbon:	
	7211 41 10	- - - Of a width exceeding 500 mm	
		- - Other:	
	7211 49 10	- - - Of a width exceeding 500 mm	
		- Other:	
		- - Of a width exceeding 500 mm:	

(1) Not including flat-rolled products of a weight of 500 kg or more.

Order No	CN code	Description	Ceiling (tonnes)		
(1)	(2)	(3)	(4)		
06.0060 (cont'd)	7211 90 11	— — — Not further worked than surface-treated Flat-rolled products of iron or non-alloy steel, of a width of less than 500 mm, clad, plated or coated: — Plated or coated with tin:	44 608 (cont'd)		
	7212 10 10	— — Tinplate, not further worked than surface-treated — Electrolytically plated or coated with zinc: — — Of steel of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:			
	7212 21 11	— — — Of a width exceeding 500 mm: — — — — not further worked than surface-treated — — Other: — — — Of a width exceeding 500 mm:			
	7212 29 11	— — — — Not further worked than surface-treated — Otherwise plated or coated with zinc: — — Of a width exceeding 500 mm:			
	7212 30 11	— — — Not further worked than surface-treated — Painted, varnished or plastic coated:			
	7212 40 10	— — Tin plate, not further worked than varnished — — Other: — — — Of a width exceeding 500 mm:			
	7212 40 91	— — — — Not further worked than surface-treated — Otherwise plated or coated: — — Of a width exceeding 500 mm: — — — Lead-coated:			
	7212 50 31	— — — — Not further worked than surface-treated — — — Other:			
	7212 50 51	— — — — Not further worked than surface-treated — Clad: — — Of a width exceeding 500 mm:			
	7212 60 11	— — — Not further worked than surface-treated			
	06.0070	7204 50 90		Ferrous waste and scrap; remelting scrap ingots of iron or steel: — Remelting scrap ingots: — — Other	24 300
		7206 10 00		Iron and non-alloy steel in ingots or other primary forms (excluding iron of code 7203) — Ingots (ECSC) Semi-finished products of iron or non-alloy steel — Containing by weight less than 0,25 % of carbon: — — Of rectangular (including square) cross-section, the width measuring less than twice the thickness: — — — Rolled or obtained by continuous casting:	
		7207 11 11		— — — — Free-cutting steel — — Other: — — — Of circular or polygonal cross-section: — — — — Rolled or obtained by continuous casting:	
		7207 19 11		— — — — — Of free-cutting steel — Containing by weight 0,25 % or more of carbon: — — Of rectangular (including square) cross-section, the width measuring less than twice the thickness: — — — Rolled or obtained by continuous casting:	

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0070 (cont'd)	7207 20 11	— — — — Free-cutting steel	24 300 (cont'd)
	7207 20 17	— — — — Other, containing by weight: — — — — 0,6 % or more of carbon	
	7207 20 51	— — — — Of circular or polygonal cross-section: — — — — Rolled or obtained by continuous casting:	
	7207 20 57	— — — — Free-cutting steel — — — — Other: — — — — Containing by weight 0,6 % of carbon	
	ex 7211 12 90	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated: — Not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa: — Other, of a thickness of 4,75 mm or more: — — — Of a width not exceeding 500 mm — (1) — Other: — — — Of a width not exceeding 500 mm:	
	ex 7211 19 91	— — — — Of a thickness of 3 mm or more but less than 4,75 mm — (1)	
	ex 7211 19 99	— — — — Of a thickness of less than 3 mm — (1) — Other, not further worked than hot-rolled: — — Other, of a thickness of 4,75 mm or more:	
	ex 7211 22 90	— — — — Of a width not exceeding 500 mm — (1) — Other: — — — Of a width not exceeding 500 mm:	
	ex 7211 29 91	— — — — Of a thickness of 3 mm or more but less than 4,75 mm — (1)	
	ex 7211 29 99	— — — — Of a thickness of less than 3 mm — (1)	
	ex 7212 60 91	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated: — Clad: — — Of a width exceeding 500 mm: — — — Not further worked than surface-treated: — — — — Hot-rolled, not further worked than clad — (1)	
	7213 20 00	Bars and rods, hot-rolled, in irregularly wound coils of iron or non-alloy steel — Of free-cutting steel	
	7213 50 00	— Other, containing by weight 0,6 % or more of carbon	
	7214 30 00	— Other, containing by weight 0,6 % or more of carbon	
	7214 60 00	— Of free-cutting steel — Other, containing by weight 0,6 % or more of carbon	
	7218 10 00	Stainless steel in ingots or other primary forms, semi-finished products of stainless steel — Ingots and other primary forms — Other: — — Of rectangular (including square) cross-section:	
	7218 90 11	— — — Rolled or obtained by continuous casting	
	7218 90 13		
	7218 90 15		
	7218 90 19		
	7218 90 50	— — — Other: — — — Rolled or obtained by continuous casting	

(1) Of steel containing, by weight, not less than 0,6 % of carbon and having a content, by weight, less than 0,04 % of phosphorus and sulphur taken separately and less than 0,07 % of these elements taken together.

Order No	CN code	Description	Ceiling amount (in tonnes)
(1)	(2)	(3)	(4)
06.0070 (cont'd)		Flat-rolled products of stainless steel, of a width of 600 mm or more:	
	7219 11 10	– Not further worked than hot-rolled in coils	
	7219 11 90		
	7219 12 10	– Not further worked than hot-rolled, not in coils	
	7219 12 90		
	7219 13 10	– Not further worked than cold-rolled (cold-reduced):	
	7219 13 90		
	7219 14 10	– – Of a thickness exceeding 1 mm but less than 3 mm	
	7219 14 90		
	7219 21 10		
	7219 21 90		
	7219 22 10		
	7219 22 90		
	7219 23 10		
	7219 23 90		
	7219 24 10		
	7219 24 90		
	7219 33 10		
	7219 33 90		
	7219 34 10	– – Of a thickness of 0,5 mm or more but not exceeding 1 mm	
	7219 34 90		
	7219 35 10	– – Of a thickness of less than 0,5 mm	
	7219 35 90		
		– Other:	
	7219 90 11	– – Not further worked than surface-treated, including cladding, or simply cut into	
	7219 90 19	shapes other than rectangular (including square)	
		Flat-rolled products of stainless steel, of a width of less than 600 mm:	
	7220 11 00	– Not further worked than hot-rolled	
	7220 12 00		
	7227 (all numbers)	Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel	24 300 (cont'd)
		Other bars and rods of other alloy steel; angles, shapes and sections of other alloy steel, hollow drill bars and rods, of alloy or non-alloy steel:	
	7228 10 10	– Bars and rods, or alloy or non-alloy steel:	
		– – Not further worked than hot-rolled, hot-drawn or extruded	
		– – Other:	
	7228 10 91	– – – Hot-rolled, hot-drawn or extruded not further worked than clad	
		– Bars and rods, of silico-manganese steel:	
	7228 20 11	– – Not further worked than hot-rolled, hot-drawn or extruded	
	7228 20 19		
		– – Other:	
	7228 20 31	– – – Hot-rolled, hot-drawn or extruded not further worked than clad	
	7228 30 10	– Other bars and rods, not further worked than hot-rolled, hot-drawn or	
	7228 30 90	extruded	
		– Other bars and rods:	
	7228 60 10	– – Hot-rolled, hot-drawn or extruded not further worked than clad	
		– Angles, shapes and sections:	
	7228 70 10	– – Not further worked than hot-rolled hot-drawn or extruded	
		– Not further worked than cold-rolled (cold-reduced):	
	7220 20 10	– – Of a width exceeding 500 mm	
		– Other:	
		– – Of a width exceeding 500 mm:	
	7220 90 11	– – – Not further worked, than surface-treated, including cladding	
		– – Of a width not exceeding 500 mm:	
		– – – Not further worked than surface-treated, including cladding:	

Order No	CN code	Description	Ceiling amount (in tonnes)
(1)	(2)	(3)	(4)
06.0070 (cont'd)	7220 90 31	— — — — Hot-rolled, not further worked than clad	24 300 (cont'd)
		Other bars, and rods of stainless steel; shapes and sections of stainless steel:	
	7222 10 11	— Bars and rods, not further worked than hot-rolled, hot-drawn or extruded	
	7222 10 19		
	7222 10 91		
	7222 10 99		
		— Other bars and rods:	
	7222 30 10	— — Hot-rolled, hot-drawn or extruded not further worked than clad	
		— Angles, shapes and sections:	
	7222 40 11	— — Not further worked than hot-rolled hot-drawn or extruded	
	7222 40 19		
		— — Other:	
	7222 40 30	— — — Hot-rolled, hot-drawn or extruded not further worked than clad	
		Other alloy steel in ingots or other primary forms, semi-finished products of other alloy steel:	
	7224 10 00	— Ingots and other primary forms:	
		— Other:	
		— — Of rectangular (including square) cross-section:	
	7224 90 11	— — — Hot-rolled or obtained by continuous casting	
		— — Other:	
	7224 90 30	— — — Hot-rolled or obtained by continuous casting	
		Flat-rolled products of other alloy steel, of a width of 600 mm or more	
	7225 10 10	— Of silicon-electrical steel	
	7225 10 91		
	7225 10 99		
		— Of high speed steel:	
	7225 20 11	— — Not further worked than hot-rolled	
	7225 20 19	— — Not further worked than surface-treated, including cladding or simply cut into	
	7225 20 30	shapes other than rectangular (including square)	
	7225 30 00	— Other, not further worked than hot-rolled, in coils	
	7225 40 10	— Other, not further worked than hot-rolled, not in coils	
	7225 40 30		
	7225 40 50		
	7225 40 70		
	7225 40 90		
		— Other:	
	7225 90 10	— — Not further worked than surface-treated including cladding or simply cut into	
		shapes other than rectangular (including square)	
		Flat-rolled products of other alloy steel, of a width of less than 600 mm	
		— Of silicon-electrical steel	
	7226 10 10	— — Not further worked than hot-rolled	
		— — Other:	
	7226 10 30	— — — Of a width exceeding 500 mm	
		— Of high-speed steel	
	7226 20 10	— — Not further worked than hot-rolled	
		— — Not further worked than cold-rolled (cold reduced)	
	7226 20 31	— — — Of a width exceeding 500 mm	
		— — Other:	
		— — — Of a width exceeding 500 mm	

Order No	CN code	Description	Ceiling amount (in tonnes)
(1)	(2)	(3)	(4)
06.0070 (cont'd)	7226 20 51	— — — Not further worked than surface treated, including cladding	24 300 (cont'd)
		— — — Of a width not exceeding 500 mm:	
		— — — Not further worked than surface-treated including cladding:	
	7226 20 71	— — — — Hot-rolled, not further worked than clad	
		— Other:	
	7226 91 00	— — Not further worked than hot-rolled	
		— — Not further worked than cold-rolled (cold-reduced):	
	7226 92 10	— — — Of a width exceeding 500 mm	
		— — Other:	
		— — — Of a width exceeding 500 mm:	
	7226 99 11	— — — — Not further worked than surface-treated, including cladding	
		— — — Of a width not exceeding 500 mm:	
		— — — — Not further worked than surface-treated, including cladding:	
	7226 99 31	— — — — — Hot-rolled, not further worked than clad	
		— — Other:	
	7228 70 31	— — — Hot-rolled, hot-drawn or extruded not further worked than clad	
		— Hollow drill bars and rods:	
	7228 80 10	— — Of alloy steel	