

Official Journal

of the European Communities

ISSN 0378 - 6978

L 352

Volume 32

4 December 1989

English edition

Legislation

Contents

I *Acts whose publication is obligatory*

- ★ Council Regulation (EEC) No 3606/89 of 20 November 1989 establishing ceilings and Community surveillance for imports of certain products originating in Yugoslavia (1990) 1
 - ★ Council Regulation (EEC) No 3607/89 of 20 November 1989 opening and providing for the administration of Community tariff quotas for certain products originating in Yugoslavia (1990) 26
 - ★ Council Regulation (EEC) No 3608/89 of 20 November 1989 establishing ceilings and Community surveillance for imports of certain products originating in Malta (1990) 34
 - ★ Council Regulation (EEC) No 3609/89 of 20 November 1989 opening and providing for the administration of a Community preferential ceiling for certain petroleum products refined in Turkey and establishing Community surveillance for imports thereof (1990) 41
-

II *Acts whose publication is not obligatory*

Council

89/611/ECSC:

- ★ Decision of the representatives of the Governments of the Member States, meeting within the Council, of 20 November 1989 establishing ceilings and Community supervision for imports of certain goods falling within the ECSC Treaty originating in Yugoslavia (1990) 44

Contents (continued)

89/612/EEC:

★ Council Decision of 21 June 1989 on the conclusion of a Supplementary Protocol to the Agreement between the European Economic Community and the Republic of Austria concerning the elimination of existing and prevention of new quantitative restrictions affecting exports or measures having equivalent effect	58
Supplementary Protocol to the Agreement between the European Economic Community and the Republic of Austria concerning the elimination of existing and prevention of new quantitative restrictions affecting exports or measures having equivalent effect	59
Joint Declaration by the Contracting Parties to the Supplementary Protocol to the Agreement between the European Economic Community and the Republic of Austria concerning the elimination of existing and prevention of new quantitative restrictions affecting exports or measures having equivalent effect	64

I

(Acts whose publication is obligatory)

COUNCIL REGULATION (EEC) No 3606/89

of 20 November 1989

establishing ceilings and Community surveillance for imports of certain products originating in Yugoslavia (1990)

THE COUNCIL OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community, and in particular Article 113 thereof,

Having regard to the proposal from the Commission,

Whereas a Cooperation Agreement between the European Economic Community and the Socialist Federal Republic of Yugoslavia ⁽¹⁾ was concluded on 24 January 1983;

Whereas Article 1 of Protocol 1 to that Agreement provides that imports of specified products are to be subject to annual ceilings above which the customs duties actually applied in respect of third countries may be re-established; whereas an Additional Protocol to that Cooperation Agreement ⁽²⁾ establishing new trade arrangements and amending the said Protocol 1 has been concluded and entered into force on 1 January 1988; whereas, moreover, a new Supplementary Protocol to the Cooperation Agreement between the European Economic Community and the Socialist Federal Republic of Yugoslavia concerning trade in textile products, hereinafter referred to as the 'Supplementary Protocol', has been initialled; whereas, pending the entry into force of the Supplementary Protocol, the arrangements laid down by the Council Decision 87/537/EEC of 11 December 1986 on the provisional application of the Agreement between the European Economic Community and the Socialist Federal Republic of Yugoslavia on trade in textile products ⁽³⁾ should be applied from 1 January 1990; whereas, under these circumstances, the Commission must be kept regularly informed of the trend of imports of the said products and it is therefore necessary for imports of those products to be subject to surveillance; whereas the said annual tariff ceilings should therefore be opened at appropriate levels for 1990;

Whereas Council Regulation (EEC) No 4150/87 of 21 December 1987 laying down arrangements for Spain's and

Portugal's trade with Yugoslavia and amending Regulations (EEC) No 449/86 and (EEC) No 2573/87 ⁽⁴⁾ provides that from its entry into force the Kingdom of Spain and the Portuguese Republic are to apply duties progressively reducing the gap between the basic duties and the preferential duties in accordance with a given timetable;

Whereas Community surveillance may be achieved by means of an administrative procedure based on charging imports of the products in question against the ceilings at Community level as and when those products are entered with the customs authorities for free circulation; whereas this administrative procedure must make provision for the possibility of re-establishing customs duties as soon as the ceilings are reached at Community level;

Whereas this administrative procedure requires close and particularly rapid cooperation between the Member States and the Commission and the latter must in particular be able to follow the progress of quantities charged against the ceilings and keep the Member States informed; whereas this cooperation has to be particularly close since the Commission must be able to take appropriate measures to re-establish customs tariffs if one of the ceilings is reached,

HAS ADOPTED THIS REGULATION:

Article 1

1. From 1 January to 31 December 1990, imports into the Community of certain products originating in Yugoslavia and listed in Annexes I, II, III and IV shall be subject to ceilings and Community surveillance.

The description of the products referred to in the first subparagraph, their combined nomenclature codes and the corresponding ceilings or sub-ceilings are set out in the said Annexes. In Annex II, the ceilings are indicated in column 4 (b).

⁽¹⁾ OJ No L 41, 14. 2. 1983, p. 1.

⁽²⁾ OJ No L 389, 31. 12. 1987, p. 73.

⁽³⁾ OJ No L 318, 7. 11. 1987, p. 51.

⁽⁴⁾ OJ No L 389, 31. 12. 1987, p. 1.

Within the limits of these tariff measures, the Kingdom of Spain and the Portuguese Republic shall apply duties calculated in accordance with Regulation (EEC) No 4150/87.

2. The ceilings laid down for certain products listed in Annex II which have been the subject of an outward processing operation in accordance with the Community rules on economic outward processing are indicated in column 4 (a).

3. Quantities shall be charged against the ceilings or sub-ceilings as and when the products are entered with customs authorities for free circulation accompanied by a movement certificate in accordance with the rules contained in Protocol 3 to the Agreement.

With regard to the ceilings established for categories 5, 6, 7, 8, 15 and 16 of column 4 (a) of Annex II, reimported goods which have been the subject of an outward processing operation in accordance with the Community rules on economic outward processing may be charged against the respective ceilings only if the movement certificate issued by the competent Yugoslav authorities contains a reference to the prior authorization provided for by the Community rules on economic outward processing.

Goods may be charged against a ceiling or sub-ceiling only if the movement certificate is presented before the date on which customs duties are re-established.

The extent to which the ceilings and sub-ceilings are used up shall be determined at Community level on the basis of the imports charged against them in the manner defined in the first, second and third sub-paragraphs.

Member States shall periodically inform the Commission of imports charged in accordance with the above procedure; such information shall be supplied under the conditions laid down in paragraph 5.

4. As soon as the ceilings or sub-ceilings have been reached, the Commission may adopt a regulation re-establishing, until the end of the calendar year, the customs duties actually applied in respect of third countries.

However, should customs duties be re-established, imports of the products listed in Annex V which have obtained originating status within the meaning of Protocol 3 to the Agreement in the free zone established by the Agreements signed at Osimo shall continue to benefit from exemption from customs duties provided that originating status is certified on the movement certificate by the competent Yugoslav authorities.

5. Member States shall send the Commission not later than the 15th day of each month statements of the quantities charged during the preceding month. If the Commission so requests, they shall provide such statements for a period of 10 days and forward them within five clear days of the end of each 10-day period.

Article 2

The Member States and the Commission shall cooperate closely to ensure that this Regulation is complied with.

Article 3

This Regulation shall enter into force on 1 January 1990.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 20 November 1989.

For the Council
The President
H. NALLET

ANNEX I (a) (b)

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0010	3102 ⁽¹⁾ 3102 10 10	Mineral or chemical fertilizers, nitrogenous: — — Urea containing more than 45 % by weight of nitrogen on the dry anhydrous product	3 897
01.0020	3102 10 91 3102 10 99 3102 21 00 3102 29 3102 29 10 3102 29 90 3102 30 3102 30 10 3102 30 90 3102 40 3102 40 10 3102 40 90 3102 50 3102 50 90 3102 60 00 3102 70 00 3102 80 00 3102 90 00	— — — Other urea in aqueous solution — — — Other — Ammonium sulphate; double salts and mixtures of ammonium sulphate and ammonium nitrate: — — Ammonium sulphate — — Other: — — — Ammonium sulphate-nitrate — — — Other — Ammonium nitrate, whether or not in aqueous solution: — — In aqueous solution — — Other — Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilizing substances: — — With a nitrogen content not exceeding 28 % by weight — — With a nitrogen content exceeding 28 % by weight — Sodium nitrate: — — Other fertilizers — Double salts and mixtures of calcium nitrate and ammonium nitrate — Calcium cyanamide — Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution — Other, including mixtures not specified in the foregoing subheadings	34 215
01.0030	3105 ⁽¹⁾	Mineral or chemical fertilizers containing two or three of the fertilizing elements nitrogen, phosphorus and potassium; other fertilizers; goods of this chapter in tablets or similar forms or in packages of a gross weight not exceeding 10 kg	54 369
01.0040	3915 3915 90 3915 90 91 3915 90 99 3916 3916 90 ex 3916 90 90 3917 3917 10	Waste, parings and scrap, of plastics: — Of other plastics: — — Other: — — — Of epoxide resins — — — Other Monofilament of which any cross-sectional dimension exceeds 1 mm, rods, sticks and profile shapes, whether or not surface-worked but not otherwise worked, of plastics: — Of other plastics: — — Other: — — Of regenerated cellulose Tubes, pipes and hoses, and fittings therefor (for example, joints, elbows, flanges), of plastics: — Artificial guts (sausage casings) of hardened protein or of cellulosic materials:	1 600

⁽¹⁾ Yugoslavia may not export to Italy quantities larger than those consolidated in the GATT.

(a) Notwithstanding the rules for the interpretation of the combined nomenclature, the wording for the designation of the products is to be considered as having no more than an indicative value, the preferential scheme being determined, within the context of this Annex, by the application of the CN code. Where ex CN code positions are indicated, the preferential scheme is to be determined by application of the CN code and corresponding description taken together.

(b) See Taric codes in Annex VI.

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0040 (cont'd)	ex 3917 10 90	— — Of cellulose plastic materials: — Of regenerated cellulose — Tubes, pipes and hoses, rigid	1 600 (cont'd)
	3917 29	— — Of other plastics: — — — Seamless and cut to a length exceeding the maximum cross-sectional dimension, whether or not surface-worked, but not otherwise worked:	
	ex 3917 29 19	— — — — Other: — — — — Of regenerated cellulose	
	3917 32	— — Other, not reinforced or otherwise combined with other materials, without fittings: — — — Seamless and cut to a length exceeding the maximum cross-sectional dimension, whether or not surface-worked, but not otherwise worked:	
	ex 3917 32 51	— — — — Other: — — — — Of regenerated cellulose	
	3917 39	— — Other: — — — Seamless and cut to a length exceeding the maximum cross-sectional dimension, whether or not surface-worked, but not otherwise worked:	
	ex 3917 39 19	— — — — Other: — — — — Of regenerated cellulose	
	3919	Self-adhesive plates, sheets, film, foil, tape, strip and other flat shapes, of plastics, whether or not in rolls:	
	3919 10	— In rolls of a width not exceeding 20 cm: — Other:	
	ex 3919 10 90	— — — Other: — — — Of regenerated cellulose	
	3919 90	— Other: — Other:	
	ex 3919 90 90	— — — Other: — — — Of regenerated cellulose	
	3920	Other plates, sheets, film, foil and strip, of plastics, non-cellular and not reinforced, laminated, supported or similarly combined with other materials:	
	3920 71	— Of cellulose or its chemical derivatives: — — Of regenerated cellulose: — — — Sheets, film or strip, coiled or not, of a thickness of less than 0,75 mm:	
	3920 71 11	— — — — Not printed	
	3920 71 19	— — — — Printed	
	3920 71 90	— — — — Other	
	3921	Other plates, sheets, film, foil and strip, of plastics:	
	3921 14 00	— Cellular: — — Of regenerated cellulose	
01.0050	3912	Cellulose and its chemical derivatives, not elsewhere specified or included, in primary forms:	1 002
	3912 20	— Cellulose nitrates (including collodions): — — Non-plasticized:	

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0050 (cont'd)	3912 20 11	— — — Collodions and celloidin	1 002 (cont'd)
	3912 20 19	— — — Other	
	3912 20 90	— — Plasticized	
	3915	Waste, parings and scrap, of plastics:	
	3915 90	— Of other plastics:	
		— — Other:	
	ex 3915 90 93	— — — Of cellulose and its chemical derivatives	
	3916	Monofilament of which any cross-sectional dimensions exceeds 1 mm, rods, sticks and profile shapes, whether or not surface-worked but not otherwise worked, of plastics:	
	3916 90	— Of other plastics:	
	ex 3916 90 90	— — Other:	
		— Of cellulose nitrates	
	3917	Tubes, pipes and hoses, and fittings therefor (for example, joints, elbows, flanges), of plastics:	
		— Tubes, pipes and hoses, rigid:	
	3917 29	— — Of other plastics:	
		— — — Seamless and cut to a length exceeding the maximum cross-sectional dimension, whether or not surface-worked, but not otherwise worked:	
	ex 3917 29 19	— — — — Other:	
		— Of cellulose nitrates	
		— Other tubes, pipes and hoses:	
	3917 32	— — Other, not reinforced or otherwise combined with other materials, without fittings:	
		— — — Seamless and cut to a length exceeding the maximum cross-sectional dimension, whether or not surface-worked, but not otherwise worked:	
	ex 3917 32 51	— — — — Other:	
		— Of cellulose nitrates	
	3917 39	— — Other:	
		— — — Seamless and cut to a length exceeding the maximum cross-sectional dimension, whether or not surface-worked, but not otherwise worked:	
	ex 3917 39 19	— — — — Other:	
		— Of cellulose nitrates	
	3919	Self-adhesive plates, sheets, film, foil, tape, strip and other flat shapes, of plastics, whether or not in rolls:	
	3919 10	— In rolls of a width not exceeding 20 cm:	
		— — Other:	
	ex 3919 10 90	— — — Other:	
		— Of cellulose nitrates	
	3919 90	— Other:	
		— — Other:	
	ex 3919 90 90	— — — Other:	
		— Of cellulose nitrates	
	3920	Other plates, sheets, film, foil and strip, of plastics, non-cellular and not reinforced, laminated, supported or similarly combined with other materials:	
		— Of cellulose or its chemical derivatives:	
	3920 72 00	— — Of vulcanized fibre	

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0050 (cont'd)	3921	Other plates, sheets, film, foil and strip, of plastics:	1 002 (cont'd)
		— Cellular:	
	3921 19	— — Of other plastics:	
	3921 19 90	— — — Other	
	3921 90	— Other:	
	3921 90 90	— — Other	
01.0060	4011	New pneumatic tyres, of rubber:	5 229
	4011 10 00	— Of a kind used on motor cars (including station wagons and racing cars)	
	4011 20 00	— Of a kind used on buses or lorries	
	4011 30	— Of a kind used on aircraft:	
	4011 30 90	— — Other	
		— Other:	
	4011 91 00	— — Having a 'herring-bone' or similar tread	
	4011 99 00	— — Other	
	4012	Retreaded or used pneumatic tyres of rubber; solid or cushion tyres, interchangeable tyre treads and tyre flaps, of rubber:	
	4012 10	— Retreaded tyres:	
	ex 4012 10 90	— — Other:	
		— Other than of the kind used on bicycles or cycles with auxiliary motor, on motor-cycles or motor-scooters	
	4012 20	— Used pneumatic tyres:	
	ex 4012 20 90	— — Other:	
		— Other than of the kind used on bicycles or cycles with auxiliary motor, on motor-cycles or motor-scooters	
	4013	Inner tubes, of rubber:	
	4013 10	— Of a kind used on motor cars (including station wagons and racing cars), buses or lorries:	
	4013 10 10	— — Of the kind used on motor cars (including station wagons and racing cars)	
	4013 10 90	— — Of the kind used on buses or lorries	
		— Other:	
	4013 90 90	— — Other	
01.0080	4203	Articles of apparel and clothing accessories, of leather or of composition leather:	511
	4203 10 00	— Articles of apparel	
		— Gloves, mittens and mitts:	
	4203 21 00	— — Specially designed for use in sports	
		— — Other:	
		— — — Other:	
	4203 29 91	— — — — Men's and boys'	
	4203 29 99	— — — — Other	
	4203 30 00	— Belts and bandoliers	
	4203 40 00	— Other clothing accessories	
01.0090	4412	Plywood, veneered panels and similar laminated wood:	139 616 m ³
	4420	Wood marquetry and inlaid wood; caskets and cases for jewellery or cutlery, and similar articles, of wood; statuettes and other ornaments, of wood; wooden articles of furniture not falling within Chapter 94:	
	4420 90	— Other:	
		— — Wood marquetry and inlaid wood:	
	4420 90 11	— — — Of tropical woods referred to in Additional Note 2 of this Chapter	
	4420 90 19	— — — Of other woods	
01.0100	4410	Particle board and similar board of wood or other ligneous materials; whether or not agglomerated with resins or other organic binding substances	35 870

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0110	6401	Waterproof footwear with outer soles and uppers of rubber or of plastics, the uppers of which are neither fixed to the sole nor assembled by stitching, riveting, nailing, screwing, plugging or similar processes	604
	6402	Other footwear with outer soles and uppers of rubber or plastics	
01.0120	6403	Footwear with outer soles of rubber, plastics, leather or composition leather and uppers of leather	714
01.0130	6404	Footwear with outer soles of rubber, plastics, leather or composition leather and uppers of textile materials	299
	6405	Other footwear:	
	6405 90	— Other:	
	6405 90 10	— — With outer soles of rubber, plastics, leather or composition leather	
01.0140	7004	Drawn glass and blown glass, in sheets, whether or not having an absorbent or reflecting layer, but not otherwise worked	7 498
	7004 10	— Glass, coloured throughout the mass (body tinted), opacified, flashed or having an absorbent or reflecting layer:	
	7004 10 30	— — Antique glass	
	7004 10 50	— — Horticultural sheet glass	
	7004 10 90	— — Other	
	7004 90	— Other glass:	
	7004 90 50	— — Antique glass	
	7004 90 70	— — Horticultural sheet glass	
		— — Other, of a thickness:	
	7004 90 91	— — — Not exceeding 2,5 mm	
	7004 90 93	— — — Exceeding 2,5 mm but not exceeding 3,5 mm	
	7004 90 95	— — — Exceeding 3,5 mm but not exceeding 4,5 mm	
	7004 90 99	— — — Exceeding 4,5 mm	
01.0150	9405	Lamps and lighting fittings including searchlights and spotlights and parts thereof, not elsewhere specified or included; illuminated signs, illuminated name-plates and the like, having a permanently fixed light source, and parts thereof not elsewhere specified or included:	2 339
	9405 91	— Parts:	
		— — Of glass:	
		— — — Articles for electrical lighting fittings (excluding searchlights and spotlights):	
	9405 91 19	— — — — Other (for example, diffusers, ceiling lights, bowls, cups, lampshades, globes, tulip-shaped pieces)	
01.0160	7304	Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel:	14 273
	7304 10	— Line pipe of a kind used for oil or gas pipelines:	
	7304 10 10	— — Of an external diameter not exceeding 168,3 mm	
	7304 10 30	— — Of an external diameter exceeding 168,3 mm, but not exceeding 406,4 mm	
	7304 10 90	— — Of an external diameter exceeding 406,4 mm	
	7304 20	— Casing, tubing and drill pipe, of a kind used in drilling for oil or gas:	
		— — Other:	
	7304 20 91	— — — Of an external diameter not exceeding 406,4 mm	
	7304 20 99	— — — Of an external diameter exceeding 406,4 mm	
		— Other, of circular cross-section, of iron or non-alloy steel:	
	7304 31	— — Cold-drawn or cold-rolled (cold-reduced):	
		— — — Other:	
	7304 31 91	— — — — Precision tubes	
	7304 31 99	— — — — Other	

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0160 (cont'd)	7304 39	— — Other:	14 273 (cont'd)
	7304 39 10	— — — Unworked, straight and of uniform wall-thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall-thicknesses ⁽¹⁾	
		— — — Other:	
		— — — — Other:	
		— — — — — Other:	
		— — — — — Threaded or threadable tubes (gas pipe):	
	7304 39 51	— — — — — Plated or coated with zinc	
	7304 39 59	— — — — — Other:	
		— — — — — Other, of an external diameter:	
	7304 39 91	— — — — — Not exceeding 168,3 mm	
	7304 39 93	— — — — — Exceeding 168,3 mm, but not exceeding 406,4 mm	
	7304 39 99	— — — — — Exceeding 406,4 mm	
		— Other, of circular cross-section, of stainless steel:	
	7304 41	— — Cold-drawn or cold-rolled (cold-reduced):	
	7304 41 90	— — — Other	
	7304 49	— — Other:	
	7304 49 10	— — — Unworked, straight and of uniform wall-thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall-thicknesses ⁽¹⁾	
		— — — Other:	
		— — — — Other:	
	7304 49 91	— — — — — Of an external diameter not exceeding 406,4 mm	
	7304 49 99	— — — — — Of an external diameter exceeding 406,4 mm	
		— Other, of circular cross-section, of other alloy steel:	
	7304 51	— — Cold-drawn or cold-rolled (cold-reduced):	
		— — — Straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0,9 % but not more than 1,15 % of carbon, not less than 0,5 % but not more than 2 % of chromium and not more than 0,5 % of molybdenum, of a length:	
	7304 51 11	— — — — Not exceeding 4,5 m	
	7304 51 19	— — — — Exceeding 4,5 m	
		— — — Other:	
		— — — — Other:	
	7304 51 91	— — — — — Precision tubes	
	7304 51 99	— — — — — Other	
	7304 59	— — Other:	
	7304 59 10	— — — Unworked, straight and of uniform wall-thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall-thicknesses ⁽¹⁾	
		— — — Other, straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0,9 % but not more than 1,15 % of carbon, not less than 0,5 % but not more than 2 % of chromium and not more than 0,5 % of molybdenum, of a length:	
	7304 59 31	— — — — Not exceeding 4,5 m	
	7304 59 39	— — — — Exceeding 4,5 m	
		— — — Other:	
		— — — — Other:	
	7304 59 91	— — — — — Of an external diameter not exceeding 168,3 mm	
	7304 59 93	— — — — — Of an external diameter exceeding 168,3 mm, but not exceeding 406,4 mm	
	7304 59 99	— — — — — Of an external diameter exceeding 406,4 mm	
	7304 90	— Other:	
	7304 90 90	— — Other	

⁽¹⁾ Entry under this code is subject to conditions laid down in the relevant Community provisions. See also Section II, paragraph B, of the preliminary provisions (combined nomenclature).

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0160 (cont'd)	7305	Other tubes and pipes (for example, welded, riveted or similarly closed), having internal and external circular cross-sections, the external diameter of which exceeds 406,4 mm, of iron or steel:	14 273 (cont'd)
	7306	Other tubes, pipes and hollow profiles (for example, open seam or welded, riveted or similarly closed), of iron or steel:	
	7306 10	— Line pipe of a kind used for oil or gas pipelines:	
		— — Longitudinally welded, of an external diameter of:	
	7306 10 11	— — — Not more than 168,3 mm	
	7306 10 19	— — — More than 168,3 mm, but not more than 406,4 mm	
	7306 10 90	— — Spirally welded	
	7306 20 00	— Casing and tubing of a kind used in drilling for oil or gas	
	7306 30	— Other, welded, of circular cross-section, of iron or non-alloy steel:	
		— — Other:	
		— — — Precision tubes, with a wall thickness:	
	7306 30 21	— — — — Not exceeding 2 mm	
	7306 30 29	— — — — Exceeding 2 mm	
		— — — Other:	
	7306 30 30	— — — — Electrical conduit tubes	
		— — — — Threaded or threadable tubes (gas pipe):	
	7306 30 51	— — — — — Plated or coated with zinc	
	7306 30 59	— — — — — Other	
		— — — — Other, of an external diameter:	
		— — — — — Not exceeding 168,3 mm:	
	7306 30 71	— — — — — Plated or coated with zinc	
	7306 30 79	— — — — — Other	
	7306 30 90	— — — — — Exceeding 168,3 mm, but not exceeding 406,4 mm	
	7306 40	— Other, welded, of circular cross-section, of stainless steel:	
		— — Other:	
	7306 40 91	— — — Cold-drawn or cold-rolled (cold-reduced)	
	7306 40 99	— — — Other	
	7306 50	— Other, welded, of circular cross-section, of other alloy steel:	
		— — Other:	
	7306 50 91	— — — Precision tubes	
	7306 50 99	— — — Other	
	7306 60	— Other, welded, of non-circular cross-section:	
		— — Other:	
		— — — Of rectangular (including square) cross-section, with a wall thickness:	
	7306 60 31	— — — — Not exceeding 2 mm	
	7306 60 39	— — — — Exceeding 2 mm	
	7306 60 90	— — — Of other sections	
	7306 90 00	— Other	
01.0165	7407	Copper bars, rods and profiles:	4 420
	ex 7407 10 00	— Of refined copper:	
		— — Solid	
		— Of copper alloys:	
	7407 21	— — Of copper-zinc base alloys (brass):	
	7407 21 10	— — — Bars and rods	

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0165 (cont'd)	ex 7407 21 90	— — — Profiles: — Solid	4 420 (cont'd)
	7407 22	— — Of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel silver):	
	ex 7407 22 10	— — — Of copper-nickel base alloys (cupro-nickel): — Solid	
	ex 7407 22 90	— — — Of copper-nickel-zinc base alloys (nickel silver): — Solid	
	ex 7407 29 00	— — Other — Solid	
	7408	Copper wire:	
01.0170	7409	Copper plates, sheets and strip, of a thickness exceeding 0,15 mm:	1 180
01.0180	7407	Copper bars, rods and profiles:	3 279
	ex 7407 10 00	— Of refined copper: — Hollow	
	7407 21	— Of copper alloys:	
	ex 7407 21 90	— — Of copper-zinc base alloys (brass): — — — Profiles: — Hollow	
		— — Of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel silver):	
	ex 7407 22 10	— — — Of copper-nickel base alloys (cupro-nickel): — Hollow	
	ex 7407 22 90	— — — Of copper-nickel-zinc base alloys (nickel silver): — Hollow	
	ex 7407 29 00	— — Other — Hollow	
	7411	Copper tubes and pipes	
01.0190	ex 7604	Aluminium bars, rods and profiles, excluding code 7604 21 00	1 968
	7605	Aluminium wire:	
01.0200	7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	4 315
01.0210	7903	Zinc dust, powders and flakes:	3 248
	7905	Zinc plates, sheets, strip and foil:	
01.0220	8501	Electric motors and generators (excluding generating sets):	6 118
	8501 10	— Motors of an output not exceeding 37,5 W:	
	8501 10 10	— — Synchronous motors of an output not exceeding 18 W: — — Other:	
	8501 10 91	— — — Universal AC/DC motors	
	8501 10 93	— — — AC motors	
	8501 10 99	— — — DC motors	
	8501 20	— Universal AC/DC motors of an output exceeding 37,5 W:	
	8501 20 90	— — Other — Other DC motors; DC generators:	
	8501 31	— — Of an output not exceeding 750 W:	
	8501 31 90	— — — Other:	
	8501 32	— — Of an output exceeding 750 W but not exceeding 75 kW: — — — Other:	
	8501 32 91	— — — — Of an output exceeding 750 W but not exceeding 7,5 kW	
	8501 32 99	— — — — Of an output exceeding 7,5 kW but not exceeding 75 kW	

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0220 (cont'd)	8501 33	- - Of an output exceeding 75 kW but not exceeding 375 kW:	6 118 (cont'd)
		- - - Other:	
	8501 33 91	- - - - Traction motors	
	8501 33 99	- - - - Other	
	8501 34	- - Of an output exceeding 375 kW:	
		- - - Other:	
	8501 34 50	- - - - Traction motors	
		- - - - Other, of an output:	
	8501 34 91	- - - - - Exceeding 375 kW but not exceeding 750 kW	
	8501 34 99	- - - - - Exceeding 750 kW	
		- Other AC motors, single phase:	
	8501 40 90	- - Other	
		- Other AC motors, multi-phase:	
	8501 51	- - Of an output not exceeding 750 W:	
	8501 51 90	- - - Other:	
	8501 52	- - Of an output exceeding 750 W but not exceeding 75 kW:	
		- - - Other:	
	8501 52 91	- - - - Of an output exceeding 750 W but not exceeding 7,5 kW	
	8501 52 93	- - - - Of an output exceeding 7,5 kW but not exceeding 37 kW	
	8501 52 99	- - - - Of an output exceeding 37 kW but not exceeding 75 kW	
	8501 53	- - Of an output exceeding 75 kW:	
		- - - Other:	
	8501 53 50	- - - - Traction motors	
		- - - - Other, of an output:	
	8501 53 91	- - - - - Exceeding 75 kW but not exceeding 750 kW	
	8501 53 99	- - - - - Exceeding 750 kW	
		- AC generators (alternators):	
	8501 61	- - Of an output not exceeding 75 kVA:	
		- - - Other:	
	8501 61 91	- - - - Of an output not exceeding 7,5 kVA	
	8501 61 99	- - - - Of an output exceeding 7,5 kVA but not exceeding 75 kVA	
	8501 62	- - Of an output exceeding 75 kVA but not exceeding 375 kVA:	
	8501 62 90	- - - Other	
	8501 63	- - Of an output exceeding 375 kVA but not exceeding 750 kVA:	
	8501 63 90	- - - Other	
	8501 64 00	- - Of an output exceeding 750 kVA	
	8502	Electric generating sets and rotary converters:	
		- Generating sets with compression-ignition internal combustion piston engines (diesel or semi-diesel engines):	
	8502 11	- - Of an output not exceeding 75 kVA:	
	8502 11 90	- - - Other	
	8502 12	- - Of an output exceeding 75 kVA but not exceeding 375 kVA:	
	8502 12 90	- - - Other	
	8502 13	- - Of an output exceeding 375 kVA:	
		- - - Other:	
	8502 13 91	- - - - Of an output exceeding 375 kVA but not exceeding 750 kVA	
	8502 13 99	- - - - Of an output exceeding 750 kVA	
	8502 20	- Generating sets with spark-ignition internal combustion piston engines	
		- - Other:	

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0220 (cont'd)	8502 20 91	— — — Of an output not exceeding 7,5 kVA	6 118 (cont'd)
	8502 20 99	— — — Of an output exceeding 7,5 kVA	
	8502 30	— Other generating sets:	
		— — Other:	
	8502 30 91	— — — Turbo-generators	
	8502 30 99	— — — Other	
	8502 40	— Electric rotary converters:	
	8502 40 90	— — Other	
01.0230	8503 00	Parts suitable for use solely or principally with the machines of code 8501 or 8502	2 558
	8504	Electrical transformers, static converters (for example, rectifiers) and inductors:	
	8504 90	— Parts:	
		— — Of transformers and inductors:	
	8504 90 11	— — — Ferrite cores	
	8504 90 19	— — — Other	
	8504 90 90	— — Of static converters	
01.0240	ex 8544	Insulated (including enamelled or anodized) wire, cable (including coaxial cable) and other insulated electric conductors, whether or not fitted with connectors; optical fibre cables, made up of individually sheathed fibres, whether or not assembled with electric conductors or fitted with connectors excluding products of CN codes 8544 30 10 and 8544 70 00	2 641
01.0250	8546	Electrical insulators of any material	463
01.0270	8716	Trailers and semi-trailers; other vehicles, not mechanically propelled; parts thereof:	2 875
	8716 10	— Trailers and semi-trailers of the caravan type, for housing or camping:	
	8716 10 10	— — Trailer tents	
		— — Other, of a weight:	
	8716 10 91	— — — Not exceeding 750 kg	
	8716 10 93	— — — Exceeding 750 kg but not exceeding 3 500 kg	
	8716 10 99	— — — Exceeding 3 500 kg	
	8716 20	— Self-loading or self-unloading trailers and semi-trailers for agricultural purposes:	
	8716 20 10	— — Manure spreaders	
	8716 20 90	— — Other	
		— Other trailers and semi-trailers for the transport of goods:	
	8716 31 00	— — Tanker trailers and tanker semi-trailers	
		— — — New:	
	8716 39 30	— — — — Semi-trailers	
		— — — — Other:	
	8716 39 51	— — — — — With a single axle	
	8716 39 59	— — — — — Other	
	8716 39 80	— — — Used	
	8716 40 00	— Other trailers and semi-trailers	
01.0280	9401	Seats (other than those of code 9402), whether or not convertible into beds, and parts thereof:	8 922
	9401 30	— Swivel seats with variable height adjustment:	
	9401 30 10	— — Upholstered, with backrest and fitted with castors or glides	
	9401 30 90	— — Other	

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0280 (cont'd)	9401 40 00	— Seats other than garden seats or camping equipment, convertible into beds	8 922 (cont'd)
	9401 50 00	— Seats of cane, osier, bamboo or similar materials	
		— Other seats, with wooden frames:	
	9401 61 00	— — Upholstered	
	9401 69 00	— — Other	
		— Other seats, with metal frames:	
	9401 71 00	— — Upholstered	
	9401 79 00	— — Other	
	9401 80 00	— Other seats	
	9401 90	— Parts:	
	9401 90 90	— — Other	
01.0290	9403	Other furniture and parts thereof:	7 851
	9403 10	— Metal furniture of a kind used in offices:	
	9403 10 10	— — Drawing tables (other than those of code 9017)	
		— — Other:	
		— — — Not exceeding 80 cm in height:	
	9403 10 51	— — — Desks	
	9403 10 59	— — — Other	
		— — — Exceeding 80 cm in height:	
	9403 10 91	— — — Cupboards with doors, shutters or flaps	
	9403 10 93	— — — Filing, card-index and other cabinets	
	9403 10 99	— — — Other	
	9403 20	— Other metal furniture:	
		— — Other:	
	9403 20 91	— — — Beds	
	9403 20 99	— — — Other	
	9403 30	— Wooden furniture of a kind used in offices:	
		— — Not exceeding 80 cm in height:	
	9403 30 11	— — — Desks	
	9403 30 19	— — — Other	
		— — — Exceeding 80 cm in height:	
	9403 30 91	— — — Cupboards with doors, shutters or flaps; filing, card-index and other cabinets	
	9403 30 99	— — — Other	
	9403 40 00	— Wooden furniture of a kind used in the kitchen	
	9403 50 00	— Wooden furniture of a kind used in the bedroom	
	9403 60	— Other wooden furniture:	
	9403 60 10	— — Wooden furniture of a kind used in the dining room and the living room	
	9403 60 30	— — Wooden furniture of a kind used in shops	
	9403 60 90	— — Other wooden furniture	
	9403 70	— Furniture of plastics:	
	9403 70 90	— — Other	
	9403 80 00	— Furniture of other materials, including cane, osier, bamboo or similar materials	
	9403 90	— Parts:	
	9403 90 10	— — Of metal	
	9403 90 30	— — Of wood	
	9403 90 90	— — Of other materials	

ANNEX II (a) (b)

Order No (category)	CN code	Description	Ceiling: (a) for products covered by Article 1 (2) (b) for products covered by Article 1 (1)
(1)	(2)	(3)	(4)
02.0010 (1)	5204 11 00 5204 19 00 5205 11 00 5205 12 00 5205 13 00 5205 14 00 5205 15 10 5205 15 90 5205 21 00 5205 22 00 5205 23 00 5205 24 00 5205 25 10 5205 25 30 5205 25 90 5205 31 00 5205 32 00 5205 33 00 5205 34 00 5205 35 10 5205 35 90 5205 41 00 5205 42 00 5205 43 00 5205 44 00 5205 45 10 5205 45 30 5205 45 90 5206 11 00 5206 12 00 5206 13 00 5206 14 00 5206 15 10 5206 15 90 5206 21 00 5206 22 00 5206 23 00 5206 24 00 5206 25 10 5206 25 90 5206 31 00 5206 32 00 5206 33 00 5206 34 00 5206 35 10 5206 35 90 5206 41 00 5206 42 00 5206 43 00 5206 44 00 5206 45 10 5206 45 90 ex 5604 90 00	Cotton yarn not put up for retail sale	(b) 7 937 tonnes
02.0020 (2)	5208 11 10 5208 11 90 5208 12 11 5208 12 13	Woven fabrics of cotton, other than gauze, terry fabrics, narrow woven fabrics, pile fabrics, chenille fabrics, tulle and other net fabrics	(b) 9 837 tonnes

(a) Notwithstanding the rules for the interpretation of the combined nomenclature, the wording for the designation of the products is to be considered as having no more than an indicative value, the preferential scheme being determined, within the context of this Annex, by the application of the CN code. Where ex CN code positions are indicated, the preferential scheme is to be determined by application of CN code and corresponding description taken together.

(b) See Taric codes in Annex VI.

(1)	(2)	(3)	(4)
02.0020 (2) (cont'd)	5208 12 15 5208 12 19 5208 12 91 5208 12 93 5208 12 95 5208 12 99 5208 13 00 5208 19 00 5208 21 10 5208 21 90 5208 22 11 5208 22 13 5208 22 15 5208 22 19 5208 22 91 5208 22 93 5208 22 95 5208 22 99 5208 23 00 5208 29 00 5208 31 00 5208 32 11 5208 32 13 5208 32 15 5208 32 19 5208 32 91 5208 32 93 5208 32 95 5208 32 99 5208 33 00 5208 39 00 5208 41 00 5208 42 00 5208 43 00 5208 49 00 5208 51 00 5208 52 10 5208 52 90 5208 53 00 5208 59 00 5209 11 00 5209 12 00 5209 19 00 5209 21 00 5209 22 00 5209 29 00 5209 31 00 5209 32 00 5209 39 00 5209 41 00 5209 42 00 5209 43 00 5209 49 10 5209 49 90 5209 51 00 5209 52 00 5209 59 00 5210 11 10 5210 11 90 5210 12 00 5210 19 00 5210 21 10 5210 21 90 5210 22 00 5210 29 00 5210 31 10 5210 31 90 5210 32 00		(b) 9 837 tonnes (cont'd)

(1)	(2)	(3)	(4)
02.0020 (2) (cont'd)	5210 39 00 5210 41 00 5210 42 00 5210 49 00 5210 51 00 5210 52 00 5210 59 00 5211 11 00 5211 12 00 5211 19 00 5211 21 00 5211 22 00 5211 29 00 5211 31 00 5211 32 00 5211 39 00 5211 41 00 5211 42 00 5211 43 00 5211 49 11 5211 49 19 5211 49 90 5211 51 00 5211 52 00 5211 59 00 5212 11 10 5212 11 90 5212 12 10 5212 12 90 5212 13 10 5212 13 90 5212 14 10 5212 14 90 5212 15 10 5212 15 90 5212 21 10 5212 21 90 5212 22 10 5212 22 90 5212 23 10 5212 23 90 5212 24 10 5212 24 90 5212 25 10 5212 25 90 ex 5811 00 00 ex 6308 00 00		(b) 9 837 tonnes (cont'd)
02.0025 (2A)	5208 31 00 5208 32 11 5208 32 13 5208 32 15 5208 32 19 5208 32 91 5208 32 93 5208 32 95 5208 32 99 5208 33 00 5208 39 00 5208 41 00 5208 42 00 5208 43 00 5208 49 00 5208 51 00 5208 52 10 5208 52 90 5208 53 00 5208 59 00	Of which other than unbleached or bleached	(b) 2 203 tonnes

(1)	(2)	(3)	(4)
02.0025 (2A) (cont'd)	5209 11 00 5209 12 00 5209 19 00 5209 21 00 5209 22 00 5209 29 00 5209 31 00 5209 32 00 5209 39 00 5209 41 00 5209 42 00 5209 43 00 5209 49 10 5209 49 90 5209 51 00 5209 52 00 5209 59 00 5210 31 10 5210 31 90 5210 32 00 5210 39 00 5210 41 00 5210 42 00 5210 49 00 5210 51 00 5210 52 00 5210 59 00 5211 31 00 5211 32 00 5211 39 00 5211 41 00 5211 42 00 5211 43 00 5211 49 11 5211 49 19 5211 49 90 5211 51 00 5211 52 00 5211 59 00 5212 13 10 5212 13 90 5212 14 10 5212 14 90 5212 15 10 5212 15 90 5212 21 10 5212 21 90 5212 22 10 5212 22 90 5212 23 10 5212 23 90 5212 24 10 5212 24 90 5212 25 10 5212 25 90 ex 5811 00 00 ex 6308 00 00		(b) 2 203 tonnes (cont'd)
02.0030 (3)	5512 11 00 5512 19 10 5512 19 90 5512 21 00 5512 29 10 5512 29 90 5512 91 00 5512 99 10 5512 99 90	Woven fabrics of synthetic fibres (staple or waste) other than narrow woven fabrics, pile fabrics (including terry fabrics) and chenille fabrics	Ceiling delayed

(1)	(2)	(3)	(4)
02.0030 (3) (cont'd)	5513 11 10 5513 11 30 5513 11 90 5513 12 00 5513 13 00 5513 19 00 5513 21 10 5513 21 30 5513 21 90 5513 22 00 5513 23 00 5513 29 00 5513 31 00 5513 32 00 5513 33 00 5513 39 00 5513 41 00 5513 42 00 5513 43 00 5513 49 00 5514 11 00 5514 12 00 5514 13 00 5514 19 00 5514 21 00 5514 22 00 5514 23 00 5514 29 00 5514 31 00 5514 32 00 5514 33 00 5514 39 00 5514 41 00 5514 42 00 5514 43 00 5514 49 00 5515 11 10 5515 11 30 5515 11 90 5515 12 10 5515 12 30 5515 12 90 5515 13 11 5515 13 19 5515 13 91 5515 13 99 5515 19 10 5515 19 30 5515 19 90 5515 21 10 5515 21 30 5515 21 90 5515 22 11 5515 22 19 5515 22 91 5515 22 99 5515 29 10 5515 29 30 5515 29 90 5515 91 10 5515 91 30 5515 91 90 5515 92 11 5515 92 19 5515 92 91 5515 92 99 5515 99 10 5515 99 30 5515 99 90		Ceiling delayed

(1)	(2)	(3)	(4)
02.0030 (3) (cont'd)	5803 90 30 ex 5905 00 70 ex 6308 00 00		
(a) 02.0050 (b) 02.0055 (5)	6101 10 90 6101 20 90 6101 30 90 6102 10 90 6102 20 90 6102 30 90 6110 10 10 6110 10 31 6110 10 39 6110 10 91 6110 10 99 6110 20 91 6110 20 99 6110 30 91 6110 30 99	Jerseys, pullovers, slipovers, waistcoats, twinsets, cardigans, bed jackets and jumpers (other than jackets and blazers), anoraks, windcheaters, waister jackets and the like, knitted or crocheted	(a) 3 795 000 pieces (b) 1 977 000 pieces
(a) 02.0060 (b) 02.0065 (6)	6203 41 10 6203 41 90 6203 42 31 6203 42 33 6203 42 35 6203 42 90 6203 43 19 6203 43 90 6203 49 19 6203 49 50 6204 61 10 6204 62 31 6204 62 33 6204 62 35 6204 63 19 6204 69 19	Men's or boys' woven breeches, shorts (other than swimwear) and trousers (including slacks), women's or girls' woven trousers and slacks, of wool, of cotton or of man-made fibres	(a) 12 287 000 pieces (b) 938 000 pieces
(a) 02.0070 (b) 02.0075 (7)	6106 10 00 6106 20 00 6106 90 10 6206 20 00 6206 30 00 6206 40 00	Women's or girls' blouses, shirts and shirt-blouses, whether or not knitted or crocheted of wool, cotton or man-made fibres	(a) 6 483 000 pieces (b) 528 000 pieces
(a) 02.0080 (b) 02.0085 (8)	6205 10 00 6205 20 00 6205 30 00	Men's or boys' shirts, other than knitted or crocheted, of wool, cotton or man-made fibres	(a) 16 444 000 pieces (b) 2 835 000 pieces
02.0090 (9)	5802 11 00 5802 19 00 ex 6302 60 00	Terry towelling and similar woven terry fabrics of cotton; toilet linen and kitchen linen, other than knitted or crocheted, of terry towelling and similar woven terry fabrics, of cotton	(b) 879 tonnes
(a) 02.0150 (b) 02.0155 (15)	6202 11 00 ex 6202 12 10 ex 6202 12 90 ex 6202 13 10 ex 6202 13 90 6204 31 00 6204 32 90 6204 33 90 6204 39 19 6210 30 00	Women's or girls' woven overcoats, raincoats and other coats, cloaks and capes; jackets and blazers, of wool, of cotton or of man-made textile fibres (other than parkas) (of category 21)	(a) 6 841 000 pieces (b) 697 000 pieces

(1)	(2)	(3)	(4)
(a) 02.0160 (b) 02.0165 (16)	6203 11 00 6203 12 00 6203 19 10 6203 19 30 6203 21 00 6203 22 90 6203 23 90 6203 29 19	Men's or boys' suits and ensembles, other than knitted or crocheted, of wool of cotton or of man-made fibres, excluding ski suits	(a) 3 872 000 pieces (b) 579 000 pieces
02.0670 (67)	5807 90 90 6113 00 10 6117 10 00 6117 20 00 6117 80 10 6117 80 90 6117 90 00 6301 20 10 6301 30 10 6301 40 10 6301 90 10 6302 10 10 6302 10 90 6302 40 00 ex 6302 60 00 6303 11 00 6303 12 00 6303 19 00 6304 11 00 6304 91 00 ex 6305 20 00 6305 31 10 ex 6305 39 00 ex 6305 90 00 6307 10 10 6307 90 10	Knitted or crocheted clothing accessories other than for babies, household linen of all kinds, knitted or crocheted; curtains (including drapes) and interior blinds, curtain or bed valances and other furnishing articles knitted or crocheted blankets and travelling rugs, other knitted or crocheted articles including parts of garments or of clothing accessories	(b) 751 tonnes

ANNEX III

Order No (category)	CN code	Description	Ceiling (tonnes)
03.0010	2710 00	Petroleum oils and oils obtained from bituminous minerals, other than crude; preparations not elsewhere specified or included, containing by weight 70 % or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations:	765 006
		— Light oils:	
		— — For other purposes:	
		— — — Special spirits:	
	2710 00 21	— — — — White spirit	
	2710 00 25	— — — — Other	
		— — — Other:	
		— — — — Motor spirit:	
	2710 00 31	— — — — — Aviation spirit	
		— — — — — Other, with a lead content:	
	2710 00 33	— — — — — Not exceeding 0,013 g/litre	
	2710 00 35	— — — — — Exceeding 0,013 g/litre	
	2710 00 37	— — — — Spirit type jet fuel	
	2710 00 39	— — — — Other light oils	
		— Medium oils:	
		— — For other purposes:	
		— — — Kerosene:	
	2710 00 51	— — — — Jet fuel	
	2710 00 55	— — — — Other	
	2710 00 59	— — — — Other	
		— Heavy oils:	
		— — Gas oil:	
	2710 00 69	— — — For other purposes	
		— — Fuel oils:	
	2710 00 79	— — — For other purposes	
		— — Lubricating oils; other oils:	
	2710 00 95	— — — To be mixed in accordance with the terms of additional note 6 (CN) to this chapter ⁽¹⁾	
	2710 00 99	— — — For other purposes	
	2711	Petroleum gases and other gaseous hydrocarbons:	
		— Liquefied:	
	2711 12	— — Propane:	
		— — — Propane of a purity not less than 99 %:	
	2711 12 11	— — — — For use as a power or heating fuel	
		— — — Other:	
	2711 12 99	— — — — For other purposes	
	2711 13	— — Butanes:	
	2711 13 90	— — — For other purposes	
	2712	Petroleum jelly; paraffin wax, microcrystalline petroleum wax, slack wax, ozokerite, lignite wax, peat wax, other mineral waxes, and similar products obtained by synthesis or by other processes, whether or not coloured:	
	2712 10	— Petroleum jelly:	
	2712 10 90	— — Other	
	2712 20 00	— Paraffin wax containing by weight less than 0,75 % of oil	
	2712 90	— Other:	
		— — Other:	
		— — — Crude:	
	2712 90 39	— — — — For other purposes	
	2712 90 90	— — — — Other	
	2713	Petroleum coke, petroleum bitumen and other residues of petroleum oils or of oils obtained from bituminous minerals:	
	2713 90	— Other residues of petroleum oils or of oils obtained from bituminous minerals:	
	2713 90 90	— — Other	

⁽¹⁾ Entry under this code is subject to conditions laid down in the relevant Community provisions.

ANNEX IV (a) (b)

Order No	CN code	Description	Ceiling (tonnes)
04.0030	7202	Ferro-alloys	7 711
		— Ferro-silicon:	
	7202 21	— — Containing by weight more than 55 % of silicon:	
	7202 21 10	— — — Containing by weight more than 55 % but not more than 80 % of silicon	
	7202 21 90	— — — Containing by weight more than 80 % of silicon	
	7202 29 00	— — Other	
04.0040	7202 30 00	— Ferro-silico-manganese	1 237
04.0050		— Ferro-chromium:	1 901
	7202 41	— — Containing by weight more than 4 % of carbon:	
	7202 41 10	— — — Containing by weight more than 4 % but not more than 6 % of carbon	
	7202 41 90	— — — Containing by weight more than 6 % of carbon	
	7202 49	— — Other:	
	7202 49 10	— — — Containing by weight not more than 0,05 % of carbon	
	7202 49 50	— — — Containing by weight more than 0,05 % but not more than 0,5 % of carbon	
	7202 49 90	— — — Containing by weight more than 0,5 % but not more than 4 % of carbon	
04.0055	ex 7202 49 10 ex 7202 49 50	of which: — Ferro-chromium containing by weight not more than 0,10 % of carbon and more than 30 % but not more than 90 % of chromium (super-refined ferro-chromium), maximum	949
04.0090	7901	Unwrought zinc:	2 717
		— Zinc, not alloyed:	
	7901 11 00	— — Containing by weight 99,99 % or more of zinc	
	7901 12	— — Containing by weight less than 99,99 % of zinc:	
	7901 12 10	— — — Containing by weight 99,95 % or more but less than 99,99 % of zinc	
	7901 12 30	— — — Containing by weight 98,5 % or more but less than 99,95 % of zinc	
	7901 12 90	— — — Containing by weight 97,5 % or more but less than 98,5 % of zinc	
	7901 20 00	— Zinc alloys	

(a) Notwithstanding the rules for the interpretation of the combined nomenclature, the wording for the designation of the products is to be considered as having no more than an indicative value, the preferential scheme being determined, within the context of this Annex, by the application of the CN code. Where ex CN code positions are indicated, the preferential scheme is to be determined by application of CN code and corresponding description taken together.

(b) See Taric codes in Annex VI.

ANNEX V

CN code	Description
4410	Particle board and similar board of wood or other ligneous materials, whether or not agglomerated with resins or other organic binding substances
4412	Plywood, veneered panels and similar laminated wood
4420	Wood marquetry and inlaid wood; caskets and cases for jewellery or cutlery, and similar articles, of wood; statuettes and other ornaments, of wood; wooden articles of furniture not falling within Chapter 94:
4420 90	— Other:
	— — Wood marquetry and inlaid wood:
4420 90 11	— — — Of tropical woods, referred to in Additional Note 2 of this Chapter
4420 90 19	— — — Of other woods
8501	Electric motors and generators (excluding generating sets):
8501 10	— Motors of an output not exceeding 37,5 W:
8501 10 10	— — Synchronous motors of an output not exceeding 18 W
	— — Other:
8501 10 91	— — — Universal AC/DC motors
8501 10 93	— — — AC motors
8501 10 99	— — — DC motors
8501 20	— Universal AC/DC motors of an output exceeding 37,5 W:
8501 20 90	— — Other
	— Other DC motors; DC generators:
8501 31	— — Of an output not exceeding 750 W:
8501 31 90	— — — Other
8501 32	— — Of an output exceeding 750 W but not exceeding 75 kW:
	— — — Other:
8501 32 91	— — — — Of an output exceeding 750 W but not exceeding 7,5 kW
8501 32 99	— — — — Of an output exceeding 7,5 kW but not exceeding 75 kW
8501 33	— — Of an output exceeding 75 kW but not exceeding 375 kW:
	— — — Other:
8501 33 91	— — — — Traction motors
8501 33 99	— — — — Other
8501 34	— — Of an output exceeding 375 kW:
	— — — Other:
8501 34 50	— — — — Traction motors
	— — — — Other:
8501 34 91	— — — — — Of an output exceeding 375 kW but not exceeding 750 kW
8501 34 99	— — — — — Of an output exceeding 750 kW
8501 40	— Other AC motors, single phase:
8501 40 90	— — Other
	— Other AC motors, multi-phase:
8501 51	— — Of an output not exceeding 750 W:
8501 51 90	— — — Other
8501 52	— — Of an output exceeding 750 W but not exceeding 75 kW:
	— — — Other:
8501 52 91	— — — — Of an output exceeding 750 W but not exceeding 7,5 kW
8501 52 93	— — — — Of an output exceeding 7,5 kW but not exceeding 37 kW
8501 52 99	— — — — Of an output exceeding 37 kW but not exceeding 75 kW
8501 53	— — Of an output exceeding 75 kW:
	— — — Other:

CN code	Description
8501 53 50	— — — — Traction motors
	— — — — Other:
8501 53 91	— — — — Of an output exceeding 75 kW but not exceeding 750 kW
8501 53 99	— — — — Of an output exceeding 750 kW
	— AC generators (alternators):
8501 61	— — Of an output not exceeding 75 kVA:
	— — — Other:
8501 61 91	— — — Of an output not exceeding 7,5 kVA
8501 61 99	— — — Of an output exceeding 7,5 kVA but not exceeding 75 kVA
8501 62	— — Of an output exceeding 75 kVA but not exceeding 375 kVA:
8501 62 90	— — — Other
8501 63	— — Of an output exceeding 375 kVA but not exceeding 750 kVA:
8501 63 90	— — — Other
8501 64 00	— — Of an output exceeding 750 kVA
8502	Electric generating sets and rotary converters:
	— Generating sets with compression-ignition internal combustion piston engines (diesel or semi-diesel engines):
8502 11	— — Of an output not exceeding 75 kVA:
8502 11 90	— — — Other
8502 12	— — Of an output exceeding 75 kVA but not exceeding 375 kVA:
8502 12 90	— — — Other
8502 13	— — Of an output exceeding 375 kVA:
	— — — Other:
8502 13 91	— — — — Of an output exceeding 375 kVA but not exceeding 750 kVA
8502 13 99	— — — — Of an output exceeding 750 kVA
8502 20	— Generating sets with spark-ignition internal combustion piston engines:
	— — Other:
8502 20 91	— — — Of an output not exceeding 7,5 kVA
8502 20 99	— — — Of an output exceeding 7,5 kVA
8502 30	— Other generating sets:
	— — Other:
8502 30 91	— — — Turb-generators
8502 30 99	— — — Other
8502 40	— Electric rotary converters:
8502 40 90	— — Other
8503 00	Parts suitable for use solely or principally with the machines of code 8501 or 8502:
8503 00 10	— Non-magnetic retaining rings
	— Other:
8503 00 91	— — Of cast iron or cast steel
8503 00 99	— — Other
8504	Electrical transformers, static converters (for example, rectifiers) and inductors:
8504 90	— Parts:
	— — Of transformers and inductors:
8504 90 11	— — — Ferrite cores
8504 90 19	— — — Other
8504 90 90	— — Of static converters
8546	Electrical insulators of any material

ANNEX VI

Taric codes

Order No	CN code	Taric code
01.0040	ex 3916 90 90	3916 90 90 * 10
	ex 3917 10 90	3917 10 90 * 10
	ex 3917 29 19	3917 29 19 * 10
	ex 3917 32 51	3917 32 51 * 10
	ex 3917 39 19	3917 39 19 * 10
	ex 3919 10 90	3919 10 90 * 10
	ex 3919 90 90	3919 90 90 * 10
01.0050	ex 3915 90 93	3915 90 93 * 20
	ex 3916 90 90	3916 90 90 * 20
	ex 3917 29 19	3917 29 19 * 20
	ex 3917 32 51	3917 32 51 * 20
	ex 3917 39 19	3917 39 19 * 20
	ex 3919 10 90	3919 10 90 * 20
	ex 3919 90 90	3919 90 90 * 20
01.0060	ex 4012 10 90	4012 10 90 * 90
	ex 4012 20 90	4012 20 90 * 90
01.0165	ex 7407 10 00	7407 10 00 * 90
	ex 7407 21 90	7407 21 90 * 90
	ex 7407 22 10	7407 22 10 * 90
	ex 7407 22 90	7407 22 90 * 90
	ex 7407 29 00	7407 29 00 * 90
01.0180	ex 7407 10 00	7407 10 00 * 10
	ex 7407 21 90	7407 21 90 * 10
	ex 7407 22 10	7407 22 10 * 10
	ex 7407 22 90	7407 22 90 * 10
	ex 7407 29 00	7407 29 00 * 10
02.0010	ex 5604 90 00	5604 90 00 * 50
02.0020	ex 5811 00 00	5811 00 00 * 91
	ex 6308 00 00	6308 00 00 * 11
02.0025	ex 5811 00 00	5811 00 00 * 92
	ex 6308 00 00	6308 00 00 * 19
02.0030	ex 5905 00 70	5905 00 70 * 10
	ex 6308 00 00	6308 00 00 * 20
02.0090	ex 6302 60 00	6302 60 00 * 90
02.0150 02.0155	ex 6202 12 10	6202 12 10 * 90
	ex 6202 12 90	6202 12 90 * 90
	ex 6202 13 10	6202 13 10 * 90
	ex 6202 13 90	6202 13 90 * 90
02.0670	ex 6302 60 00	6302 60 00 * 10
	ex 6305 20 00	6305 20 00 * 10
	ex 6305 39 00	6305 39 00 * 91
	ex 6305 90 00	6305 90 00 * 10
		6305 90 00 * 21
		6305 90 00 * 29
04.0055	ex 7202 49 10	7202 49 10 * 10
	ex 7202 49 50	7202 49 50 * 10

COUNCIL REGULATION (EEC) No 3607/89

of 20 November 1989

opening and providing for the administration of Community tariff quotas for certain products
originating in Yugoslavia (1990)

THE COUNCIL OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community, and in particular Article 113 thereof,

Having regard to the proposal from the Commission,

Whereas the Additional Protocol to the Cooperation Agreement between the European Economic Community and the Socialist Federal Republic of Yugoslavia establishing new trade arrangements⁽¹⁾ provides for the opening of Community tariff quotas for imports into the Community of:

- 300 tonnes of garlic falling within CN code ex 0703 20 00, for the period 1 February to 31 May,
- 1 200 tonnes of sweet peppers falling within CN code 0709 60 10,
- 1 300 tonnes of frozen peas falling with CN code 0710 21 00,
- 545 000 hectolitres of certain fresh grapes wine, falling within combined nomenclature Chapter 22,
- 5 420 hectolitres of plum spirit marketed under the name of 'Sljivovica', falling within CN code ex 2208 90 33, and
- 1 500 tonnes of tobacco of the 'Prilep' type, falling within CN code ex 2401 10 60 or 2401 20 60, as defined in an agreement in the form of an exchange of letters of 11 July 1980,

originating in Yugoslavia;

Whereas, within the limits of these tariff quotas, customs duties are to be phased out over the same periods and at the same rates as provided for in Articles 75, 243 and 268 of the Act of Accession of Spain and Portugal; whereas, however, Council Regulation (EEC) No 4150/87 of 21 December 1987 laying down arrangements for Spain's and Portugal's trade with Yugoslavia and amending Regulations (EEC) No 449/86 and (EEC) No 2573/87⁽²⁾ provides that the Republic of Portugal shall postpone until 31 December 1990 application of the preferential arrangements for the products covered by Council Regulation (EEC) No 1035/72 of 18 May 1972 on the common organization of the market in fruit and vegetables⁽³⁾, and for products covered by Regulation (EEC) No 822/87 of 16 March 1987 on the common organization of the market in wine⁽⁴⁾, as last amended by

Regulation (EEC) No 1236/89⁽⁵⁾; whereas therefore the abovementioned tariff quotas, excluding those quotas provided for frozen peas, plum spirit and tobacco of the 'Prilep' type, shall apply only to the Community with the exception of Portugal;

Whereas plum spirit and tobacco of the 'Prilep' type must be accompanied by a certificate of authenticity; whereas the tariff quotas in question should therefore be opened for 1990;

Whereas, under Council Regulation (EEC) No 1673/89 of 12 June 1989 totally suspending certain customs duties applied by the Community of Ten to imports from Spain and Portugal⁽⁶⁾ the customs duties envisaged for plum spirits coming from Spain and Portugal are totally suspended; whereas it is advisable to apply the same rate of duty to imports of these products originating in Yugoslavia;

Whereas importation into the Community of the wines in question is subject to compliance with the free-at-frontier reference price; whereas the said wines qualify for these tariff quotas only if Article 54 of Regulation (EEC) No 822/87 is adhered to;

Whereas all Community importers should be ensured equal and continuous access to the said quotas and the duty rates laid down for the quotas should be applied consistently to all imports of the products in question into all Member States until the quotas are exhausted; whereas the necessary measures should be taken to provide for effective Community management of the quotas, so that the Member States may draw against the quotas such quantities as they may need, corresponding to actual imports; whereas this method of administration requires close cooperation between the Member States and the Commission;

Whereas, since Belgium, the Netherlands and Luxembourg are united within, and jointly represented by, the Benelux Economic Union, any operation concerning the administration of these quotas may be carried out by any one of its members,

HAS ADOPTED THIS REGULATION:

Article 1

1. (a) The customs duties applicable to imports into the Community of the following products, originating in Yugoslavia, shall be suspended during the periods, at the levels and within the limits of the Community tariff quotas as shown below for each one:

⁽¹⁾ OJ No L 389, 31. 12. 1987, p. 73.

⁽²⁾ OJ No L 389, 31. 12. 1987, p. 1.

⁽³⁾ OJ No L 118, 20. 5. 1972, p. 1.

⁽⁴⁾ OJ No L 84, 27. 3. 1987, p. 1.

⁽⁵⁾ OJ No L 128, 11. 5. 1989, p. 31.

⁽⁶⁾ OJ No L 164, 15. 6. 1989, p. 1.

Order No	CN code (a) (b)	Description	Volume of tariff quota	Rate of duty	Applicability
(1)	(2)	(3)	(4)	(5)	(6)
09.1507	ex 0703 20 00	Garlic, from 1 February to 31 May 1990	300 tonnes	6,5 %	Community excluding Portugal
09.1509	ex 0709 60 10	Sweet peppers, from 1 January to 31 December 1990	1 200 tonnes	3,4 %	Community excluding Portugal
09.1511	0710 21 00	Peas (<i>Pisum sativum</i>), from 1 January to 31 December 1990	1 300 tonnes	6,7 %	In the Community as at present constituted
09.1515	2204 21 25 ex 2204 21 29 2204 21 35 ex 2204 21 39 2204 29 25 ex 2204 29 29 2204 29 35 ex 2204 29 39	Wine of fresh grapes, including fortified wines; grape must other than that of code 2009: - Other wine; grape must with fermentation prevented or arrested by the addition of alcohol: - - In containers holding 2 litres or less: - - - Other: - - - - Of an actual alcoholic strength by volume not exceeding 13 % vol: - - - - - Other: - - - - - White - - - - - Other wines - - - - - Of an actual alcoholic strength by volume exceeding 13 % vol but not exceeding 15 % vol: - - - - - Other: - - - - - White - - - - - Other wines - - - - - Other: - - - - - Other: - - - - - Of an actual alcoholic strength by volume not exceeding 13 % vol: - - - - - Other: - - - - - White - - - - - Other wines - - - - - Of an actual alcoholic strength by volume not exceeding 13 % vol but not exceeding 15 % vol: - - - - - Other: - - - - - White - - - - - Other: from 1 January to 31 December 1990	545 000 hl	ECU 6,4/hl ECU 7,5/hl ECU 4,8/hl ECU 5,9/hl	Community excluding Portugal
09.1503	ex 2208 90 33	Plum spirit marketed under the name of Sljivovica, in containers holding two litres or less, from 1 January to 31 December 1990	5 240 hl	0	Community as at present constituted

(1)	(2)	(3)	(4)	(5)	(6)
09.1505	ex 2401 10 60 ex 2401 20 60	Tobacco of the 'Prilep' type, from 1 January to 31 December 1990	1 500 tonnes	5,2% MIN ECU 10,5 MAX ECU 26,2 100 kg/net	Community as at present constituted

(a) Notwithstanding the rules for the interpretation of the combined nomenclature, the wording for the designation of the products is to be considered as having no more than an indicative value, the preferential scheme being determined, within the context of this Annex, by the application of the CN code. Where ex CN code positions are indicated, the preferential scheme is to be determined by application of the CN code and corresponding description taken together.

(b) Taric codes

Order No	CN code	Taric code
09.1507	ex 0703 20 00	0703 20 00 • 10 0703 20 00 • 20 0703 20 00 • 30
09.1515	ex 2204 21 29 ex 2204 21 39 ex 2204 29 29 ex 2204 29 39	2204 21 29 • 95 2204 21 29 • 96 2204 21 39 • 94 2204 21 39 • 95 2204 21 39 • 96 2204 29 29 • 91 2204 29 39 • 93
09.1503	ex 2208 90 33	2208 90 33 • 10
09.1505	ex 2401 10 60 ex 2401 20 60	2401 10 60 • 10 2401 20 60 • 10

- (b) Within the limits of these tariff quotas, the Kingdom of Spain shall apply duties calculated in accordance with the relevant provisions of Regulation (EEC) No 4150/87.
- (c) Within the limits of the tariff quotas for peas, plum spirit and tobacco of the 'Prilep' type, the Portuguese Republic shall apply customs duties calculated in conformity with the relevant provisions of Regulation (EEC) No 4150/87.

2. Importations of the wines in question shall be subject to compliance with the free-at-frontier reference price. They shall qualify for the tariff quotas only if Article 54 of Regulation (EEC) No 822/87 is adhered to.

3. Imports of plum spirit and tobacco of the 'Prilep' type must be accompanied by certificates of authenticity issued by the competent Yugoslav authority and conforming to the models annexed to this Regulation.

Article 2

The tariff quotas referred to in Article 1 shall be administered by the Commission, which may take all appropriate administrative measures in order to ensure efficient management thereof.

Article 3

Where an importer enters a product covered by this Regulation for free circulation in a Member State and applies to take advantage of the preferential arrangements and that entry is accepted by the customs authorities, the Member State concerned shall, by notifying the Commission, draw an amount corresponding to its requirements from the quota volume.

Requests for drawings, indicating the date of acceptance of the said entries, must be sent to the Commission without delay.

The drawings shall be granted by the Commission by reference to the date of acceptance of the entry for free circulation by the customs authorities of the Member State concerned, to the extent that the available balance so permits.

If a Member State does not use quantities drawn, it shall return them to the corresponding quota volume as soon as possible.

If the quantities requested are greater than the available balance of the quota volume, the balance shall be allocated

on a *pro rata* basis. The Commission shall inform the Member States of the drawings made.

Article 4

Each Member State shall ensure that importers of the products in question have equal and continuous access to the quotas for as long as the balance of the relevant quota volume so permits.

Article 5

The Member States and the Commission shall cooperate closely to ensure that this Regulation is complied with.

Article 6

This Regulation shall enter into force on 1 January 1990.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 20 November 1989.

For the Council

The President

H. NALLET

1 Exporter (name, full address, country) Exportateur (nom, adresse complète, pays)	2 No	ORIGINAL						
	3 Quota year Année contingitaire	4 Country of destination Pays de destination						
5 Consignee (name, full address, country) Destinataire (nom, adresse complète, pays)	6 Issuing authority Organisme émetteur							
	7 CERTIFICATE OF AUTHENTICITY CERTIFICAT D'AUTHENTICITÉ Plum spirit 'Šljivovica' Eau-de-vie de prunes «Šljivovica» (CN Code ex 2208 90 33) (Code NC ex 2208 90 33)							
8 Place and date of shipment — Means of transport Lieu et date d'embarquement — Moyen de transport	<table border="1"> <tr> <td data-bbox="132 971 1034 1605" rowspan="2"> 9 Marks and numbers — Number and kind of packages Marques et numéros — Nombre et nature des colis </td> <td data-bbox="1034 971 1182 1605"> 10 % vol of alcohol % vol d'alcool </td> <td data-bbox="1182 971 1326 1605"> 11 Litres Litres </td> </tr> <tr> <td colspan="2"></td> </tr> </table>			9 Marks and numbers — Number and kind of packages Marques et numéros — Nombre et nature des colis	10 % vol of alcohol % vol d'alcool	11 Litres Litres		
9 Marks and numbers — Number and kind of packages Marques et numéros — Nombre et nature des colis	10 % vol of alcohol % vol d'alcool	11 Litres Litres						
12 % vol of alcohol and litres (in words) — % vol d'alcool et litres (en lettres)								
13 CERTIFICATE BY THE ISSUING AUTHORITY — VISA DE L'ORGANISME ÉMETTEUR I hereby certify that the plum spirit 'Šljivovica' described in this certificate corresponds with the definition given on the reverse. Je certifie que l'eau-de-vie de prunes «Šljivovica» décrite dans ce certificat correspond à la définition figurant au verso. <table> <tr> <td>Place</td> <td>Date</td> </tr> <tr> <td>Lieu</td> <td>Date</td> </tr> </table> (Stamp and signature) (Cachet et signature)				Place	Date	Lieu	Date	
Place	Date							
Lieu	Date							

DEFINITION

Plum spirit with an alcoholic strength of 40 % vol or more, marketed under the name ŠLJIVOVICA, corresponding to the specifications laid down in the Regulation relating to the quality of spirituous beverages, published in the Official Journal of the Socialist Federal Republic of Yugoslavia on 7 October 1971.

DÉFINITION

Eau-de-vie de prunes ayant un titre alcoométrique égal ou supérieur à 40 % vol, commercialisée sous la dénomination ŠLJIVOVICA correspondant à la spécification reprise dans la réglementation relative à la qualité des boissons alcooliques publiée au Journal officiel de la république socialiste fédérative de Yougoslavie le 7 octobre 1971.

1 Exporter (name, full address, country) Exportateur (nom, adresse complète, pays)	2 No	ORIGINAL	
	3 Quota year Année contingentaire	4 Country of destination Pays de destination	
5 Consignee (name, full address, country) Destinataire (nom, adresse complète, pays)	6 Issuing authority Organisme émetteur		
	7 CERTIFICATE OF AUTHENTICITY CERTIFICAT D'AUTHENTICITÉ Tobacco — Tabac 'Prilep' (CN Code ex 2401 10 60 and ex 2401 20 60) (Code NC ex 2401 10 60 et ex 2401 20 60)		
8 Place and date of shipment — Means of transport Lieu et date d'embarquement — Moyen de transport	9 Marks and numbers — Number and kind of packages Marques et numéros — Nombre et nature des colis 10 Net weight (kg) Poids net (kg)		
11 Net weight (kg) (in words) Poids net (kg) (en lettres)			
12 CERTIFICATE BY THE ISSUING AUTHORITY — VISA DE L'ORGANISME ÉMETTEUR I hereby certify that the tobacco described in this certificate is 'Prilep' tobacco within the meaning of the Agreement. Je certifie que le tabac décrit dans ce certificat est le tabac «Prilep» au sens de l'accord. Place Lieu Date Date (Stamp and signature) (Cachet et signature)			

COUNCIL REGULATION (EEC) No 3608/89

of 20 November 1989

establishing ceilings and Community surveillance for imports of certain products originating in Malta (1990)

THE COUNCIL OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community, and in particular Article 113 thereof,

Having regard to the proposal from the Commission,

Whereas the Agreement establishing an Association between the European Economic Community and Malta ⁽¹⁾, as supplemented by the Additional Protocol ⁽²⁾ and by the Supplementary Protocol to the Agreement ⁽³⁾ extending until 31 December 1990 the first stage of the Agreement and adapting certain provisions thereof, has provided in Article 2 of Annex I for the total abolition of customs duties in respect of the products to which the Agreement applies; whereas, however, exemption from duties in respect of a number of products is subject to ceilings above which the customs duties applicable to third countries may be re-established; whereas, in the context of the said ceilings, the Kingdom of Spain and the Portuguese Republic will apply customs duties calculated in accordance with the said Protocol to the Agreement establishing an Association between the European Economic Community and Malta consequent on the accession of the Kingdom of Spain and the Portuguese Republic to the Community ⁽⁴⁾;

Whereas the ceilings to be applied in 1990 should therefore be determined; whereas those ceilings can be applied only if the Community is regularly informed of imports of the said products originating in Malta; whereas imports of those products should therefore be subject to a system of surveillance;

Whereas this objective may be achieved by means of an administrative procedure based on charging imports of the products in question against the ceilings at Community level as and when the products are entered with customs authorities for free circulation; whereas this administrative procedure must provide for the possibility of the applicable customs duties being re-established as soon as the ceilings are reached at Community level;

Whereas this administrative procedure requires close and particularly rapid cooperation between the Member States and the Commission and the latter must in particular be able to follow the progress of quantities charged against the ceilings and keep the Member States informed; whereas this

cooperation has to be particularly close since the Commission must be able to take appropriate measures to re-establish customs tariffs if one of the ceilings is reached,

HAS ADOPTED THIS REGULATION:

Article 1

1. From 1 January to 31 December 1990 imports into the Community of the products listed in the Annex and originating in Malta shall be subject to annual ceilings and Community surveillance.

The description of the products referred to in the first subparagraph, the corresponding CN codes and the ceilings are set out in the Annex.

In the framework of these tariff ceilings, the Kingdom of Spain and the Portuguese Republic shall apply customs duties calculated in accordance with the relevant provisions of the Protocol to the Association Agreement between the European Economic Community and Malta consequent on the accession of Spain and Portugal.

2. Quantities shall be charged against the ceilings as and when the products are entered with customs authorities for free circulation accompanied by a movement certificate in accordance with the rules contained in the Protocol concerning the definition of the concept of 'originating products' and methods of administrative cooperation annexed to the Protocol laying down certain provisions relating to the Agreement establishing an association between the European Economic Community and Malta ⁽⁵⁾.

Goods may be charged against the ceiling only if the movement certificate is submitted before the date on which customs duties are re-established.

The extent to which a ceiling is used up shall be determined at Community level on the basis of the imports charged against it in the manner defined in the preceding subparagraphs.

Member States shall inform the Commission of imports charged in accordance with the above procedure at the intervals and within the time limits specified in paragraph 4.

⁽¹⁾ OJ No L 61, 14. 3. 1971, p. 2.

⁽²⁾ OJ No L 304, 29. 11. 1977, p. 2.

⁽³⁾ OJ No L 81, 23. 3. 1989, p. 2.

⁽⁴⁾ OJ No L 81, 23. 3. 1989, p. 11.

⁽⁵⁾ OJ No L 111, 28. 4. 1976, p. 3.

3. As soon as the ceilings are reached, the Commission may adopt a Regulation re-establishing, until the end of the calendar year, the customs duties applicable to third countries.

4. Member States shall send the Commission not later than the 15th day of each month statements of the quantities charged during the preceding month. If the Commission so requests, they shall provide such statements for periods of 10 days and forward them within five clear days of the end of each 10-day period.

Article 2

The Commission, in close cooperation with the Member States, shall take all appropriate measures for the purposes of applying this Regulation.

Article 3

This Regulation shall enter into force on 1 January 1990.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 20 November 1989.

For the Council

The President

H. NALLET

ANNEX

List of products subject to import ceilings in 1990

Order No	CN code ⁽¹⁾	Description	Level of ceiling (tonnes)
11.0010	5204	Cotton sewing thread, whether or not put up for retail sale:	application of ceiling suspended
		— Not put up for retail sale:	
	5204 11 00	— — Containing 85 % or more by weight of cotton	
	5204 19 00	— — Other	
	5205	Cotton yarn (other than sewing thread), containing 85 % or more by weight of cotton, not put up for retail sale	
	5206	Cotton yarn (other than sewing thread), containing less than 85 % by weight of cotton, not put up for retail sale	
11.0020	5604	Rubber thread and cord, textile covered; textile yarn, and strip and the like falling within code 5404 or 5405, impregnated, coated, covered or sheathed with rubber or plastics:	application of ceiling suspended
	ex 5604 90 00	— Other:	
		— — Of cotton	
	5208	Woven fabrics of cotton, containing 85 % or more by weight of cotton, weighing not more than 200 g/m ²	
	5209	Woven fabrics of cotton, containing 85 % or more by weight of cotton, weighing more than 200 g/m ²	
	5210	Woven fabrics of cotton, containing less than 85 % by weight of cotton, mixed mainly or solely with man-made fibres, weighing not more than 200 g/m ²	
11.0030	5211	Woven fabrics of cotton, containing less than 85 % by weight of cotton, mixed mainly or solely with man-made fibres, weighing more than 200 g/m ²	application of ceiling suspended
	5212	Other woven fabrics of cotton	
	5801	Woven pile fabrics and chenille fabrics, other than fabrics falling within code 5802 or 5806:	
		— Of cotton:	
	5801 21 00	— — Uncut weft pile fabrics	
	ex 5811 00 00	Quilted textile products of cotton in the piece, composed of one or more layers of textile materials assembled with padding by stitching or otherwise, other than embroidery of heading No 5810	
11.0030	ex 6308 00 00	Sets consisting of woven fabric and yarn, of cotton, whether or not with accessories, for making up into rugs, tapestries, embroidered table cloths or serviettes, or similar textile articles, put up in packings for retail sale	application of ceiling suspended
	5506	Synthetic staple fibres, carded, combed or otherwise processed for spinning	
	5507 00 00	Artificial staple fibres, carded, combed or otherwise processed for spinning	

⁽¹⁾ The Taric codes are to be found on the last page of this Annex.

Order No	CN code	Description	Level of ceiling (tonnes)
11.0040	5608	Knotted netting of twine, cordage or rope; made-up fishing nets and other made-up nets, of textile materials:	application of ceiling suspended
		— Of man-made textile materials:	
	5608 19	— — Other:	
		— — — Made-up nets:	
		— — — — Of nylon or other polyamides:	
	5608 19 19	— — — — — Other	
		— — — — — Other:	
	5608 19 39	— — — — — Other	
	5608 90 00	— Other	
	6101	Men's or boys' overcoats, car-coats, capes, cloaks, anoraks (including ski-jackets), wind-cheaters, wind-jackets and similar articles, knitted or crocheted, other than those falling within code 6103	
	6102	Women's or girls' overcoats, car-coats, capes, cloaks, anoraks (including ski-jackets), wind-cheaters, wind-jackets and similar articles, knitted or crocheted, other than those falling within code 6104	
	6103	Men's or boys' suits, ensembles, jackets, blazers, trousers, bib and brace overalls, breeches and shorts (other than swimwear), knitted or crocheted	
	6104	Women's or girls' suits, ensembles, jackets, blazers, dresses, skirts, divided skirts, trousers, bib and brace overalls, breeches and shorts (other than swimwear), knitted or crocheted	
	6106	Women's or girls' blouses, shirts and shirt-blouses, knitted or crocheted	
	6107	Men's or boys' underpants, briefs, nightshirts, pyjamas, bathrobes, dressing gowns and similar articles, knitted or crocheted:	
		— Other:	
	6107 91 00	— — Of cotton	
	6107 92 00	— — Of man-made fibres	
	6107 99 00	— — Of other textile materials	
	6108	Women's or girls' slips, petticoats, briefs, panties, nightdresses, pyjamas, négligés, bathrobes, dressing gowns and similar articles, knitted or crocheted:	
		— Other:	
	6108 91 00	— — Of cotton	
	6108 92 00	— — Of man-made fibres	
	6108 99	— — Of other textile materials:	
	6108 99 10	— — — Of wool or fine animal hair	
	6108 99 90	— — — Of other textile materials	
	6110	Jerseys, pullovers, cardigans, waistcoats and similar articles, knitted or crocheted:	
	6110 10	— Of wool or fine animal hair:	
		— — Other:	
		— — — Men's or boys':	
	6110 10 31	— — — — Of wool	
	6110 10 39	— — — — Of fine animal hair	
		— — — Women's or girls':	
	6110 10 91	— — — — Of wool	
	6110 10 99	— — — — Of fine animal hair	

Order No	CN code	Description	Level of ceiling (tonnes)
11.0040 (cont'd)	6110 20	- Of cotton:	application of ceiling suspended (cont'd)
		- - Other:	
	6110 20 91	- - - Men's or boys'	
	6110 20 99	- - - Women's or girls'	
	6110 30	- Of man-made fibres:	
		- - Other:	
	6110 30 91	- - - Men's or boys'	
	6110 30 99	- - - Women's or girls'	
	6110 90	- Of other textile materials:	
	6110 90 10	- - Of flax or ramie	
	6110 90 90	- - Other	
	6111	Babies' garments and clothing accessories, knitted or crocheted:	
	6111 10	- Of wool or fine animal hair:	
	6111 10 90	- - Other	
	6111 20	- Of cotton:	
	6111 20 90	- - Other	
	6111 30	- Of synthetic fibres:	
	6111 30 90	- - Other	
	6111 90 00	- Of other textile materials	
	6112	Track suits, ski suits and swimwear, knitted or crocheted:	
		- Track suits:	
	6112 11 00	- - Of cotton	
	6112 12 00	- - Of synthetic fibres	
	6112 19 00	- - Of other textile materials	
	6112 20 00	- Ski suits	
		- Men's or boys' swimwear:	
	6112 31	- - Of synthetic fibres:	
	6112 31 90	- - - Other	
	6112 39	- - Of other textile materials:	
	6112 39 90	- - - Other	
		- Women's or girls' swimwear:	
	6112 41	- - Of synthetic fibres:	
	6112 41 90	- - - Other	
	6112 49	- - Of other textile materials:	
	6112 49 90	- - - Other	
	6113 00	Garments, made up of knitted or crocheted fabrics falling within code 5903, 5906 or 5907:	
	6113 00 90	- Other	
	6114	Other garments, knitted or crocheted	
	6117	Other made up clothing accessories, knitted or crocheted; knitted or crocheted parts of garments or of clothing accessories	
	6301	Blankets and travelling rugs:	
	6301 20	- Blankets (other than electric blankets) and travelling rugs, of wool or of fine animal hair:	
	6301 20 10	- - Knitted or crocheted	

Order No	CN code	Description	Level of ceiling (tonnes)
11.0040 (cont'd)	6301 30	– Blankets (other than electric blankets) and travelling rugs, of cotton:	application of ceiling suspended (cont'd)
	6301 30 10	– – Knitted or crocheted	
	6301 40	– Blankets (other than electric blankets) and travelling rugs, of synthetic fibres:	
	6301 40 10	– – Knitted or crocheted	
	6301 90	– Other blankets and travelling rugs:	
	6301 90 10	– – Knitted or crocheted	
	6302	Bed linen, table linen, toilet linen and kitchen linen:	
	6302 10	– Bed linen, knitted or crocheted:	
	6302 10 10	– – Of cotton	
	6302 10 90	– – Of other textile materials	
	6302 40 00	– Table linen, knitted or crocheted	
	6303	Curtains (including drapes) and interior blinds; curtain or bed valances:	
		– Knitted or crocheted:	
	6303 11 00	– – Of cotton	
	6303 12 00	– – Of synthetic fibres	
	6303 19 00	– – Of other textile materials	
	6304	Other furnishing articles, excluding those falling within code 9404:	
		– Bedspreads:	
	6304 11 00	– – Knitted or crocheted	
		– Other:	
	6304 91 00	– – Knitted or crocheted	
	6305	Sacks and bags, of a kind used for the packing of goods:	
	6305 20 00	– Of cotton	
		– Of man-made textile materials:	
	6305 31	– – Of polyethylene or polypropylene strip or the like	
	ex 6305 39 00	– – Other:	
		– – – Knitted or crocheted	
	ex 6305 90 00	– Of other textile materials:	
		– – Knitted or crocheted	
	6307	Other made up articles, including dress patterns:	
	6307 10	– Floor-cloths, dish-cloths, dusters and similar cleaning cloths:	
	6307 10 10	– – Knitted or crocheted	
	6307 90	– Other:	
	6307 90 10	– – Knitted or crocheted	
11.0050	6201	Men's or boys' overcoats, car-coats, capes, cloaks, anoraks (including ski-jackets), wind-cheaters, wind-jackets and similar articles, other than those falling within code 6203	1 534
	6203	Men's or boys' suits, ensembles, jackets, blazers, trousers, bib and brace overalls, breeches and shorts (other than swimwear)	

Order No	CN code	Description	Level of ceiling (tonnes)
11.0050 (cont'd)	6207	Men's or boys' singlets and other vests, underpants, briefs, nightshirts, pyjamas, bathrobes, dressing gowns and similar articles:	1 534 (cont'd)
		— Other:	
	6207 91 00	— — Of cotton	
	6207 92 00	— — Of man-made fibres	
	6207 99 00	— — Of other textile materials	
	6210	Garments, made up of fabrics falling within code 5602, 5603, 5903, 5906 or 5907:	
	6210 10	— Of fabrics falling within code 5602 or 5603:	
		— — Of fabrics falling within code 5603:	
	6210 10 91	— — — In sterile packs	
	6210 10 99	— — — Other	
	6210 20 00	— Other garments, of the type described in code 6201 11 to 6201 19	
	6210 40 00	— Other men's or boys' garments	
	6211	Track suits, ski suits and swimwear; other garments:	
		— Swimwear:	
	6211 11 00	— — Men's or boys'	
	6211 20 00	— Ski suits	
		— Other garments, men's or boys':	
	6211 31 00	— — Of wool or fine animal hair	
	6211 32	— — Of cotton:	
	6211 32 10	— — — Industrial and occupational clothing	
	6211 32 90	— — — Other	
	6211 33	— — Of man-made fibres:	
	6211 33 10	— — — Industrial and occupational clothing	
	6211 33 90	— — — Other	
	6211 39 00	— — Of other textile materials	
	6217	Other made up clothing accessories; parts of garments or of clothing accessories, other than those falling within code 6212:	
	6217 90 00	— Parts:	

Taric codes

Order No	CN code	Taric code
11.0010	ex 5604 90 00	5604 90 00 * 50
11.0020	ex 5811 00 00	5811 00 00 * 14 5811 00 00 * 91 5811 00 00 * 92
	ex 6308 00 00	6308 00 00 * 11 6308 00 00 * 19
11.0040	ex 6305 39 00	6305 39 00 * 91
	ex 6305 90 00	6305 90 00 * 10 6305 90 00 * 19

COUNCIL REGULATION (EEC) No 3609/89

of 20 November 1989

opening and providing for the administration of a Community preferential ceiling for certain petroleum products refined in Turkey and establishing Community surveillance for imports thereof (1990)

THE COUNCIL OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community, and in particular Article 113 thereof,

Having regard to the proposal from the Commission,

Whereas Article 7 of the Supplementary Protocol to the Association Agreement between the European Economic Community and Turkey consequent on the accession of new Member States to the Community ⁽¹⁾, which was signed in Ankara on 30 June 1973 and entered into force on 1 March 1986 ⁽²⁾, provides for the total suspension of customs duties applicable to certain petroleum products refined in Turkey falling within Chapter 27 of the Common Customs Tariff within the limits of an annual Community tariff quota of 340 000 tonnes; whereas, for the products concerned, a provisional adjustment should be made to those tariff preferences, consisting essentially of substituting for the Community tariff quota a Community ceiling amounting, after successive increases, to 705 000 tonnes, above which the customs duties applicable to third countries may be re-established;

Whereas the Council adopted Regulation (EEC) No 1059/88 of 28 March 1988 laying down the arrangements applicable to Greece's trade with Turkey ⁽³⁾; whereas, the Council also adopted Regulation (EEC) No 2573/87 of 11 August 1987 laying down the arrangements for trade between Spain and Portugal, on the one hand, and Algeria, Egypt, Jordan, Lebanon, Tunisia and Turkey, on the other ⁽⁴⁾; whereas the tariff quota in question applies therefore to the current Community;

Whereas the application of ceilings requires the Community to be regularly informed of the trend of imports of the relevant products originating in Turkey; whereas imports should, therefore, be made subject to a system of surveillance;

Whereas this objective may be achieved by means of an administrative procedure based on offsetting imports of the products in question against the ceiling at Community level as and when these products are entered with the customs authorities for free circulation; whereas this administrative procedure must make provision for the possible re-establishment of customs tariff duties as soon as the ceiling is reached at Community level;

Whereas this administrative procedure requires close and particularly swift cooperation between the Member States and the Commission; whereas the latter must, in particular, be able to follow the progress of quantities charged against the ceiling and keep the Member States informed; whereas this cooperation has to be particularly close since the Commission must be able to take the appropriate measures to re-establish customs tariff duties if the ceiling is reached,

HAS ADOPTED THIS REGULATION:

Article 1

1. From 1 January to 31 December 1990 the duties applicable to imports into the Community of the petroleum products refined in Turkey and indicated in paragraph 2 shall be suspended in full within the limits of a Community ceiling of 705 000 tonnes.

Within the limits of this ceiling, the Kingdom of Spain and the Portuguese Republic shall apply the duties calculated in accordance with Regulation (EEC) No 2573/87.

2. The petroleum products to which paragraph 1 applies shall be the following:

Order No	CN code	Description
13.0010	2710 00	Petroleum oils and oils obtained from bituminous minerals, other than crude preparations not elsewhere specified or included, containing by weight 70 % or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations: — Light oils: — — For other purposes:

⁽¹⁾ OJ No L 361, 31. 12. 1977, p. 2.

⁽²⁾ OJ No L 48, 26. 2. 1986, p. 36.

⁽³⁾ OJ No L 104, 23. 4. 1988, p. 4.

⁽⁴⁾ OJ No L 250, 1. 9. 1987, p. 1.

Order No	CN code	Description
13.0010 (cont'd)		— — — Special spirits:
	2710 00 21	— — — — White spirit
	2710 00 25	— — — — Other
		— — — Other:
		— — — — Motor spirit:
	2710 00 31	— — — — — Aviation spirit:
		— — — — — Other, with a lead content:
	2710 00 33	— — — — — Not exceeding 0,013 g/l
	2710 00 35	— — — — — Exceeding 0,013 g/l
	2710 00 37	— — — — Spirit type jet fuel
	2710 00 39	— — — — Other light oils
		— Medium oils:
		— — For other purposes:
		— — — Kerosene:
	2710 00 51	— — — — Jet fuel
	2710 00 55	— — — — Other
	2710 00 59	— — — Other
		— Heavy oils:
		— — Gas oils:
	2710 00 69	— — — For other purposes
		— — Fuel oils:
	2710 00 79	— — — For other purposes
		— — Lubricating oils; other oils:
	2710 00 95	— — — To be mixed in accordance with the terms of additional note 6 (CN) to this chapter ⁽¹⁾
	2710 00 99	— — — For other purposes
	2711	Petroleum gases and other gaseous hydrocarbons:
	2711 12	— — Propane:
		— — — Other:
	2711 12 99	— — — — For other purposes
	2711 13	— — Butanes:
	2711 13 90	— — — For other purposes
	2712	Petroleum jelly, paraffin wax, microcrystalline petroleum wax, slack wax, ozokerite, lignite wax, peat wax, other mineral waxes, and similar products obtained by synthesis or by other processes, whether or not coloured:
	2712 10	— Petroleum jelly:
	2712 10 10	— — Crude
	2712 10 90	— — Other
	2712 20 00	— Paraffin wax containing by weight less than 0,75 % of oil
	2712 90	— Other:
		— — Other:
		— — — Crude:
	2712 90 39	— — — — For other purposes
	2712 90 90	— — — Other
	2713	Petroleum coke, petroleum bitumen and other residues of petroleum oils or of oils obtained from bituminous minerals:
	2713 90	— Other residues of petroleum oils or of oils obtained from bituminous minerals:
	2713 90 90	— — Other

⁽¹⁾ Entry under this code is subject to conditions laid down in the relevant Community provisions.

3. Imports of the petroleum products referred to in paragraph 1 shall be subject to Community surveillance.

4. Quantities shall be charged against the ceiling as and when products are entered with the customs authorities for free circulation.

5. The extent to which the ceiling is used up shall be determined at Community level on the basis of the imports charged against it, in the manner specified in paragraph 4.

6. Member States shall inform the Commission, at the intervals and within the time limits specified in Article 3, of imports effected in accordance with the rules referred to in this Article.

Article 2

As soon as the ceiling referred to Article 1 (1) has been reached at Community level, the Commission may adopt a regulation re-establishing, until the end of the calendar year, the collection of the duties normally applicable.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 20 November 1989.

Article 3

Member States shall send the Commission statements of the quantities charged for the preceding month no later than the 15th day of each month. At the Commission's request, they shall send statements of the quantities charged for periods of 10 days, to be forwarded within five clear days of the end of each 10-day period.

Article 4

The Commission shall take all appropriate measures, in close cooperation with the Member States, to ensure the implementation of this Regulation.

Article 5

This Regulation shall enter into force on 1 January 1990.

For the Council
The President
H. NALLET

II

(Acts whose publication is not obligatory)

COUNCIL

DECISION OF THE REPRESENTATIVES OF THE GOVERNMENTS OF THE
MEMBER STATES, MEETING WITHIN THE COUNCIL,

of 20 November 1989

establishing ceilings and Community supervision for imports of certain goods falling within the
ECSC Treaty originating in Yugoslavia (1990)

(89/611/ECSC)

THE REPRESENTATIVES OF THE GOVERNMENTS OF THE
MEMBER STATES OF THE EUROPEAN COAL AND STEEL
COMMUNITY, MEETING WITHIN THE COUNCIL,

In agreement with the Commission,

HAVE DECIDED AS FOLLOWS:

Article 1

1. From 1 January to 31 December 1990 imports into the Community of certain products originating in Yugoslavia and indicated in Article 3 of the Agreement between the Member States of the European Coal and Steel Community, of the one part, and the Socialist Federal Republic of Yugoslavia, of the other part ⁽¹⁾, shall be subject to annual ceilings and to Community supervision in the Community.

2. In application of the provisions of Article 12 of the Agreement, the contracting parties will begin negotiations towards concluding an additional Protocol to the Agreement determining the future regime of their commerce. Pending the conclusion of the Protocol in question, the Community, by Decision 88/652/ECSC ⁽²⁾, has extended the system provided for by Article 3 of the Agreement.

3. Within the limits of these tariff ceilings, the Kingdom of Spain and the Portuguese Republic shall apply customs duties calculated according to Decision 87/603/ECSC of the Representatives of the Governments of the Member States, meeting within the Council, and of the Commission of 21 December 1987 laying down the arrangements for

Spain's and Portugal's trade with Yugoslavia in products falling under the ECSC Treaty and amending Decisions 86/69/ECSC and 87/456/ECSC ⁽³⁾.

The description of the goods referred to in the preceding subparagraph, their CN codes and the levels of the indicative ceilings are given in the Annex hereto.

4. Amounts shall be set off against the ceilings as and when the goods are entered with customs authorities for free circulation and accompanied by a movement certificate conforming to the rules contained in Protocol 3 to the Cooperation Agreement between the European Economic Community and the Socialist Federal Republic of Yugoslavia ⁽⁴⁾.

Goods shall be set off against the ceilings only if the movement certificate has been submitted before the date on which customs duties are re-established.

The reaching of a ceiling shall be determined at Community level on the basis of imports set off against it in the manner defined in the preceding subparagraphs.

The Member States shall periodically inform the Commission of imports effected in accordance with the above rules; such information shall be supplied under the conditions laid down in paragraph 6.

5. As soon as the ceilings are reached at Community level, Member States may at any time, at the request of any one of them or of the Commission, and in respect of the whole of the Community, re-establish the levying of the customs duties applicable to third countries.

⁽¹⁾ OJ No L 41, 14. 2. 1983, p. 113.

⁽²⁾ OJ No L 367, 31. 12. 1988, p. 78.

⁽³⁾ OJ No L 389, 31. 12. 1987, p. 61.

⁽⁴⁾ OJ No L 41, 14. 2. 1983, p. 2.

Within the framework of the foregoing provisions, the Commission shall coordinate the procedures for re-establishing the customs duties applicable to third countries, in particular by notifying the date common to the whole of the Community and directly applicable in each Member State. The notification shall be published in the *Official Journal of the European Communities*.

6. Member States shall forward to the Commission, not later than the 15th day of each month, statements of the amounts set off during the preceding month. They shall, if the Commission so requests, make up such statements for periods of 10 days and forward them within five clear days of expiry of the preceding 10-day period.

Article 2

Member States and the Commission shall cooperate closely to ensure that this Decision is complied with.

Article 3

Member States shall take all measures necessary to implement this Decision.

Done at Brussels, 20 November 1989.

The President

H. NALLET

ANNEX (a)

Order No	CN code (*)	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0010		Pig iron and spiegeleisen in pigs, blocks or other primary forms: - Non-alloy pig iron containing by weight 0,5 % or less of phosphorus: - - Containing by weight not less than 0,4 % of manganese: - - - Containing by weight 1 % or less of silicon - - - Containing by weight more than 1 % of silicon - - Containing by weight not less than 0,1 % but less than 0,4 % of manganese - - Containing by weight less than 0,1 % of manganese - Non-alloy pig iron containing by weight more than 0,5 % of phosphorus - Alloy pig iron: - - Containing by weight not less than 0,3 % but not more than 1 % of titanium and not less than 0,5 % but not more than 1 % of vanadium - - Other - Spiegeleisen - Ferro-alloys: - Other: - - Other: - - - Ferro-phosphorus: - - - - Containing by weight more than 3 % but less than 15 % of phosphorus - Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94 %, in lumps, pellets or similar forms: - Other	26 769
06.0020		Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated: - In coils, not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa: - - Of a thickness exceeding 10 mm - - Of a thickness of 4,75 mm or more but not exceeding 10 mm: - - - Intended for re-rolling ⁽¹⁾ - - - Other: - - - - With patterns in relief - - - - Other - - Of a thickness of 3 mm or more but less than 4,75 mm: - - - Intended for re-rolling ⁽¹⁾ - - - Other: - - - - With patterns in relief - - - - Other - - Of a thickness of less than 3 mm: - - - Intended for re-rolling ⁽¹⁾ - - - Other - Other, in coils, not further worked than hot-rolled: - - Of a thickness exceeding 10 mm: - - - With patterns in relief	38 862

⁽¹⁾ Entry within this code is subject to conditions laid down in the relevant Community provisions.

(a) Notwithstanding the rules for the interpretation of the combined nomenclature, the wording for the designation of the products is to be considered as having no more than an indicative value, the preferential scheme being determined, within the context of this Annex, by the application of CN codes. Where ex CN code positions are indicated, the preferential scheme is to be determined by application of the CN code and corresponding description taken together.

(*) The Taric codes are to be found on the last page of this Annex.

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0020 (cont'd)	7208 21 90	- - - Other	38 862 (cont'd)
		- - Of a thickness of 4,75 mm or more but not exceeding 10 mm:	
	7208 22 10	- - - Intended for re-rolling ⁽¹⁾	
		- - - Other:	
	7208 22 91	- - - - With patterns in relief	
	7208 22 99	- - - - Other	
		- - Of a thickness of 3 mm or more but less than 4,75 mm:	
	7208 23 10	- - - Intended for re-rolling ⁽¹⁾	
		- - - Other:	
	7208 23 91	- - - - With patterns in relief	
	7208 23 99	- - - - Other	
		- - Of a thickness of less than 3 mm:	
	7208 24 10	- - - Intended for re-rolling ⁽¹⁾	
	7208 24 90	- - - Other	
		Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated:	
		- Not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
		- - Other, of a thickness of 4,75 mm or more:	
	ex 7211 12 10	- - - Of a width exceeding 500 mm: - ⁽²⁾	
		- - Other:	
	ex 7211 19 10	- - - Of a width exceeding 500 mm: - ⁽²⁾	
		- Other, not further worked than hot-rolled:	
		- - Other, of a thickness of 4,75 mm or more:	
	ex 7211 22 10	- - - Of a width exceeding 500 mm: - ⁽²⁾	
		- - Other:	
	ex 7211 29 10	- - - Of a width exceeding 500 mm: - ⁽²⁾	
06.0030		Semi-finished products of iron or non-alloy steel:	25 607
		- Containing by weight less than 0,25 % of carbon:	
		- - Other:	
		- - - Of circular or polygonal cross-section:	
		- - - - Rolled or obtained by continuous casting:	
	7207 19 15	- - - - - Other	
		- Containing by weight 0,25 % or more of carbon:	
		- - Of circular or polygonal cross-section:	
		- - - Rolled or obtained by continuous casting:	
		- - - - Other:	
	7207 20 55	- - - - - Containing by weight 0,25 % or more but less than 0,6 % of carbon	
		Bars and rods, hot-rolled, in irregularly wound coils of iron or non-alloy steel:	
	7213 10 00	- Containing indentations, ribs, grooves or other deformations produced during the rolling process	
	7213 31 00	- Other, containing by weight less than 0,25 % of carbon	
	7213 39 00		
	7213 41 00	- Other, containing by weight 0,25 % or more but less than 0,6 % of carbon	
	7213 49 00		

⁽¹⁾ Entry within this code is subject to conditions laid down in the relevant Community provisions.

⁽²⁾ Flat-rolled products of a weight of 500 kg or more.

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0030 (cont'd)	7214 20 00	Other bars and rods of other alloy steel, not further worked than forged hot-rolled, hot-drawn or hot-extruded but including those twisted after rolling:	25 607 (cont'd)
		– Containing indentations, ribs, grooves, or other deformations produced during the rolling process or twisted after rolling	
	7214 40 10	– Other, containing by weight less than 0,25 % of carbon	
	7214 40 91		
	7214 40 99		
	7214 50 10	– Other, containing by weight 0,25 % or more but less than 0,6 % of carbon	
	7214 50 91		
	7214 50 99		
		Other bars and rods of iron or non-alloy steel:	
		– Other:	
	7215 90 10	– – Hot-rolled, hot-drawn or extruded not further worked than clad	
		Other bars and rods of other alloy steel, angles, shapes and sections of other alloy steel:	
		– Hollow drill bars and rods:	
	7228 80 90	– – Of non-alloy steel	
06.0040		Semi-finished products of iron or non-alloy steel:	3 652
		– Containing by weight less than 0,25 % of carbon:	
		– – Other:	
		– – – Blanks for angles, shapes and sections:	
	7207 19 31	– – – Rolled or obtained by continuous casting	
		– Containing by weight 0,25 % or more of carbon:	
		– – Blanks for angles, shapes and sections:	
	7207 20 71	– – – Rolled or obtained by continuous casting	
		Angles, shapes and sections of iron or non-alloy steel:	
	7216 10 00	– U-, I- or H-sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm	
	7216 21 00	– L- or T-sections, not further worked than hot-rolled, hot-drawn or extruded of a height of less than 80 mm	
	7216 22 00	– – – Of a height of 80 mm or more but not exceeding 220 mm:	
	7216 31 11	– – – – With parallel flange faces	
	7216 31 19	– – – – Other	
		– – – Of a height of more than 220 mm:	
	7216 31 91	– – – – With parallel flange faces	
	7216 31 99	– – – – Other	
		– – – Of a height of 80 mm or more but not exceeding 220 mm:	
	7216 32 11	– – – – With parallel flange faces	
	7216 32 19	– – – – Other	
		– – – Of a height of more than 220 mm:	
	7216 32 91	– – – – With parallel flange faces	
	7216 32 99	– – – – Other	
	7216 33 10	– – – Of a height of 80 mm or more but not exceeding 180 mm	
	7216 33 90	– – – Of a height of more than 180 mm	
	7216 40 10	– L- or T-sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more	
	7216 40 90	– – – Of a height of 80 mm or more	
	7216 50 10	– Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded	
	7216 50 90	– Other:	
		– – Hot-rolled, hot-drawn or extruded, not further worked than clad:	
		Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements, welded angles, shapes and sections, of iron or steel	
	7301 10 00	– Sheet piling	

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0050		Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated - Not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa: - - Other, of a thickness of 4,75 mm or more: - - - Of a width not exceeding 500 mm: - (1) - - Other: - - - Of a width not exceeding 500 mm: - - - - Of a thickness of 3 mm or more but less than 4,75 mm: - (2) - - - - Of a thickness of less than 3 mm: - (1) - Other, not further worked than hot-rolled: - - Other, of a thickness of 4,75 mm or more: - - - Of a width not exceeding 500 mm: - (1) - Other, not further worked than hot-rolled: - - Other: - - - Of a width not exceeding 500 mm (ECSC): - - - - Of a thickness of 3 mm or more but less than 4,75 mm: - (1) - - - - Of a thickness of less than 3 mm: - (1) - Other, not further worked than cold-rolled (cold-reduced): - - Containing by weight less than 0,25 % of carbon: - - - Of a width not exceeding 500 mm: - - - - In coils intended for the manufacture of tin plate - Clad: - - Of a width not exceeding 500 mm: - - - Not further worked than surface-treated: - - - - Hot-rolled, not further worked than clad: - (1)	7 551
06.0060		Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated: - Not in coils, not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa: - - Other, of a thickness exceeding 10 mm - - Other, of a thickness of 4,75 mm or more but not exceeding 10 mm - - Other, of a thickness of 3 mm or more but less than 4,75 mm - - Other, of a thickness of less than 3 mm - - Other, not in coils, not further worked than hot-rolled	46 838

(1) Other than products containing, by weight, not less than 0,60 % of carbon and having a content, by weight, less than 0,04 % of phosphorus and sulphur taken separately and less than 0,07 % of these elements taken together.

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0060 (cont'd)	7208 42 10	— Other, of a thickness exceeding 10 mm	46 838 (cont'd)
	7208 42 30		
	7208 42 51		
	7208 42 59		
	7208 42 91		
	7208 42 99		
	7208 43 10	— Other, of a thickness of 4,75 mm or more but not exceeding 10 mm	
	7208 43 91		
	7208 43 99		
	7208 44 10	— Other, of a thickness of 3 mm or more but less than 4,75 mm	
	7208 44 90		
	7208 45 10	— Other, of a thickness of less than 3 mm	
	7208 45 91		
	7208 45 93		
	7208 45 99		
		— Other:	
	7208 90 10	— Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
		Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced) not clad, plated or coated:	
		— In coils, not further worked than cold-rolled (cold-reduced) of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
	7209 12 10	— Of a thickness exceeding 1 mm but less than 3 mm	
	7209 12 90		
	7209 13 10	— Of a thickness of 0,5 mm or more but not exceeding 1 mm	
	7209 13 90		
	7209 14 10	— Of a thickness of less than 0,5 mm	
	7209 14 90	— Other, in coils not further worked than cold-rolled (cold reduced):	
	7209 22 10	— Of a thickness exceeding 1 mm but less than 3 mm	
	7209 22 90		
	7209 23 10	— Of a thickness of 0,5 mm or more but not exceeding 1 mm	
	7209 23 90		
	7209 24 10	— Of a thickness of less than 0,5 mm	
	7209 24 91		
	7209 24 99		
		— Not in coils, not further worked than cold-rolled (cold-reduced) of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
	7209 32 10	— Of a thickness exceeding 1 mm but less than 3 mm	
	7209 32 90		
	7209 33 10	— Of a thickness of 0,5 mm or more but not exceeding 1 mm	
	7209 33 90		
	7209 34 10	— Of a thickness of less than 0,5 mm	
	7209 34 90		
		— Other, not in coils, not further worked than cold-rolled (cold-reduced):	
	7209 42 10	— Of a thickness exceeding 1 mm but not exceeding 3 mm	
	7209 42 90		
	7209 43 10	— Of a thickness of 0,5 mm or more but not exceeding 1 mm	
	7209 43 90		
	7209 44 10	— Of a thickness of less than 0,5 mm	
	7209 44 90		
	— Other:		
7209 90 10	— Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)		
	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated:		
	— Plated or coated with tin:		
	— Of a thickness of 0,5 mm or more:		

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0060 (cont'd)	7210 11 10	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	46 838 (cont'd)
		— — Of a thickness of less than 0,5 mm:	
	7210 12 11	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
	7210 12 19	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
		— Plated or coated with lead, including terne-plate:	
	7210 20 10	— — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
		— Electrolytically plated or coated with zinc:	
		— — Of steel of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
	7210 31 10	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
		— — Other:	
	7210 39 10	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
		— Otherwise plated or coated with zinc:	
		— — Corrugated:	
	7210 41 10	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
		— — Other:	
	7210 49 10	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
		— Plated or coated with chromium oxides or with chromium and chromium oxides:	
	7210 50 10	— — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
		— Plated or coated with aluminium:	
		— — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square):	
	7210 60 11	— — — Plated or coated with aluminium-zinc alloys	
	7210 60 19	— — — Other	
		— Painted, varnished or plastic coated:	
	7210 70 11	— — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
	7210 70 19	— — — Other:	
		— — Other:	
	7210 90 31	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
	7210 90 33		
	7210 90 35		
	7210 90 39		
		Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated:	
		— Not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
		— — Other, of a thickness of 4,75 mm or more:	
	ex 7211 12 10	— — — Of a width exceeding 500 mm:	
		— (1)	
		— — Other:	
	ex 7211 19 10	— — — Of a width exceeding 500 mm:	
		— (1)	
		— Other, not further worked than hot-rolled:	
		— — Other, of a thickness of 4,75 mm or more:	
	ex 7211 22 10	— — — Of a width exceeding 500 mm:	
		— (1)	
		— — Other:	

(1) Not including flat-rolled products of a weight of 500 kg or more.

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0060 (cont'd)	ex 7211 29 10	- - - Of a width exceeding 500 mm: - (1)	46 838 (cont'd)
		Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated:	
		- Not further worked than cold-rolled (cold-reduced) of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
	7211 30 10	- - Of a width exceeding 500 mm - Other, not further worked than cold-rolled (cold-reduced): - - Containing by weight less than 0,25 % of carbon:	
	7211 41 10	- - - Of a width exceeding 500 mm - - Other:	
	7211 49 10	- - - Of a width exceeding 500 mm - Other: - - Of a width exceeding 500 mm:	
	7211 90 11	- - - Not further worked than surface-treated	
		Flat-rolled products of iron or non-alloy steel, of a width of less than 500 mm, clad, plated or coated:	
		- Plated or coated with tin:	
	7212 10 10	- - Tin plate, not further worked than surface-treated - Electrolytically plated or coated with zinc: - - Of steel of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
	7212 21 11	- - - Of a width exceeding 500 mm: - - - - Not further worked than surface-treated - - Other: - - - Of a width exceeding 500 mm:	
	7212 29 11	- - - - Not further worked than surface-treated - Otherwise plated or coated with zinc: - - Of a width exceeding 500 mm:	
	7212 30 11	- - - Not further worked than surface-treated - Painted, varnished or plastic coated:	
	7212 40 10	- - Tin plate, not further worked than varnished - - Other: - - - Of a width exceeding 500 mm:	
	7212 40 91	- - - - Not further worked than surface-treated - Otherwise plated or coated: - - Of a width exceeding 500 mm:	
		- - - Lead-coated:	
	7212 50 31	- - - - Not further worked than surface-treated - - - Other:	
	7212 50 51	- - - - Not further worked than surface-treated - Clad: - - Of a width exceeding 500 mm:	
	7212 60 11	- - - Not further worked than surface-treated	
06.0070		Ferrous waste and scrap; remelting scrap ingots of iron or steel:	25 515
	7204 50 90	- Remelting scrap ingots: - - Other	
		Iron and non-alloy steel in ingots or other primary forms (excluding iron of code 7203)	

(1) Not including flat-rolled products of a weight of 500 kg or more.

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0070 (cont'd)	7206 10 00	— Ingots (ECSC)	25 515 (cont'd)
		Semi-finished products of iron or non-alloy steel	
		— Containing by weight less than 0,25 % of carbon: — Of rectangular (including square) cross-section, the width measuring less than twice the thickness: — Rolled or obtained by continuous casting: — Free-cutting steel — Other: — Of circular or polygonal cross-section: — Rolled or obtained by continuous casting: — Of free-cutting steel — Containing by weight 0,25 % or more of carbon: — Of rectangular (including square) cross-section, the width measuring less than twice the thickness: — Rolled or obtained by continuous casting: — Free-cutting steel — Other, containing by weight: — 0,6 % or more of carbon — Of circular or polygonal cross-section: — Rolled or obtained by continuous casting: — Free-cutting steel — Other: — Containing by weight 0,6 % of carbon	
	7207 11 11		
	7207 19 11		
	7207 20 11		
	7207 20 17		
	7207 20 51		
	7207 20 57		
		Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated: — Not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa: — Other, of a thickness of 4,75 mm or more: — Of a width not exceeding 500 mm — (1) — Other: — Of a width not exceeding 500 mm: — Of a thickness of 3 mm or more but less than 4,75 mm — (1) — Of a thickness of less than 3 mm — (1) — Other, not further worked than hot-rolled: — Other, of a thickness of 4,75 mm or more: — Of a width not exceeding 500 mm — (1) — Other: — Of a width not exceeding 500 mm: — Of a thickness of 3 mm or more but less than 4,75 mm — (1) — Of a thickness of less than 3 mm — (1)	
	ex 7211 12 90		
	ex 7211 19 91		
	ex 7211 19 99		
	ex 7211 22 90		
	ex 7211 29 91		
	ex 7211 29 99		
		Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated: — Clad: — Of a width not exceeding 500 mm: — Not further worked than surface-treated:	

(1) Containing, by weight, not less than 0,6 % of carbon and having a content, by weight, less than 0,04 % of phosphorus and sulphur taken separately and less than 0,07 % of these elements taken together.

Order No	CN code	Description	Ceiling amount (in tonnes)
(1)	(2)	(3)	(4)
06.0070 (cont'd)	ex 7212 60 91	— — — — Hot-rolled, not further worked than clad — (1)	25 515 (cont'd)
		Bars and rods, hot-rolled, in irregularly wound coils of iron or non-alloy steel:	
	7213 20 00	— Of free-cutting steel	
		— Other, containing by weight 0,6 % or more of carbon	
	7213 50 10	— — Containing by weight 0,6 % or more but not more than 0,75 % of carbon	
	7213 50 90	— — Containing by weight more than 0,75 % of carbon	
	7214 30 00	— Of free-cutting steel	
	7214 60 00	— Other, containing by weight 0,6 % or more of carbon	
		Stainless steel in ingots or other primary forms, semi-finished products of stainless steel:	
	7218 10 00	— Ingots and other primary forms	
		— Other:	
		— — Of rectangular (including square) cross-section:	
	7218 90 11	— — — Rolled or obtained by continuous casting	
	7218 90 13		
	7218 90 15		
	7218 90 19		
		— — Other:	
	7218 90 50	— — — Rolled or obtained by continuous casting	
		Flat-rolled products of stainless steel, of a width of 600 mm or more:	
	7219 11 10	— Not further worked than hot-rolled in coils	
	7219 11 90		
	7219 12 10	— Not further worked than hot-rolled, not in coils	
	7219 12 90		
	7219 13 10	— Not further worked than cold-rolled (cold-reduced):	
	7219 13 90		
	7219 14 10	— — Of a thickness exceeding 1 mm but less than 3 mm	
	7219 14 90		
	7219 21 10		
	7219 21 90		
		— — — Containing by weight 2,5 % or more of nickel, of a thickness:	
	7219 21 11	— — — — Exceeding 13 mm	
	7219 21 19	— — — — Exceeding 10 mm but not exceeding 13 mm	
	7219 22 10		
	7219 22 90		
	7219 23 10		
	7219 23 90		
	7219 24 10		
	7219 24 90		
	7219 33 10		
	7219 33 90		
	7219 34 10	— — Of a thickness of 0,5 mm or more but not exceeding 1 mm	
	7219 34 90		
	7219 35 10	— — Of a thickness of less than 0,5 mm	
	7219 35 90		
		— Other:	
	7219 90 11	— — Not further worked than surface-treated, including cladding, or simply cut into shapes other than rectangular (including square)	
	7219 90 19		
		Flat-rolled products of stainless steel, of a width of less than 600 mm:	
	7220 11 00	— Not further worked than hot-rolled	
	7220 12 00		

(1) Containing, by weight, not less than 0,6 % of carbon and having a content, by weight, less than 0,04 % of phosphorus and sulphur taken separately and less than 0,07 % of these elements taken together.

Order No	CN code	Description	Ceiling amount (in tonnes)
(1)	(2)	(3)	(4)
06.0070 (cont'd)	7227 (all numbers)	Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel	
		Other bars and rods of other alloy steel; angles, shapes and sections of other alloy steel, hollow drill bars and rods, of alloy or non-alloy steel:	
	7228 10 10	- Bars and rods, or alloy or non-alloy steel:	
		- - Not further worked than hot-rolled, hot-drawn or extruded	
		- - Other:	
	7228 10 91	- - - Hot-rolled, hot-drawn or extruded not further worked than clad	
		- Bars and rods, of silico-manganese steel:	
	7228 20 11	- - Not further worked than hot-rolled, hot-drawn or extruded	
	7228 20 19	- - Other:	
	7228 20 30	- - - Hot-rolled, hot-drawn or extruded not further worked than clad	
	7228 30 10	- Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded	
	7228 30 30	- - Of rectangular cross-section, rolled on four faces	
	7228 30 80	- - Other	
	7228 60 10	- - Hot-rolled, hot-drawn or extruded not further worked than clad	
		- Angles, shapes and sections:	
	7228 70 10	- - Not further worked than hot-rolled hot-drawn or extruded	
		- Not further worked than cold-rolled (cold-reduced):	
	7220 20 10	- - Of a width exceeding 500 mm	
		- Other:	
		- - Of a width exceeding 500 mm:	
	7220 90 11	- - - Not further worked, than surface-treated, including cladding	
		- - Of a width not exceeding 500 mm:	
		- - - Not further worked than surface-treated, including cladding:	
	7220 90 31	- - - - Hot-rolled, not further worked than clad	
		Other bars, and rods of stainless steel; shapes and sections of stainless steel:	
	7222 10 11	- Bars and rods, not further worked than hot-rolled, hot-drawn or extruded	
	7222 10 19		
	7222 10 51		
	7222 10 59		
	7222 10 99		
		- Other bars and rods:	
	7222 30 10	- - Hot-rolled, hot-drawn or extruded not further worked than clad	
		- Angles, shapes and sections:	
	7222 40 11	- - Not further worked than hot-rolled hot-drawn or extruded	
	7222 40 19	- - Other:	
	7222 40 30	- - - Hot-rolled, hot-drawn or extruded not further worked than clad	
		Other alloy steel in ingots or other primary forms, semi-finished products of other alloy steel:	
	7224 10 00	- Ingots and other primary forms:	
		- Other:	
		- - Of rectangular (including square) cross-section:	
		- - - The width measuring less than twice the thickness:	
	7224 90 01	- - - - Of high-speed steel	
	7224 90 09	- - - - Other	
	7224 90 15	- - - - Other	

25 515
(cont'd)

Order No	CN code	Description	Ceiling amount (in tonnes)
(1)	(2)	(3)	(4)
06.0070 (cont'd)	7224 90 30	— — — Hot-rolled or obtained by continuous casting	25 515 (cont'd)
		Flat-rolled products of other alloy steel, of a width of 600 mm or more	
	7225 10 10	— Of silicon-electrical steel	
	7225 10 91		
	7225 10 99		
		— Of high speed steel:	
	7225 20 11	— — Not further worked than hot-rolled	
	7225 20 19	— — Not further worked than surface-treated, including cladding or simply cut into	
	7225 20 30	shapes other than rectangular (including square)	
	7225 30 00	— Other, not further worked than hot-rolled, in coils	
	7225 40 10	— Other, not further worked than hot-rolled, not in coils	
	7225 40 30		
	7225 40 50		
	7225 40 70		
	7225 40 90		
		— Other:	
	7225 90 10	— — Not further worked than surface-treated including cladding or simply cut into	
		shapes other than rectangular (including square)	
		Flat-rolled products of other alloy steel, of a width of less than 600 mm	
		— Of silicon-electrical steel	
	7226 10 10	— — Not further worked than hot-rolled	
		— — Other:	
	7226 10 30	— — — Of a width exceeding 500 mm	
		— Of high-speed steel	
	7226 20 10	— — Not further worked than hot-rolled	
		— — Not further worked than cold-rolled (cold reduced)	
	7226 20 31	— — — Of a width exceeding 500 mm	
		— — Other:	
		— — — Of a width exceeding 500 mm	
	7226 20 51	— — — — Not further worked than surface treated, including cladding	
		— — — — Of a width not exceeding 500 mm:	
		— — — — Not further worked than surface-treated including cladding:	
	7226 20 71	— — — — — Hot-rolled, not further worked than clad	
		— Other:	
	7226 91 00	— — Not further worked than hot-rolled	
		— — Not further worked than cold-rolled (cold-reduced):	
	7226 92 10	— — — Of a width exceeding 500 mm	
		— — Other:	
		— — — Of a width exceeding 500 mm:	
	7226 99 11	— — — — Not further worked than surface-treated, including cladding	
		— — — — Of a width not exceeding 500 mm:	
		— — — — Not further worked than surface-treated, including cladding:	
	7226 99 31	— — — — — Hot-rolled, not further worked than clad	
		— Other:	
	7228 70 31	— — — Hot-rolled, hot-drawn or extruded not further worked than clad	
		— Hollow drill bars and rods:	
	7228 80 10	— — Of alloy steel	

Taric codes

Order No	CN code	Taric code
06.0020	ex 7211 12 10	7211 12 10 * 12 7211 12 10 * 91
	ex 7211 19 10	7211 19 10 * 12 7211 19 10 * 91
	ex 7211 22 10	7211 22 10 * 12 7211 22 10 * 91
	ex 7211 29 10	7211 29 10 * 12 7211 29 10 * 91
06.0050	ex 7211 12 90	7211 12 90 * 90
	ex 7211 19 91	7211 19 91 * 90
	ex 7211 19 99	7211 19 99 * 90
	ex 7211 22 90	7211 22 90 * 90
	ex 7211 29 91	7211 29 91 * 90
	ex 7211 29 99	7211 29 99 * 90
	ex 7212 60 91	7212 60 91 * 90
06.0060	ex 7211 12 10	7211 12 10 * 18 7211 12 10 * 19 7211 12 10 * 99
	ex 7211 19 10	7211 19 10 * 16 7211 19 10 * 17 7211 19 10 * 19 7211 19 10 * 99
	ex 7211 22 10	7211 22 10 * 18 7211 22 10 * 19 7211 22 10 * 99
	ex 7211 29 10	7211 29 10 * 16 7211 29 10 * 17 7211 29 10 * 19 7211 29 10 * 99
06.0070	ex 7211 12 90	7211 12 90 * 10
	ex 7211 19 91	7211 19 91 * 10
	ex 7211 19 99	7211 19 99 * 10
	ex 7211 22 90	7211 22 90 * 10
	ex 7211 29 91	7211 29 91 * 10
	ex 7211 29 99	7211 29 99 * 10
	ex 7212 60 91	7212 60 91 * 10

COUNCIL DECISION

of 21 June 1989

on the conclusion of a Supplementary Protocol to the Agreement between the European Economic Community and the Republic of Austria concerning the elimination of existing and prevention of new quantitative restrictions affecting exports or measures having equivalent effect

(89/612/EEC)

THE COUNCIL OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community, and in particular Article 113 thereof,

Having regard to the proposal from the Commission,

Whereas the Agreement between the European Economic Community and the Republic of Austria ⁽¹⁾, signed in Brussels on 22 July 1972, does not provide for the prohibition of quantitative restrictions affecting exports and measures having equivalent effect;

Whereas it is in the interest of the European Economic Community and the Republic of Austria to promote the free circulation of raw materials and goods by abolishing any such restrictions and measures and by preventing the creation of new restrictions or measures affecting their mutual trade;

Whereas it is necessary both to make arrangements for a phased abolition of current restrictions affecting certain products or measures having equivalent effect and to provide for safeguard measures in the event either of re-export towards third countries against which the exporting Contracting Party maintains restrictions or measures having equivalent effect or in the event of serious shortage of a particular product;

Whereas under Article 32 (1) of the Agreement, the Contracting Parties may, in the interest of their economies, develop the relations established by the Agreement by extending it to fields not covered thereby;

Whereas the Commission has held negotiations with the Republic of Austria, which have resulted in a Protocol,

HAS DECIDED AS FOLLOWS:

Article 1

The Supplementary Protocol to the Agreement between the European Economic Community and the Republic of Austria concerning the elimination of existing and prevention of new quantitative restrictions affecting exports or measures having equivalent effect is hereby approved on behalf of the Community.

The text of the Protocol is attached to this Decision.

Article 2

The President of the Council shall give the notification provided for in Article 4 of the Supplementary Protocol.

Article 3

This Decision shall take effect on the day following its publication in the *Official Journal of the European Communities*.

Done at Luxembourg, 21 June 1989.

For the Council
The President
C. ARANZADI

SUPPLEMENTARY PROTOCOL

to the Agreement between the European Economic Community and the Republic of Austria concerning the elimination of existing and prevention of new quantitative restrictions affecting exports or measures having equivalent effect

THE EUROPEAN ECONOMIC COMMUNITY

of the one part, and

THE REPUBLIC OF AUSTRIA

of the other part,

HAVING REGARD to the Agreement between the European Economic Community and the Republic of Austria signed in Brussels on 22 July 1972, hereinafter called the 'Agreement', and in particular to Article 32 thereof,

RECALLING the objective of creating a European Economic Space in accordance with the Joint Declaration adopted by Ministers of the EFTA countries and the Member States of the Community and the Commission of the European Communities in Luxembourg on 9 April 1984,

MINDFUL of the need to develop their trade relations in the interests of both their economies by eliminating existing and preventing any new barriers affecting their exports of products covered by the Agreement,

AWARE nonetheless that under certain exceptional circumstances a Contracting Party may be forced to take safeguard measures on exports and that specific provisions should be introduced to this end,

HAVE DECIDED TO CONCLUDE THIS PROTOCOL:

Article 1

The following Articles are inserted into the Agreement:

'Article 13a

1. No new quantitative restriction on exports or measures having equivalent effect shall be introduced in trade between the Community and Austria.
2. Quantitative restrictions on exports and any measures having equivalent effect shall be abolished on 1 January 1990, except for those applied on 1 January 1989 to products listed in Protocol 6 which shall be eliminated in accordance with the provisions of the said Protocol.

Article 13b

A Contracting Party which is considering a change in the arrangements which it applies to exports to third countries shall, as far as may be practicable, notify the Joint Committee not less than thirty days before the proposed change comes into effect. It shall take note of any representations by the other Contracting Party regarding any distortions which may result therefrom.

Article 24a

Where compliance with the provisions of Articles 7 and 13a leads to

1. re-export towards a third country against which the exporting Contracting Party maintains, for the product concerned quantitative export restrictions, export duties or measures or charges having equivalent effect; or
2. a serious shortage, or threat thereof, of a product essential to the exporting Contracting Party;

and where the situations referred to above give rise or are likely to give rise to major difficulties for the exporting Contracting Party, that Contracting Party may take appropriate measures under the conditions and in accordance with the procedures laid down in Article 27.

Article 2

The text of Article 27 of the Agreement is replaced by the following:

'Article 27

1. In the event of a Contracting Party subjecting imports or export of products liable to give rise to the

difficulties referred to in Articles 24, 24a and 26 to an administrative procedure, the purpose of which is to provide rapid information on the trend of trade flows, it shall inform the other Contracting Party.

2. In the cases specified in Articles 22 to 26, before taking the measures provided for therein or, in cases to which paragraph 3 (e) applies, as soon as possible, the Contracting Party in question shall supply the Joint Committee with all relevant information required for a thorough examination of the situation with a view to seeking a solution acceptable to the Contracting Parties. In the selection of measures, priority must be given to those which least disturb the functioning of the Agreement.

The safeguard measures shall be notified immediately to the Joint Committee and shall be the subject of periodical consultations within the Committee, particularly with a view to their abolition as soon as circumstances permit.

3. For the implementation of paragraph 2, the following provisions shall apply:

- (a) As regards Article 23, either Contracting Party may refer the matter to the Joint Committee if it considers that a given practice is incompatible with the proper functioning of the Agreement within the meaning of Article 23 (1).

The Contracting Parties shall provide the Joint Committee with all relevant information and shall give it the assistance it requires in order to examine the case and, where appropriate, to eliminate the practice objected to.

If the Contracting Party in question fails to put an end to the practice objected to within the period fixed by the Joint Committee, or in the absence of agreement in the Joint Committee within three months of the matter being referred to it, the Contracting Party concerned may adopt any safeguard measures it considers necessary to deal with the serious difficulties resulting from the practices in question; in particular it may withdraw tariff concessions.

- (b) As regards Article 24, the difficulties arising from the situation referred to in that Article shall be referred for examination to the Joint Committee, which may

take any decision needed to put an end to such difficulties.

If the Joint Committee or the exporting Contracting Party has not taken a decision putting an end to the difficulties within thirty days of the matter being referred, the importing Contracting Party is authorized to levy a compensatory charge on the product imported.

The compensatory charge shall be calculated according to the incidence on the value of the goods in question of the tariff disparities in respect of the raw materials or intermediate products incorporated therein.

- (c) As regards Article 24a, the difficulties arising from the situations referred to in that Article shall be referred for examination to the Joint Committee. With regard to subparagraph (ii) of Article 24a, the threat of shortage shall be duly evidenced by appropriate quantitative and price indicators.

The Joint Committee may take any decision needed to put an end to the difficulties. If the Joint Committee has not taken such a decision within thirty days of the matter being referred to it, the exporting Contracting Party is authorized to apply temporarily appropriate measures on the exportation of the product concerned.

- (d) As regards Article 25, consultation in the Joint Committee shall take place before the Contracting Party concerned takes the appropriate measures.

- (e) Where exceptional circumstances requiring immediate action make prior examination impossible, the Contracting Party concerned may, in the situations specified in Articles 24, 24a, 25 and 26 and also in the case of export aid having a direct and immediate incidence on trade, apply forthwith the precautionary measures strictly necessary to remedy the situation.

Article 3

The following text shall be appended to the Agreement as Protocol 6:

PROTOCOL 6

concerning the elimination of certain quantitative restrictions on exports

Article 1

Quantitative restrictions applied by the Community on exports to Austria of the products listed below shall be eliminated at the latest on the dates indicated.

HS heading No	Product description	Date of elimination
74.04	Copper waste and scrap	1. 1. 1993
ex 44.01	Fuel wood, of coniferous wood and pine and fir shavings	1. 1. 1993
ex 44.03	Wood in the rough, whether or not stripped of its bark or merely roughed down	
	— Other, not including poplar	1. 1. 1993
	Wood, roughly squared or half squared but not further manufactured	
	— Other, not including poplar	1. 1. 1993
ex 44.07	Wood sawn lengthwise, sliced or peeled but not further prepared, of a thickness exceeding 6 mm	
	— Of coniferous wood not including small boards for the manufacture of boxes, sieves or riddles and the like	1. 1. 1993
ex 41.01	Raw hides and skins of bovine animals weighing less than 6 kg per skin	1. 1. 1992
ex 41.02	Raw skins of sheep and lambs	1. 1. 1992
ex 41.03	Raw hides and skins of goats and kids	1. 1. 1992
ex 43.01	Raw furskins of rabbits	1. 1. 1992

Article 2

Quantitative restrictions applied by Austria on exports to the Community of the products listed below shall be eliminated at the latest on the dates indicated.

HS heading No	Product description	Date of elimination
ex 26.20	Ash and residues, containing mainly zinc	1. 1. 1991
ex 26.20	Ash and residues, containing mainly lead:	
	— Accumulator plates and drained whole accumulators	1. 1. 1991
ex 44.01	Wood in chips or particles, edgings	1. 1. 1993
ex 44.03	Wood in the rough, except tropical woods or wood treated with paint, stains, creosote or other preservatives:	
	— Coniferous wood in the rough, other than roughly squared	
	— Round broad leaved wood in the rough, category B/C	
	— Beech wood in the rough, for use in the manufacture of wood pulp	1. 1. 1993
74.04	Copper waste and scrap	1. 1. 1993
76.02	Aluminium waste and scrap	1. 1. 1993

Article 4

This Supplementary Protocol shall be approved by the Contracting Parties in accordance with their own procedures.

It shall enter into force on 1 January 1990 provided that the Contracting Parties have notified each other before that date that the procedures necessary to this end have been completed.

If the Supplementary Protocol does not enter into force on that date, it shall do so on the first day of the second month following such notification.

Article 5

This Supplementary Protocol is drawn up in duplicate in the Danish, Dutch, English, French, German, Greek, Italian, Portuguese, and Spanish languages, each of these texts being equally authentic.

Hecho en Bruselas, el treinta y uno de octubre de mil novecientos ochenta y nueve.

Udfærdiget i Bruxelles, den enogtredivte oktober nitten hundrede og niogfirs.

Geschehen zu Brüssel am einunddreißigsten Oktober neunzehnhundertneunundachtzig.

Έγινε στις Βρυξέλλες, στις τριάντα μία Οκτωβρίου χίλια εννιακόσια ογδόντα εννέα.

Done at Brussels on the thirty-first day of October in the year one thousand nine hundred and eighty-nine.

Fait à Bruxelles, le trente et un octobre mil neuf cent quatre-vingt-neuf.

Fatto a Bruxelles, addì trentuno ottobre millenovecentottantanove.

Gedaan te Brussel, de eenendertigste Oktober negentienhondert negenentachtig.

Feito em Bruxelas, em trinta e um de Outubro de mil novecentos e oitenta e nove.

Por el Consejo de las Comunidades Europeas

For Rådet for de Europæiske Fællesskaber

Für den Rat der Europäischen Gemeinschaften

Για το Συμβούλιο των Ευρωπαϊκών Κοινοτήτων


For the Council of the European Communities

Pour le Conseil des Communautés européennes

Per il Consiglio delle Comunità europee

Voor de Raad van de Europese Gemeenschappen

Pelo Conselho das Comunidades Europeias



Por el Gobierno de la República de Austria

For regeringen for Republikken Østrig

Für die Regierung der Republik Österreich

Για την κυβέρνηση της Δημοκρατίας της Αυστρίας

For the Government of the Republic of Austria

Pour le gouvernement de la république d'Autriche

Per il governo della Repubblica d'Austria

Voor de Regering van der Republiek Oostenrijk

Pelo Governo da República da Áustria

Unter dem Vorbehalt
der Ratifikation

W. W. W.

JOINT DECLARATION BY THE CONTRACTING PARTIES

to the Supplementary Protocol to the Agreement between the European Economic Community and the Republic of Austria concerning the elimination of existing and prevention of new quantitative restrictions affecting exports or measures having equivalent effect

The Contracting Parties declare that Articles 7, 13a and 13b of the Agreement shall apply to products specified in Article 2 of the Agreement,

- including the petroleum products specified in Article 14 of the Agreement,
 - excluding the products covered by the Agreement between the Member States of the European Coal and Steel Community and the European Coal and Steel Community, of the one part, and the Republic of Austria of the other part.
-