

Official Journal

of the European Communities

ISSN 0378-6978

L 164

Volume 33

29 June 1990

English edition

Legislation

Contents

I *Acts whose publication is obligatory*

- ★ Council Regulation (EEC) No 1730/90 of 20 June 1990 temporarily suspending the autonomous Common Customs Tariff duty on certain industrial products (in the chemical and allied sectors) 1

I

(Acts whose publication is obligatory)

COUNCIL REGULATION (EEC) No 1730/90

of 20 June 1990

temporarily suspending the autonomous Common Customs Tariff duty on certain industrial products (in the chemical and allied sectors)

THE COUNCIL OF THE EUROPEAN COMMUNITIES,

temporarily, by fixing their period of validity by reference to the interests of Community production,

Having regard to the Treaty establishing the European Economic Community, and in particular Article 28 thereof,

HAS ADOPTED THIS REGULATION:

Having regard to the proposal from the Commission,

Article 1

Whereas production of the products referred to in this Regulation is at present inadequate or non-existent within the Community and producers are thus unable to meet the needs of user industries in the Community;

The autonomous Common Customs Tariff duties for the products listed in the tables appearing in the Annexes shall be suspended at the level indicated in respect of each of them.

These suspensions shall apply:

Whereas it is in the Community's interest in certain cases to suspend the autonomous Common Customs Tariff duties only partially, particularly because of the existence of Community production, and in other cases to suspend them completely;

- from 1 July to 30 September 1990 for the product listed in the table appearing in Annex I,
- from 1 July to 31 December 1990 for the products listed in the table appearing in Annex II,
- from 1 July 1990 to 30 June 1991 for the products listed in the table appearing in Annex III.

Whereas, taking account of the difficulties involved in accurately assessing the development of the economic situation in the sectors concerned in the near future, these suspension measures should be taken only

Article 2

This Regulation shall enter into force on 1 July 1990.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Luxembourg, 20 June 1990.

*For the Council**The President*

D. J. O'MALLEY

ANNEX I

CN code	Description	Rate of autonomous duty (%)
ex 2712 90 90	1-Alkenes of a chain-length of 18 carbon atoms or more but not exceeding 30 carbon atoms	0

ANNEX II

CN code	Description	Rate of autonomous duty (%)
ex 2843 90 90 ex 3004 90 99	Carboplatin (INN)	0
ex 2903 30 10	Carbon tetrafluoride (tetrafluoromethane)	0
ex 2907 29 90	6,6',6''-Tri- <i>tert</i> -butyl-4,4',4''-(1-methylpropan-1-yl-3-ylidene)tri- <i>m</i> -cresol, whether or not containing toluene of crystallization	0
ex 2908 10 90	4,4'-(Perfluoroisopropylidene)diphenol	0
ex 2910 90 00	1,2-Epoxybutane	0
ex 2918 19 90	Pravastatin sodium (INN)	3,5
ex 2918 19 90	Ammonium (3 <i>R</i> ,5 <i>R</i>)-7-[(1 <i>S</i> ,2 <i>S</i> ,6 <i>R</i> ,8 <i>S</i> ,8 <i>aR</i>)-8-(2,2-dimethylbutyryloxy)-1,2,6,7,8,8 <i>a</i> -hexahydro-2,6-dimethyl-1-naphthyl]-3,5-dihydroxyheptanoate	3,5
ex 2918 29 90	Octadecyl 3-(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)propionate	0
ex 2926 90 90	2-Cyanoacetamide	0
ex 2926 90 90	(-)- <i>N</i> -(α -Cyano-4-hydroxy-3-methoxy- α -methylphenethyl)acetamide	0
ex 2928 00 00	Carbidopa (INN)	0
ex 2929 10 00	<i>m</i> -Isopropenyl- α , α -dimethylbenzyl isocyanate	0
ex 2930 90 80	Probucol (INN)	3,8
ex 2931 00 90	2-Chloroethylphosphonic acid	3,8
ex 2932 29 90	Etoposide (INN)	0
ex 2933 39 90	2-(4-Pyridyl)ethanesulphonic acid	0
ex 2933 59 90	1,4-Diazabicyclo[2.2.2]octane (triethylenediamine)	0
ex 2933 90 60	Estazolam (INN)	4
ex 2934 90 60	Etizolam (INN)	4
ex 2934 90 60	Clotiazepam (INN)	4
ex 2934 90 60	Teniposide (INN)	0
ex 2935 00 00	Sulfadimethoxine (INN) and its sodium salt	3,3
ex 2940 00 90	Ribose	0
ex 2941 10 00	Piperacillin (INN)	4,1
ex 2941 10 00 ex 3004 10 10	Piperacillin sodium (INN)	3,6
ex 2941 30 00	Minocycline (INN) and its salts	0

CN code	Description	Rate of autonomous duty (%)
ex 2941 90 00	Josamycin (INN)	2,7
ex 2941 90 00	Josamycin propionate (INN)	2,7
ex 2941 90 00	Midecamycin (INN) and its acetates	2,7
ex 2941 90 00	Rokitamycin (INN)	2,7
ex 2941 90 00	Clindamycin (INN) and its salts and esters	0
ex 2941 90 00	Kanamycin sulphate (INN)	0
ex 2941 90 00	Lincomycin (INN) and its salts and esters, for the manufacture of medicaments of heading No 3003 or 3004 (a)	0
ex 2941 90 00	Cefotetan (INN)	0
ex 2941 90 00	Ceftizoxime sodium (INN)	0
ex 2941 90 00	Cefotiam dihydrochloride (INN)	0
ex 2941 90 00	Cefmenoxime hemihydrochloride (INN)	0
ex 2941 90 00 ex 3004 20 90	Amikacin (INN) and its salts	0
ex 3004 90 19	Purified collagen dispersed in a phosphate physiological saline solution, whether or not containing lidocaine (INN)	3
ex 3004 90 99	Preparation containing des-1-alanine-(125-serine) interleukin-2 (human), obtained from genetically-manipulated <i>Escherichia coli</i>	0
ex 3701 91 00	Film in the flat, put up in disc form and incorporated in a cartridge	5,3
ex 3802 90 00	Acid-activated montmorillonite, for the manufacture of self-copy paper (a)	0
3805 20 00	Pine oil	1,7
ex 3805 90 00	Crude dipentene	1,7
ex 3815 90 00	Catalyst, consisting of dialkyldimethylammonium acetate of chain-lengths of 16 and 18 carbon atoms, suspended in organic solvents to a concentration by weight of 40% or more	0
ex 3901 10 90	Polyethylene, containing by weight 0.25% or more of carbonyl groups in the chain, in the form of pellets	0
ex 3901 20 00	Polyethylene, in one of the forms mentioned in note 6 (b) to Chapter 39, of a specific gravity of 0.945 or more but not more than 0.985, for the manufacture of typewriter ribbon or similar ribbon (a)	0
ex 3901 90 00	Ionomer resin consisting of a salt of a copolymer of ethylene with methacrylic acid	4
ex 3901 90 00	Ionomer resin consisting of a salt of a terpolymer of ethylene with isobutyl acrylate and methacrylic acid	0
ex 3903 90 00	Copolymer, entirely of maleic anhydride with styrene, or entirely of maleic anhydride with styrene and an acrylic monomer, whether or not containing a styrene-butadiene block copolymer, in one of the forms mentioned in note 6 (b) to Chapter 39	0

CN code	Description	Rate of autonomous duty (%)
ex 3906 90 00	Copolymer of acrylonitrile with methyl acrylate, modified with polybutadiene-acrylonitrile (NBR)	0
ex 3907 20 90	α -4-Hydroxybutyl- ω -hydroxypoly(oxytetramethylene), containing less than 1 mg/kg of halogen and of metal, and of a colour not exceeding 20 units on the Hazen scale	0
ex 3909 40 00	Polycondensation products of phenol with formaldehyde, in the form of hollow spheres of a diameter of less than 150 micrometres	0
ex 3911 90 10	Poly(oxy-1,4-phenylenesulphonyl-1,4-phenyleneoxy-1,4-phenyleneisopropylidene-1,4-phenylene), in one of the forms mentioned in note 6 (b) to Chapter 39	3,5
ex 3919 90 31 ex 3920 62 00 ex 3921 90 19	Polyethylene terephthalate film, dyed in the mass, of a thickness not exceeding 25 micrometres and metallized on one side	6
ex 3920 42 11 ex 3920 42 91	Reflecting polyvinyl chloride sheeting, wholly embossed on one side in a regular pyramidal pattern, not containing microspheres	0
ex 3920 62 00 ex 3920 63 00 ex 3920 69 00	Reflecting polyester sheeting embossed in a regular pyramidal pattern, not containing microspheres	0
ex 3920 62 00 ex 3920 69 00 ex 3921 90 19	Iridescent film of polyester with polyethylene	0
ex 3920 99 50	Film of a mixture of polyvinylidene fluoride with an acrylic polymer, of a thickness of 40 micrometres or more but not exceeding 60 micrometres	0
ex 4811 21 00	Impregnated paper coated or covered with a pressure-sensitive self-adhesive layer, the whole: — of a tensile of 2200 N/m or more but not exceeding 3400 N/m (as determined by the DIN 53455 method), — of a stretch factor of 3,0% or more but not exceeding 4,5% (as determined by the DIN 53455 method) - and of adhesivity on stainless steel (as determined by the Finat FTM 1 method): — of 50 N/m or more but not exceeding 225 N/m, at a temperature of 23°C (+/- 3°C) and a relative humidity of 50% (+/- 5%) — not exceeding 250 N/m after aging for three weeks at a temperature of 70°C	0
ex 5509 41 10 ex 5509 41 90 ex 5509 42 10 ex 5509 42 90	Flame-resistant textile-fibre yarn, containing by weight 85% or more of acetalised polyvinyl alcohol [vinylal (ISO)] and not more than 15% of modal (ISO)	0
ex 5603 00 93 ex 5603 00 95	Nonwovens of polypropylene consisting of a melt-blown central layer, laminated on each side with spun-bonded fibres, of a thickness not exceeding 550 micrometres and of a weight not exceeding 80 g/m ² , in the piece or simply cut into rectangular shape, not impregnated	0
ex 5911 10 00	Needle-punched synthetic fibre felts on a woven synthetic fibre base not containing polyester, coated or covered on one side with polytetrafluoroethylene film, for the manufacture of filtration products (a)	0

CN code	Description	Rate of autonomous duty (%)
ex 5911 10 00	Needle-punched polyester felts on a woven polyester base, coated or covered on one side with polytetrafluoroethylene film, of a weight not exceeding 500 g/m ² , for the manufacture of filtration products (a)	0
6305 10 10	Sacks and bags, of a kind used for the packing of goods, used, of jute or of other textile bast fibres of heading No 5303	0
ex 6305 90 00	Sacks and bags, of a kind used for the packing of goods, used, of flax or of sisal	0
ex 6903 20 90 ex 6914 90 90	Yarn of continuous ceramic filaments, each filament containing by weight 12% or more of diboron trioxide, not more than 26% of silicon dioxide and 60% or more of dialuminium trioxide	0
ex 6909 19 00	Supports for catalysts, consisting of porous cordierite or mullite ceramic pieces of roughly circular, square, rectangular, oval or asymmetrical cross-section, of an overall volume not exceeding 65 000 ml, and of an external dimension of 20 mm or more but not exceeding 1 800 mm, having, per 100 mm ² and running parallel to the main axis of symmetry, not less than one continuous channel which may be open at both ends or stopped at one end, with a total channel cross-sectional area of 10% or more but not exceeding 90% of the whole cross-sectional area	0
ex 8111 00 11	Electrolytic manganese of a purity by weight of 99.7% or more, for the manufacture of non-ferrous alloys (a)	0
ex 8112 99 30	Alloy of niobium (columbium) and titanium, in the form of bars and rods	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

ANNEX III

CN code	Description	Rate of autonomous duty (%)
ex 1518 00 90	Inedible mixtures of animal or vegetable fats and oils, or their fractions	2
ex 2707 99 11	Crude light oils containing by weight: — 10% or more of vinyltoluenes — 10% or more of indene — 1% or more but not more than 5% of naphthalene	0
ex 2707 99 99	Mineral oil containing by weight: — more than 60% of aromatic constituents, — less than 0.7% of sulphur, and of which not more than 15% by volume distils at 250°C, for the manufacture of needle cokes (a)	0
ex 2712 20 00	Synthetic paraffin wax of a molecular weight of 460 or more but not exceeding 1560	0
ex 2804 29 00	Helium	0
ex 2805 30 10	Alloy of cerium and other rare earth metals, containing by weight 47% or more of cerium	0
ex 2810 00 00	Diboron trioxide	0
ex 2811 19 00	Sulphamidic acid	0
ex 2811 29 90	Tellurium dioxide	0
ex 2818 30 00	Aluminium hydroxide oxide in the form of pseudo-boehmite	4
ex 2819 90 00	Chromium dioxide	0
ex 2820 90 00	Manganese oxide containing by weight 77% or more of manganese	0
ex 2827 60 00	Titanium tetraiodide	0
ex 2835 26 90	Pentacalcium hydroxide tris(orthophosphate), for use in non-ferrous metallurgy (a)	0
ex 2836 91 00	Lithium carbonates not corresponding to the following specifications: — in the form of white powder - and — containing by weight 98,5% or more of Li_2CO_3 - and containing: — less than 2 mg/kg of arsenic — less than 200 mg/kg of calcium — less than 200 mg/kg of chlorides — less than 20 mg/kg of iron — less than 150 mg/kg of magnesium — less than 20 mg/kg of heavy metals — less than 300 mg/kg of potassium — less than 300 mg/kg of sodium — less than 200 mg/kg of sulphates	0

CN code	Description	Rate of autonomous duty (%)
2840 11 00 2840 20 10	Borates of sodium, anhydrous	0
ex 2840 19 00	Disodium tetraborate pentahydrate	0
ex 2841 80 00	Calcium tungstate (wolframate), for the manufacture of ferro-alloys or decaammonium-41-oxododecawolframate (ammonium paratungstate) (a)	0
2845 10 00	Heavy water (deuterium oxide) (<i>Euratom</i>)	0
2845 90 10	Deuterium and compounds thereof; hydrogen and compounds thereof, enriched in deuterium; mixtures and solutions containing these products (<i>Euratom</i>)	0
ex 2902 90 90	Vinyltoluenes	0
ex 2902 90 90	Tricyclo[8.2.2.2 ^{4,7}]hexadeca-1(12),4,6,10,13,15-hexaene	0
ex 2902 90 90	<i>p</i> -Cymene	0
ex 2903 30 39	Dibromomethane	0
ex 2903 40 99	Bromochloromethane	0
ex 2903 59 00	1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo[12.2.1.1 ^{6,9} .0 ^{2,13} .0 ^{5,10}]octadeca-7,15-diene, for use in the manufacture of polyamide, polyethylene and synthetic rubber (a)	0
ex 2903 69 00	Di- or tetrachlorotricyclo[8.2.2.2 ^{4,7}]hexadeca-1(12),4,6,10,13, 15-hexaene, mixed isomers	0
ex 2904 10 00	Sodium prop-2-ene-1-sulphonate of a purity of 93% or more by weight, in powder form, for the manufacture of acrylic fibres (a)	0
ex 2904 20 90	Nitromethane	0
ex 2904 20 90	1-Nitropropane	0
ex 2904 20 90	2-Nitropropane	0
ex 2904 20 90	Nitroethane	0
ex 2904 90 10	2,2,2-Trifluoroethyl trichloromethanesulphonate	0
ex 2905 19 10	Potassium <i>tert</i> -butoxide	0
ex 2905 39 90	Butane-1,3-diol	0
ex 2905 39 90	2,4,7,9-Tetramethyldec-5-yne-4,7-diol	0
ex 2905 50 90	2,2-Bis(bromomethyl)propanediol	0
2906 11 00	Menthol	0

CN code	Description	Rate of autonomous duty (%)
ex 2906 19 00	Labd-14-ene-8,13-diol	0
ex 2907 29 90	2,5-Di(<i>tert</i> -pentyl)hydroquinone	0
ex 2909 30 30	2-Bromo-6-methoxynaphthalene	0
ex 2909 30 30	1,2-Bis(2,4,6-tribromophenoxy)ethane for the manufacture of acrylonitrile-butadiene-styrene (ABS) (a)	0
ex 2909 49 10	2-(2-Chloroethoxy)ethanol	0
ex 2909 49 10	2,2,2',2'-Tetrakis(hydroxymethyl)-3,3'-oxydipropan-1-ol	0
ex 2910 90 00	2,3-Epoxypropan-1-ol (glycidol)	0
ex 2914 19 00	5-Methylhexan-2-one	0
ex 2914 19 00	3,3-Dimethylbutanone	0
ex 2914 49 00	11 α ,17,21-Trihydroxy-16 β -methylpregna-1,4-diene-3,20-dione	0
ex 2914 50 00	4-Methoxy-4-methylpentan-2-one	0
ex 2914 50 00	6'-Methoxy-2'-propiononaphthone	0
ex 2914 69 00	1,4-Naphthoquinone	0
ex 2914 69 00	Ubidecarenone (INN) (coenzyme Q ₁₀)	0
ex 2914 70 90	1-Chloro-3,3-dimethylbutanone	0
ex 2915 39 90	20-Oxopregna-5,16-dien-3 β -yl acetate	0
ex 2915 60 10	1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate	0
ex 2915 90 90	Trimethyl orthoacetate	0
ex 2916 14 00	2,3-Epoxypropyl methacrylate	0
ex 2916 19 90	Butyl perchlorocrotonate	0
ex 2916 39 00	Methyl 3-chlorobenzoate	0
ex 2917 13 00	Azelaic acid and sebacic acid	0
ex 2917 19 90	Sodium 1,2-bis(cyclohexyloxycarbonyl)ethanesulphonate	0
ex 2917 20 00	8,9,10-Trinorborn-5-ene-2,3-dicarboxylic anhydride	0
ex 2917 39 10	Tetrabromophthalic anhydride	0
ex 2917 39 90	Benzene-1,2,4-tricarboxylic acid	0
ex 2917 39 90	Benzene-1,2,4-tricarboxylic acid 1,2-anhydride	0

CN code	Description	Rate of autonomous duty (%)
ex 2917 39 90	Benzene-1,2,4-tricarbonyl trichloride	0
ex 2917 39 90	Tetrachlorophthalic anhydride	0
ex 2918 19 90	2,2-Bis(hydroxymethyl)propionic acid	0
ex 2918 19 90	Dinoprost (INN), for the manufacture of human medicaments of heading No 3004 (a)	0
ex 2918 29 90	Pentaerythritol tetrakis[3-(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)propionate]	0
ex 2918 90 00	Dinoprostone (INN)	0
ex 2918 90 00	Alprostadil (INN)	0
ex 2918 90 00	2,6-Dimethoxybenzoic acid	0
ex 2920 90 10	Diethyl sulphate	0
ex 2920 90 80	O,O'-Bis(2,4-di- <i>tert</i> -butylphenyl)pentaerythritol bis(phosphite)	0
ex 2920 90 80	O,O'-Dioctadecyl pentaerythritol bis(phosphite)	0
ex 2921 19 90	1,1,3,3-Tetramethylbutylamine	0
ex 2921 29 00	Tetramethylenediamine in aqueous solution, having in the water-free material: — a purity by weight of 99,9% or more — a pyrrolidine content of not more than 0,03% by weight — an aminobutyronitrile content of not more than 0,02% by weight	0
ex 2921 29 00	N,N,N',N'-Tetrabutylhexamethylenediamine	0
ex 2921 30 90	Cyclohex-1,3-ylenediamine (1,3-diaminocyclohexane)	0
ex 2921 49 10	α',α',α' -Trifluoro-2,3-xylidine	0
ex 2921 49 90	Selegiline hydrochloride (INN)	0
ex 2921 59 00	<i>m</i> -Phenylenebis(methylamine)	0
ex 2922 19 00	Dinoprost (INN), trometamol (INN) salt	0
ex 2922 19 00	1-Deoxy-1-(octylamino)-D-glucitol	0
ex 2922 19 00	Tulobuterol hydrochloride (INN)	0
ex 2922 49 90	Tranexamic acid (INN)	0
ex 2922 49 90	β -Alanine	0
ex 2922 50 00	Metipranolol (INN)	0
ex 2922 50 00	Nadolol (INN)	0

CN code	Description	Rate of autonomous duty (%)
ex 2924 10 00	2-Acrylamido-2-methylpropanesulphonic acid and its sodium or ammonium salts	0
ex 2924 29 90	5-[(R)-1-Hydroxy-2-[(R)-1-methyl-3-phenylpropylamino]ethyl]salicylamide-2,3-di-O-benzoyl-(+)-tartaric acid (1/1)	0
ex 2925 11 00	Saccharin and its sodium salt	0
2925 19 10	3,3',4,4',5,5',6,6'-Octabromo-N,N'-ethylenedipthalimide	0
ex 2925 19 90	N-Phenylmaleimide	0
ex 2926 90 90	Etocrilene (INN)	0
ex 2926 90 90	Octocrilene (INN)	0
ex 2926 90 90	Isophthalonitrile	6
ex 2926 90 90	2-(3-Phenoxyphenyl)propiononitrile	0
ex 2928 00 00	Robenidine hydrochloride (INN)	0
ex 2928 00 00	N,N-Diethylhydroxylamine	0
ex 2928 00 00	3,3'-Bis(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)-N,N'-bipropionamide	0
ex 2928 00 00	2,4,6-Trichlorophenylhydrazine	0
ex 2929 10 00	<i>m</i> -Phenylenediisopropylidene diisocyanate	0
ex 2929 10 00	Methylenedicyclohexyl diisocyanate, mixed isomers	0
ex 2929 10 00	<i>p</i> -Phenylene diisocyanate	0
ex 2929 10 00	<i>trans</i> -(Cyclohex-1,4-ylene diisocyanate), for the manufacture of thermoplastic polyurethane elastomers (a)	0
ex 2929 10 00	3,3'-Dimethylbiphenyl-4,4'-diyl diisocyanate	0
ex 2930 90 10	Cilastatin sodium (INN)	0
ex 2930 90 80	Thiophanate-methyl (ISO)	0
ex 2930 90 80	3,3-Dimethyl-1-methylthiobutanone oxime	0
ex 2930 90 80	Netobimin (INN)	0
ex 2930 90 80	Thiophenol	0
ex 2930 90 80	2,2'-Thiodiethyl bis[3-(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)propionate]	0
ex 2930 90 80	Ethoprophos (ISO)	0
ex 2931 00 90	Chlorodiphenylphosphine	0

CN code	Description	Rate of autonomous duty (%)
ex 2931 00 90	2-Diphenylphosphinobenzoic acid	0
ex 2932 11 00	Tetrahydrofuran, containing not more than 40 mg per litre in total of tetrahydro-2-methylfuran and tetrahydro-3-methylfuran, for the manufacture of α -4-hydroxybutyl- ω -hydroxypoly (oxytetramethylene) (a)	0
ex 2932 13 00	Tetrahydrofurfuryl alcohol	0
ex 2932 19 00	Furan of a purity by weight of 99% or more	0
ex 2932 29 90	2'-Anilino-6'-[ethyl(isopentyl)amino]-3'-methylspiro[isobenzofuran-1(3H),9'-xanthen]-3-one	0
ex 2932 29 90	2'-Chloro-6'-(diethylamino)-3'-methylspiro[isobenzofuran-1 (3H),9'-xanthen]-3-one	0
ex 2932 29 90	Glucuro lactone (INN)	0
ex 2932 29 90	13,14,15,16-Tetranorlabdano-12,8 α -lactone	0
ex 2932 29 90	1-Hydroxy-4-[1-(4-hydroxy-3-methoxycarbonyl-1-naphthyl)-3-oxo-1H,3H-benzo[de]isochromen-1-yl]-6-octadecyloxy-2-naphthoic acid	0
ex 2932 29 90	3'-Chloro-6'-cyclohexylaminospiro[isobenzofuran-1(3H),9'-xanthen]-3-one	0
ex 2932 29 90	6'-(N-Ethyl- <i>p</i> -toluidino)-2'-(N-methylanilino)spiro[isobenzofuran-1(3H),9'-xanthen]-3-one	0
ex 2932 29 90	6'-(N-Ethyl- <i>p</i> -toluidino)-2'-methylspiro[isobenzofuran-1 (3H),9'-xanthen]-3-one	0
ex 2932 29 90	2'-Anilino-6'-(N-ethyl- <i>p</i> -toluidino)-3'-methylspiro[isobenzofuran-1(3H),9'-xanthen]-3-one	0
ex 2932 90 70	Bendiocarb (ISO)	0
ex 2932 90 70	Glucosamine hydrochloride (INN)	0
ex 2932 90 70	(25R)-Spirost-5-en-3 β -ol (diosgenin) and its esters	0
ex 2933 29 90	Enoximone (INN)	0
ex 2933 39 90	Obidoxime chloride (INN)	0
ex 2933 39 90	Pyridine-2,3-dicarboxylic acid	0
ex 2933 39 90	Diphemanil metilsulphate (INN)	0
ex 2933 39 90	2,3,5,6-Tetrachloropyridine	0
ex 2933 39 90	Flunixin meglumine (INN)	0
ex 2933 39 90	Isonicotinonitrile	0
ex 2933 39 90	3,6-Dichloropyridine-2-carboxylic acid	0
ex 2933 39 90	2-Hydroxyethylammonium 3,6-dichloropyridine-2-carboxylate	0
ex 2933 39 90	2-Butoxyethyl (3,5,6-trichloro-2-pyridyloxy)acetate	0

CN code	Description	Rate of autonomous duty (%)
ex 2933 39 90	3,5-Dichloro-2,4,6-trifluoropyridine	0
ex 2933 39 90	4,4'-Bis(hydroxyiminomethyl)-1,1'-(oxydimethylene)dipyridinium dichloride	0
ex 2933 39 90	(RS)-1-[2-(4-Chlorobenzhydryloxy)ethyl]piperidine and its salts	0
ex 2933 39 90	Carpipramine dihydrochloride (INN)	0
ex 2933 39 90	Encainide hydrochloride (INN)	0
ex 2933 59 90	Amprolium hydrochloride (INN)	0
ex 2933 59 90	1-Ethyl-6-fluoro-1,4-dihydro-4-oxo-7-piperazin-1-yl-1,8-naphthyridine-3-carboxylic acid and its salts and esters	0
ex 2933 69 90	2,6-Di- <i>tert</i> -butyl-4-[4,6-bis(octylthio)-1,3,5-triazin-2-ylamino]phenol	0
ex 2933 69 90	1,3,5-Tris(4- <i>tert</i> -butyl-3-hydroxy-2,6-dimethylbenzyl)-1,3,5-triazine-2,4,6(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-trione	0
ex 2933 79 00	Carteolol hydrochloride (INN)	0
ex 2933 90 90	Octrizole (INN)	0
ex 2933 90 90	Drometrizole (INN)	0
ex 2933 90 90	2,4-Di- <i>tert</i> -butyl-6-(5-chlorobenzotriazol-2-yl)phenol	0
ex 2933 90 90	Captopril (INN)	0
ex 2933 90 90	Tryptophan, of a purity by weight not exceeding 98.5%, for the manufacture of goods of heading No 2309 (a)	0
ex 2933 90 90	(2 <i>S</i>)-1-(3-Acetylthio-2-methyl-1-oxopropyl)- <i>L</i> -proline	0
ex 2934 30 90	10-Benzoyl-3,7-bis(dimethylamino)phenothiazine	0
ex 2934 90 60	Tiquizium bromide (INN)	0
ex 2934 90 60	Timepidium bromide (INN)	0
ex 2934 90 70	Timolol (INN)	0
ex 2934 90 70	Ofloxacin (INN)	0
ex 2934 90 90	<i>p</i> -Methoxybenzyl-3-chloromethyl-7-(2-phenylacetamido)-3-cephem-4-carboxylate	0
ex 2934 90 90	<i>p</i> -Methoxybenzyl-(<i>Z</i>)-7-(2-phenylacetamido)-3-prop-1-enyl-3-cephem-4-carboxylate	0
ex 2934 90 90	Benzhydryl-(<i>Z</i>)-7-(2-phenylacetamido)-3-prop-1-enyl-3-cephem-4-carboxylate	0
ex 2934 90 90	Zotepine (INN)	4
ex 2934 90 90	1-Ethyl-1,4-dihydro-4-oxo[1,3]dioxolo[4,5- <i>g</i>]cinnoline-3-carbonitrile	0

CN code	Description	Rate of autonomous duty (%)
ex 2934 90 90	2-Chlorodibenz[<i>b,f</i>][1,4]oxazepin-11(10 <i>H</i>)-one	0
ex 2934 90 90	(6 <i>R</i> ,7 <i>R</i>)-3-Acetoxyethyl-7-[(<i>R</i>)-2-formyloxy-2-phenylacetamido]-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid and its salts and esters	0
ex 2934 90 90	Bis(2-hydroxyethyl) (9,10-dihydro-10-oxo-9-oxa-10-λ ⁵ -phospha-10-phenanthrylmethyl) succinate	0
ex 2934 90 90	Adenosine phosphate (INN)	0
ex 2934 90 90	3-(1-Ethyl-1-methylpropyl)isoxazol-5-ylamine	0
ex 2934 90 90	(2,3-Dihydro-3-oxobenz[<i>d</i>]isothiazol-2-yl)- <i>N</i> -5-methylisoxazol-3-ylacetamide <i>S,S</i> -dioxide	0
ex 2934 90 90	Tegafur (INN)	0
ex 2935 00 00	3-[1-(7-Hexadecane-1-sulphonamidoindol-3-yl)-3-oxo-1 <i>H</i> ,3 <i>H</i> -benz[<i>de</i>]isochromen-1-yl]indole-7-carboxylic acid	0
ex 2935 00 00	Sulfaguanidine (INN)	0
ex 2935 00 00	Sulfathiazole (INN) and its salts	0
ex 2936 24 00	Dexpanthenol (INN)	0
ex 2936 29 10	Folic acid (INN)	0
ex 2937 10 10	Serum gonadotrophin (INN)	0
ex 2937 10 90	Protirelin tartrate (INN)	0
ex 2937 29 90	Alclometasone 17,21-dipropionate (INN)	0
ex 2937 29 90	Methylprednisolone (INN) and its salts and esters	0
ex 2937 29 90	Mometasone furoate (INN)	0
ex 2937 99 00	Calcitonin (INN), salmon-type and its salts	0
ex 2937 99 00	Calcitonin (INN), porcine	0
2939 30 00	Caffeine and its salts	4,1
ex 2940 00 90	Sucrose benzoate, having a saponification equivalent not exceeding 175	0
ex 2941 90 00	Kitasamycin (INN) and its tartrate	0
ex 2941 90 00	Amphotericin B (INN)	0
ex 2941 90 00	Cefixime (INN)	0
ex 2941 90 00	Monensin (INN) and its salts	0
ex 2941 90 00	Pirarubicin (INN)	0

CN code	Description	Rate of autonomous duty (%)
ex 2941 90 00	Spectinomycin dihydrochloride (INN), pentahydrate	0
ex 2941 90 00	Nystatin (INN)	0
ex 2941 90 00	Sisomicin sulphate (INN)	0
ex 2941 90 00	Spectinomycin sulphate (INN)	0
ex 2941 90 00	Tobramycin (INN) and its salts	0
ex 2941 90 00	Cefaclor (INN) and its hydrates, salts and esters	0
ex 2941 90 00	Netilmicin sulphate (INN)	0
ex 2941 90 00	Dibekacin sulphate (INN)	0
ex 2941 90 00	Cefoxitin sodium (INN)	0
ex 2941 90 00	Cefradine (INN)	0
ex 2941 90 00	Latamoxef (INN) and its salts and esters	0
ex 2941 90 00	Ribostamycin sulphate (INN)	0
ex 2941 90 00	Aztreonam (INN)	0
ex 2941 90 00	Imipenem (INN)	0
ex 2941 90 00	Neomycin sulphate (INN)	0
ex 2941 90 00	Lasalocid sodium (INN)	0
ex 2941 90 00 ex 3004 20 90	Vancomycin (INN) and its salts and esters	0
ex 2941 90 00 ex 3004 20 90	Mitomycin (INN)	0
ex 2941 90 00 ex 3004 20 90	Bleomycin sulphate (INN)	0
ex 3002 10 10	Tetanus-immunoglobulin	0
ex 3002 10 10	Anti-tetanus immunoplasma	0
ex 3002 10 10	Rabies immunoplasma	0
ex 3002 10 91	Anti-haemophilic globulin and anti-Rh ₀ (D)-globulin derived from human blood	0
ex 3002 10 91	Gamma globulin, in solution, derived from human blood	0
ex 3002 10 91	Lyophilized gamma globulin derived from human blood	0
ex 3002 10 99	Unsterile blood serum obtained from the blood of a bovine foetus or non-immunized newly born calf	0

CN code	Description	Rate of autonomous duty (%)
ex 3002 39 00	Vaccine consisting of a bacterium obtained by isolating R-980 from <i>Mycoplasma gallisepticum</i> , in an oil-based emulsion	0
ex 3003 20 00	Mixture of cefradine (INN) and arginine (INN)	0
ex 3003 39 00	Mixture of oestrogens of equine origin, in the form of powder	0
ex 3003 40 00	Granules containing by weight 40% or more but not more than 50% of theophylline	0
ex 3003 90 90	Granules containing by weight 0,7% or more but not more than 1,2% of glycerol trinitrate	0
ex 3005 10 00	Self-adhesive plastic film, coated or covered on one side with glycerol trinitrate mixed with an acrylic adhesive, containing 4 mg/cm ² or more of glycerol trinitrate, protected by a release sheet, not put up in forms or packings for retail sale	0
3201 20 00	Tanning extracts of wattle (mimosa)	0
ex 3201 90 90	Tanning extracts derived from gambier and myrobalan fruits	0
ex 3201 90 90	Tanning extracts of eucalyptus	3,2
ex 3207 40 90	Glass, in the form of flakes of a length of 0.1 mm or more but not exceeding 3,5 mm and of a thickness of 2 micrometres or more but not exceeding 5 micrometres	0
ex 3207 40 90	Glass, in the form of powder or granules, containing by weight 99% or more of silicon dioxide	0
ex 3208 90 10 ex 3909 50 00	Polyurethane of 2,2'-(<i>tert</i> -butylimino)diethanol and 4,4'-methylenedicyclohexyl diisocyanate, in the form of a solution in <i>N,N</i> -dimethylacetamide containing by weight 48% or more of polymer	0
ex 3208 90 10 ex 3911 90 90	Copolymer of <i>p</i> -cresol and divinylbenzene, in the form of a solution in <i>N,N</i> -dimethylacetamide containing by weight 48% or more of polymer	0
ex 3402 11 00	Aqueous solution containing by weight 30% or more but not more than 50% of disodium alkyl [oxydi(benzenesulphonate)]	0
ex 3402 90 10	Mixture of docusate sodium (INN) and sodium benzoate	0
ex 3505 10 50	O-(2-Hydroxyethyl)amylopectin hydrolysate	0
ex 3507 90 00	Bromelains (INN)	0
ex 3507 90 00	Pyruvate: oxygen oxidoreductase	0
ex 3507 90 00	Lipoprotein lipase	0
ex 3507 90 00	Serrapeptase (INN)	0
ex 3507 90 00	<i>Aspergillus</i> alkaline proteinase	0
ex 3702 31 90	Colour negative film, of a width of 75 mm or more but not exceeding 105 mm and of a length of 100 m or more, for the manufacture of instant picture film packs (a)	0

CN code	Description	Rate of autonomous duty (%)
3805 10 30	Wood turpentine	1,7
3805 10 90	Sulphate turpentine	0
ex 3805 90 00	Sulphite turpentine; other terpenic oils produced by the distillation or other treatment of coniferous woods	1,7
ex 3806 90 00	Hydroabietyl alcohol	0
ex 3809 91 00	Mixture of (5-ethyl-2-methyl-2-oxo-1,3,2λ ⁵ -dioxaphosphoran-5-ylmethyl) methyl methyl-phosphonate and bis(5-ethyl-2-methyl-2-oxo-1,3,2λ ⁵ -dioxaphosphoran-5-ylmethyl) methyl-phosphonate	0
ex 3811 21 00	Salts of dinonylnaphthalenesulphonic acid, in the form of a solution in mineral oils	0
ex 3812 20 00	Reaction mixture containing benzyl 3-isobutyryloxy-1-isopropyl-2,2-dimethylpropyl phthalate and benzyl 3-isobutyryloxy-2,2,4-trimethylpentyl phthalate	0
ex 3812 30 80	Tetraaluminium nonamagnesium dicarbonate hexacosahydroxide heptahydrate, coated with a surface active agent	0
ex 3815 11 00	Catalyst, in the form of granules, consisting of a mixture of oxides on an aluminium oxide support and containing by weight: — 12% or more but not more than 20% of nickel, — 5% or more but not more than 10% of copper, — 0,5% or more but not more than 1,5% of manganese, of a pore volume of 0,25 cm ³ /g or more but not exceeding 0,95 cm ³ /g and of an apparent specific gravity of 0,5 or more but not exceeding 1,25	0
ex 3815 12 00	Catalyst, in the form of granules or rings of a diameter of 3 mm or more but not exceeding 10 mm, consisting of silver on an aluminium oxide support and containing by weight 8% or more but not more than 20% of silver	0
ex 3815 19 00	Catalyst consisting of titanium tetrachloride supported on magnesium dichloride, in the form of a suspension in mineral oil, for use in the manufacture of polypropylene (a)	0
ex 3815 19 00	Catalyst, in the form of spherical grains of a diameter of 1,4 mm or more but not exceeding 1,8 mm, consisting of boron trifluoride on an aluminium oxide support	0
ex 3815 19 00	Catalyst, consisting of chromium trioxide or dichromium trioxide fixed on a silicon dioxide support, of a pore volume, as determined by the nitrogen absorption method, of 2 cm ³ /g or more	0
ex 3815 19 00	Catalyst consisting of chromium oxides and titanium dioxide fixed on a support of silicon dioxide, aluminium oxide or aluminium phosphate	0
ex 3815 19 00	Catalyst, in the form of grains of which 90% or more by weight have a particle size not exceeding 10 micrometres, consisting of a mixture of oxides on a magnesium silicate support, containing by weight: — 20% or more but not more than 35% of copper, — 2% or more but not more than 3% of bismuth, and of an apparent specific gravity of 0,2 or more but not exceeding 1,0	0

CN code	Description	Rate of autonomous duty (%)
ex 3815 90 00	Catalyst, in the form of rodlets of a diameter of 4 mm or more but not exceeding 6mm, consisting of a mixture of oxides containing by weight more than 96% of oxides of molybdenum, vanadium, nickel and antimony, for use in the manufacture of acrylic acid (a)	0
ex 3815 90 00	Catalyst, in the form of rodlets of a diameter of 4 mm or more but not exceeding 6 mm, consisting of a mixture of oxides containing by weight more than 96% of oxides of molybdenum, bismuth, nickel, iron and silicon, for use in the manufacture of acrylaldehyde (a)	0
ex 3815 90 00	Catalyst, in the form of rodlets of a length of 3 mm or more but not exceeding 6 mm and of a diameter not exceeding 3.8 mm, containing by weight 18% or more but not more than 21% of dichromium trioxide and 78% or more but not more than 81% of aluminium oxide, for use in the manufacture of benzene, toluene, propene or 2-methylpropene (a)	0
ex 3815 90 00	Catalysts, in powder form, consisting of a mixture of titanium trichloride and aluminium chloride, containing by weight 20% or more but not more than 30% of titanium and 55% or more but not more than 72% of chlorine	0
ex 3815 90 00	Catalyst, in the form of a suspension in oil, consisting of titanium trichloride and aluminium trichloride, containing by weight (on an oil-free basis) 15% or more but not more than 30% of titanium and 40% or more but not more than 72% of chlorine	0
ex 3815 90 00	Catalyst containing titanium trichloride, in the form of a suspension in hexane containing by weight, in the hexane-free material, 14% or more but not more than 17% of titanium	0
ex 3815 90 00	Catalyst, in the form of pellets, consisting of mixed vanadium and phosphorus oxides, containing by weight not more than 0.5% of one of the following elements: lithium, potassium, sodium, cadmium or zinc, for use in the manufacture of maleic anhydride from butane (a)	0
ex 3815 90 00	Catalyst, consisting of a mixture of titanium, magnesium and aluminium compounds, in the form of a suspension in hexane, containing by weight: — 3% or more but not more than 6% of titanium, — 1.5% or more but not more than 3% of magnesium, — 0.3% or more but not more than 0.5% of aluminium, for use in the manufacture of polyethylene of a specific gravity of 0.930 or more (a)	0
ex 3815 90 00	Catalyst, in the form of rodlets, consisting of an acid aluminosilicate (zeolite) with a mole ratio of silicon dioxide : dialuminium trioxide of not less than 500 : 1 and containing by weight 0.2% or more but not more than 0.8% of platinum	0
ex 3818 00 10	Doped silicon wafers, of Czochralski technology, of a diameter of 70 mm or more, unpolished and containing 5×10^{17} or more of oxygen atoms per cm^3	0
ex 3822 00 00	Lyophilized extract of the blood cells of <i>Limulus polyphemus</i> (Limulus amoebocyte lysate)	0
ex 3823 90 20	Acid aluminosilicate (artificial zeolite of the Y type) in the sodium form, containing by weight not more than 11% of sodium expressed as sodium oxide, in the form of rodlets	0
ex 3823 90 91	Diosgenin crude	0
ex 3823 90 91	4-(6-Fluoro-2-methylinden-3-ylmethyl)phenyl methyl sulphide, in the form of a solution in toluene	0
ex 3823 90 91	Residues of manufacture containing by weight 40% or more of 11 β ,17,20,21-tetrahydroxy-6-methylpregna-1,4-dien-3-one-21-acetate	0

CN code	Description	Rate of autonomous duty (%)
ex 3823 90 91	Intermediate products from the manufacture of monensin salts	0
ex 3823 90 91	Intermediate products of the antibiotics manufacturing process obtained from the fermentation of <i>Streptomyces tenebrarius</i> , whether or not dried, for use in the manufacture of human medicaments of No 3004 (a)	0
ex 3823 90 91	Products obtained by the N-ethylation of sisomycin (INN)	0
ex 3823 90 91	Intermediate products of the antibiotics manufacturing process obtained from the fermentation of <i>Micromonospora purpurea</i> , whether or not dried	0
ex 3823 90 91	Cholic acid and 3 α ,12 α -dihydroxy-5 β -cholan-24-oic acid (deoxycholic acid), crude	0
ex 3823 90 91	Crude bile acids	0
ex 3823 90 91	Intermediate products of the antibiotics manufacturing process obtained from the fermentation of <i>Micromonospora inyoensis</i> , whether or not dried	0
ex 3823 90 91	4-(2-Aminoethylthiomethyl)-1,3-thiazol-2-ylmethyldimethylamine, in the form of a solution in toluene	0
ex 3823 90 98	Mixture of lithium diisopropylamide (lithium salt of diisopropylamine) and magnesium bis(diisopropylamide) (magnesium salt of diisopropylamine), in the form of a solution in organic solvents	0
ex 3823 90 98	Mixture of nitromethane and 1,2-epoxybutane	0
ex 3823 90 98	Preparation, in the form of powder, containing by weight 75% or more of zinc bis[3,5-bis(1-phenylethyl)salicylate]	0
ex 3823 90 98	Colloidal diantimony pentaoxide	0
ex 3823 90 98	Calcined bauxite (refractory grade)	0
ex 3823 90 98	Tetrakis(2-chloroethyl)ethylene bis(phosphate)	5
ex 3823 90 98	Grains, consisting of a mixture of dialuminium trioxide and zirconium dioxide, containing by weight 70% or more but not more than 78% of dialuminium trioxide and 19% or more but not more than 26% of zirconium dioxide	5,2
ex 3823 90 98	Grains, consisting of a mixture of dialuminium trioxide and zirconium dioxide, containing by weight 54% or more but not more than 62% of dialuminium trioxide and 36% or more but not more than 44% of zirconium dioxide	5,2
ex 3823 90 98	Magnesium bromide 2-oxoperhydroazepin-1-ide, in the form of a solution in <i>epsilon</i> -caprolactam containing by weight 20% or more but not more than 25% of magnesium bromide 2-oxoperhydroazepin-1-ide	0
ex 3823 90 98	Reaction products of dibutyl dihydrogendiphosphate and 1,2-epoxypropane, for the manufacture of non-rigid polyurethane (a)	0

CN code	Description	Rate of autonomous duty (%)
ex 3823 90 98	Film consisting of the oxides of barium, calcium and either titanium or zirconium, mixed with binding materials	0
ex 3823 90 98	Mixture of amines derived from dimerized fatty acids, of an average molecular weight of 520 or more but not exceeding 550	0
ex 3823 90 98	Crude lithium hypochlorite	0
ex 3823 90 98	Mixture of 2-(perfluoroalkyl)ethanethiols of a perfluoroalkyl chain-length of 6 or more carbon atoms but not exceeding 20 carbon atoms	0
ex 3823 90 98	Butylethylmagnesium, in the form of a solution in organic solvents containing by weight 19% or more but not more than 30% of butylethylmagnesium	0
ex 3823 90 98	Mixed oxides of barium, bismuth, lead and titanium, in the form of powder, containing by weight 5% or more of barium and 15% or more of titanium, for use as dielectric materials in the manufacture of multilayer ceramic capacitors (a)	0
ex 3823 90 98	Lithium niobate wafers, undoped	0
ex 3823 90 98	Magnetisable iron oxide, in the form of powder, containing by weight: — 30% or more but not more than 38% of bivalent iron in relation to the total iron — 1% or more but not more than 4% of cobalt	0
ex 3823 90 98	Preparation consisting essentially of alkaline asphalt sulphonate, of a specific gravity of 0,9 or more but not exceeding 1,5, and a solubility in water of 70% by weight or more	0
ex 3823 90 98	Anti-corrosion preparations consisting of salts of dinonylnaphthalenesulphonic acid, either on a support of mineral wax, whether or not modified chemically, or in the form of a solution in an organic solvent	0
ex 3901 20 00	Polyethylene, in one of the forms mentioned in note 6 (b) to Chapter 39, of a specific gravity of 0,958 or more at 23°C, containing: — not more than 50 mg/kg of aluminium, — not more than 2 mg/kg of calcium, — not more than 2 mg/kg of chromium, — not more than 2 mg/kg of iron, — not more than 2 mg/kg of nickel, — not more than 2 mg/kg of titanium, — not more than 8 mg/kg of vanadium, for the manufacture of chlorosulphonated polyethylene (a)	0
ex 3901 20 00	Polyethylene, containing by weight 35% or more but not more than 45% of mica	0
ex 3901 90 00	Copolymer of ethylene with acrylic acid or with methacrylic acid, containing by weight 16% or more but not more than 30% of acrylic acid or methacrylic acid, in one of the forms mentioned in note 6 (b) to Chapter 39	0
ex 3901 90 00 ex 3902 90 00	A-B-A block copolymer of polystyrene, ethylene-butylene copolymer and polystyrene, containing by weight not more than 35% of styrene, in one of the forms mentioned in note 6 (b) to Chapter 39	0
ex 3902 90 00	Poly(1-ethylethylene) (polybutene-1), in one of the forms mentioned in note 6 (b) to Chapter 39	0

CN code	Description	Rate of autonomous duty (%)
ex 3903 90 00	Copolymer, solely of allyl alcohol with styrene, of an acetyl value of 175 or more	0
ex 3903 90 00	Brominated polystyrene, containing by weight 58% or more but not more than 71% of bromine, in one of the forms mentioned in note 6 (b) to Chapter 39	0
ex 3904 40 00	Copolymer of vinyl chloride with vinyl acetate and vinyl alcohol, containing by weight 87% or more but not more than 92% of vinyl chloride, 2% or more but not more than 9% of vinyl acetate and 1% or more but not more than 8% of vinyl alcohol, in one of the forms mentioned in note 6 (a) or (b) to Chapter 39	0
ex 3904 50 00	Copolymer of vinylidene chloride with vinyl chloride, containing by weight 79,5% or more of vinylidene chloride, in one of the forms mentioned in note 6 (a) or (b) to Chapter 39, for the manufacture of fibres, monofilament or strip (a)	0
ex 3904 50 00	Copolymer of vinylidene chloride with acrylonitrile, in the form of expansible beads of a diameter of 4 micrometres or more but not more than 20 micrometres	0
ex 3904 69 00	Polyvinyl fluoride, in one of the forms mentioned in note 6 (b) to Chapter 39	0
ex 3904 69 00	Copolymer of ethylene with chlorotrifluoroethylene, in one of the forms mentioned in note 6 (b) to Chapter 39	0
ex 3904 69 00	Terpolymer of ethylene with chlorotrifluoroethylene and hexafluoro(2-methylpropene), in one of the forms mentioned in note 6 (b) to Chapter 39	0
ex 3905 90 00	Poly(vinyl formal), in one of the forms mentioned in note 6 (b) to Chapter 39, of a molecular weight of 10 000 or more but not exceeding 40 000 and containing by weight: — 9,5% or more but not more than 13% of acetyl groups, expressed as vinyl acetate — 5% or more but not more than 6,5% of hydroxy groups, expressed as vinyl alcohol	0
ex 3906 10 00	Polymethyl methacrylate, in the form of expansible beads containing 2-methylpentane as blowing agent	0
ex 3906 90 00	Copolymer, entirely of methyl methacrylate with styrene and maleic anhydride, containing by weight 36% or more but not more than 45% of methyl methacrylate, 20% or more but not more than 28% of maleic anhydride and not more than 36% of styrene, in one of the forms mentioned in note 6 (b) to Chapter 39	0
ex 3906 90 00	Copolymer of 2-diisopropylaminoethyl methacrylate with decyl methacrylate, in the form of a solution in N,N-dimethylacetamide containing by weight 55% or more of copolymer	0
ex 3906 90 00	Copolymer of acrylic acid with 2-ethylhexyl acrylate, containing by weight 10% or more but not more than 11% of 2-ethylhexyl acrylate	0
ex 3906 90 00	Poly[N-(3-hydroxyimino-1,1-dimethylbutyl)acrylamide]	0
ex 3906 90 00	Polymerization products of acrylic acid with small quantities of a polyunsaturated monomer, for use as a stabilizer in emulsions or dispersions with a pH of more than 13 (a)	6
ex 3906 90 00	Polymerization products of acrylic acid with small quantities of a polyunsaturated monomer, for use as a thickener in textile pigment printing pastes or in the manufacture of medicaments of heading No 3003 or 3004 (a)	0

CN code	Description	Rate of autonomous duty (%)
ex 3906 90 00	Terpolymer of ethylene with methyl acrylate and a monomer containing a non-terminal carboxy group as a substituent, whether or not compounded with silica	5
ex 3906 90 00	Polymerization products of acrylic acid with alkyl methacrylate and small quantities of other monomers, for use as thickeners in the manufacture of textile printing pastes (a)	0
ex 3907 20 90	Homopolymer of 1-chloro-2,3-epoxypropane (<i>epichlorohydrin</i>)	0
ex 3907 20 90	Copolymer of 1-chloro-2,3-epoxypropane with ethylene oxide	0
ex 3907 20 90	Poly[oxy(2,6-dibromo-1,4-phenylene)], for the manufacture of polyamide (a)	0
ex 3907 20 90	Poly[oxy-1,4-phenyleneisopropylidene-1,4-phenyleneoxy-(2-hydroxytrimethylene)], of an average molecular weight of more than 26 000, in one of the forms mentioned in note 6 (b) to Chapter 39	0
ex 3907 20 90	Poly(oxypropylene) having alkoxysilyl end-groups	0
ex 3907 20 90	Reaction product of poly(oxyalkylene) polyol with a polycarboxylic acid and <i>epsilon</i> -caprolactam	0
ex 3907 91 90	Diallyl phthalate prepolymer	0
ex 3907 99 00	Poly(oxy-1,4-phenylenecarbonyl), in the form of powder	0
ex 3908 90 00	Poly(iminomethylene-1,3-phenylenemethyleneiminoadipoyl), in one of the forms mentioned in note 6 (b) to Chapter 39	0
ex 3911 90 90	Alternating copolymer of ethylene with maleic anhydride, for use as a thickener in textile pigment printing pastes (a)	0
ex 3911 90 90	Polymerization products of a (polybutadiene)polyol with two lactams N,N'-linked by the bivalent acyl radical of a dicarboxylic acid	0
ex 3912 11 00	Non-plasticized cellulose triacetate, in the form of flakes, for the manufacture of cellulose triacetate yarn (a)	0
ex 3912 39 10	Ethylcellulose, not plasticized	0
ex 3912 39 90	Cellulose, both hydroxyethylated and alkylated with alkyl chain-lengths of 3 or more carbon atoms	0
ex 3912 39 90	Hydroxypropylcellulose	0
ex 3912 39 90	Cellulose, both hydroxyethylated and ethylated, insoluble in water	0
ex 3912 90 10	Cellaburate (INN), non-plasticized, in the form of powder, with a butyryl content by weight of 25% or more, as determined by the ASTM D 817-72 method, and of a viscosity not exceeding 57 poise, as determined by the ASTM D 817-72 method, for use as a binding agent in the manufacture of paints or lacquers for cars and aircraft (a)	0
ex 3914 00 00	Colestipol hydrochloride (INN)	0

CN code	Description	Rate of autonomous duty (%)
ex 3915 90 93 ex 3915 90 99	Waste and scrap of photographic (including cinematographic) and X-ray film	0
ex 3915 90 99	Waste and scrap from polyester film coated with a tungsten compound or with rare-earth metal compounds	0
ex 3919 90 31 ex 3920 62 00 ex 3921 90 19	Reflecting laminated sheeting, metallized, consisting of one sheet of polyester and at least another sheet of polyester or other plastic material and coated on one side with an adhesive, whether or not protected by a release sheet	0
ex 3919 90 50	Polyvinyl chloride sheeting, of a thickness of less than 1 mm, coated with an adhesive in which are embedded hollow glass balls of a diameter not exceeding 100 micrometres	0
ex 3920 10 11	Polyethylene film, of a thickness of 20 micrometres or more but not exceeding 40 micrometres, for the production of photo-resist film used in the manufacture of semiconductors (a)	0
ex 3920 10 11 ex 3920 10 19 ex 3921 90 60	Laminated sheet or strip consisting of a film composed of a blend of a copolymer of ethylene with vinyl acetate and a modified ethylene-propylene-elastomer (EPM) or a modified ethylene-propylene-diene elastomer (EPDM), coated or covered on both sides with a film of a copolymer of ethylene with vinyl acetate	0
ex 3920 10 11 ex 3921 90 19	Laminated plastic sheet or strip, either: — of a width of 190 mm or more, consisting of a layer of biaxially-orientated polyamide film, coated, on one side, with polyvinylidene chloride and, on the other side, with a layer of polyethylene film, or — of a width not exceeding 15 mm, consisting of a layer of biaxially-orientated polyamide film and two layers of polyethylene film	0
ex 3920 10 19 ex 3920 10 90 ex 3920 99 50	Film, of a thickness not exceeding 1 mm, of a copolymer of vinyl alcohol with ethylene, containing no other polymerization products or copolymerization products, with an extension at break (longitudinal or transversal) of 65% or more	0
ex 3920 10 90	Synthetic paper pulp, in the form of moist sheets, made from unconnected finely branched polyethylene fibrils, whether or not blended with cellulose fibres in a quantity not exceeding 15%, containing polyvinyl alcohol dissolved in water as the moistening agent	0
ex 3920 10 90	Synthetic paper pulp, in the form of moist sheets, made from unconnected finely branched fibrils of a mixture of polyethylene and a polyethylene copolymer, whether or not blended with cellulose fibres in a quantity not exceeding 15%, containing polyvinyl alcohol dissolved in water as the moistening agent	0
ex 3920 10 90	Copolymer of ethylene with propylene, in the form of strip of a width of 18 mm or more but not exceeding 27 mm, or of 58 cm or more but not exceeding 90 cm, and of a thickness not exceeding 1 mm, which, after being extended at 23°C to twice the original length, returns to its original length, with a tolerance of not more than + 15%, within a period of two minutes	0
ex 3920 20 90	Synthetic paper pulp, in the form of moist sheets, made from unconnected finely branched polypropylene fibrils, whether or not blended with cellulose fibres in a quantity not exceeding 15%, containing polyvinyl alcohol dissolved in water as the moistening agent	0
ex 3920 20 90	Synthetic paper pulp, in the form of moist sheets, made from unconnected finely branched fibrils of polypropylene modified by an organic acid, whether or not blended with cellulose fibres in a quantity not exceeding 15%, containing polyvinyl alcohol dissolved in water as the moistening agent	0

CN code	Description	Rate of autonomous duty (%)
ex 3920 42 91	Sheeting of polyvinyl chloride, stabilized against ultraviolet rays, without any holes, even microscopic, of a thickness of 60 micrometres or more but not exceeding 80 micrometres, containing 30 or more but not more than 40 parts of plasticizer to 100 parts of polyvinyl chloride	0
ex 3920 59 00	Copolymer of acrylic and methacrylic esters, in the form of film of a thickness not exceeding 150 micrometres	0
ex 3920 62 00	Polyethylene terephthalate film, of a thickness of less than 10 micrometres, for the manufacture of video cassettes with a playing time of 300 minutes at a tape speed of 24 mm per second (a)	0
ex 3920 62 00	Polyethylene terephthalate film, of a thickness of 100 micrometres or more but not exceeding 150 micrometres, for use in the manufacture of photopolymer printing plates (a)	0
ex 3920 62 00	Polyethylene terephthalate film, of a thickness of 72 micrometres or more but not exceeding 79 micrometres, for the manufacture of flexible magnetic disks (floppy disks) (a)	0
ex 3920 62 00 ex 3920 63 00 ex 3921 90 19	Polyester film of a thickness not exceeding 70 micrometres, coated on one side with a substance which becomes coloured in the presence of salicylic acid at a temperature not exceeding 100 °C	0
ex 3920 62 00 ex 3920 63 00 ex 3921 90 19	Polyester film of a thickness not exceeding 10 micrometres, coated on one side with salicylic acid	0
ex 3920 69 00 ex 3921 90 19	Iridescent film of polyester and polymethyl methacrylate	0
ex 3920 69 00	Polycondensation products of terephthalic acid with a mixture of cyclohex-1,4-ylenedimethanol and ethane-1,2-diol, in the form of a film	0
ex 3920 91 00	Polyvinyl butyral film having a graduated coloured band	6
ex 3920 92 00	Film consisting of poly(<i>epsilon</i> -caprolactam) blended with either not more than 10% by weight of polyethylene or not more than 10% weight of a copolymer of ethylene with vinyl acetate	0
ex 3920 92 00	Poly(<i>epsilon</i> -caprolactam) film, of a softening point of 200 °C or more and containing 130 mg/kg or more but not more than 170 mg/kg of copper, for use during the bonding together, under heat and vacuum, of components of composite articles (a)	0
ex 3920 99 19 ex 3921 90 50	Polyimide sheet and strip, uncoated, or coated or covered solely with plastic	0
ex 3920 99 50	Poly(1-chlorotrifluoroethylene) film	0
ex 3920 99 50	Polyvinyl fluoride sheet	0
ex 3920 99 50	Film and sheet of a copolymer of ethylene with chlorotrifluoroethylene, of a thickness of 12 micrometres or more but not exceeding 400 micrometres	0
ex 3920 99 50	Film of a thickness not exceeding 1 mm, entirely of polyvinyl alcohol, containing by weight not more than 2% of unhydrolysed acetate groups expressed as vinyl acetate, and 5% or more but not more than 25% of glycerol as a plasticizer, insoluble in water at a temperature of less than 65 °C	0

CN code	Description	Rate of autonomous duty (%)
ex 3920 99 50	Polyvinyl alcohol film, coated on both sides, of a total thickness of less than 1 mm and with an extension at break (longitudinal or transversal) of 65% or more	0
ex 3920 99 50	Biaxially-orientated polyvinyl alcohol film, containing by weight 97% or more of polyvinyl alcohol, uncoated, of a thickness not exceeding 1 mm	0
ex 3920 99 50 ex 3921 90 60	Ion-exchange membranes of fluorinated plastic material, for use in chlor-alkali electrolytic cells (a)	0
ex 3920 99 50 ex 3921 90 60	Sheet of a thickness of 1 mm or more but not exceeding 3 mm, consisting of a copolymer of ethylene with chlorotrifluoroethylene, whether or not backed with a woven glass-fibre fabric	0
ex 3926 90 91	Reflecting sheeting or tape, consisting of a facing strip of polyvinyl chloride embossed in a regular pyramidal pattern, heat sealed in parallel lines or a grid pattern to a backing strip of plastic material, or of knitted or woven fabric covered on one side with plastic material	0
ex 4104 10 91 ex 4104 21 00	Leather of East India kip, whole, whether or not the heads and legs have been removed, each of a net weight exceeding 4.5 kg but not exceeding 8 kg, not further prepared than vegetable-tanned, whether or not having undergone certain treatments, but obviously unsuitable for immediate use for the manufacture of leather articles	0
4105 11 91 4105 11 99 4105 12 10 4105 12 90 4105 19 10 4105 19 90	Sheep or lamb skin leather, without wool on, tanned or retanned but not further prepared, whether or not split, other than leather of heading No 4108 or 4109	0
4106 11 90 4106 12 00 4106 19 00	Goat or kid skin leather, without hair on, tanned or retanned but not further prepared, whether or not split, other than leather of heading No 4108 or 4109	0
4107 10 10 4107 29 10 4107 90 10	Leather of other animals, without hair on, not further prepared than tanned, other than leather of heading No 4108 or 4109	0
ex 4416 00 90	Used casks and barrels of oak, whether assembled or not; their staves and heads	0
4501 10 00	Natural cork, raw or simply prepared	0
4501 90 00	Waste cork; crushed, granulated or ground cork	0
ex 4823 90 90	Strips of paper glued to one another to form a honeycomb of a height not exceeding 13 cm, for agricultural purposes (a)	0
5002 00 00	Raw silk (not thrown)	0
ex 5004 00 10 ex 5004 00 90	Yarn spun entirely from silk, not put up for retail sale	2,5
ex 5005 00 10 ex 5005 00 90	Yarn spun entirely from silk waste (noil), not put up for retail sale	0

CN code	Description	Rate of autonomous duty (%)
ex 5306 10 11 ex 5306 10 31	Unbleached flax yarn (other than tow yarn) measuring 333,3 decitex or more (not exceeding 30 metric number), for the manufacture of multiple or cabled yarn of the footwear industry or for whipping cables (a)	1,8
ex 5402 39 10	Texturized yarn of polypropylene, impregnated with silicone-based water-repellant	0
ex 5402 41 10	Polyamide yarn, not textured, untwisted or with a twist not exceeding 22 turns per metre, of crimpable bicomponent filaments consisting of poly(hexamethylene adipamide) with a copolyamide, for the manufacture of knee-length stockings of subheadings 6115 20 11 and 6115 93 30, women's stockings of subheadings 6115 20 19 and 6115 93 91, or panty hose (tights) of subheading 6115 11 00 (a)	0
ex 5402 41 30 ex 5402 41 90	Yarn of synthetic textile fibres solely of aromatic polyamides obtained by the polycondensation of <i>m</i> -phenylenediamine and isophthalic acid	0
ex 5402 49 99	Yarn of a copolymer of glycollic acid with lactic acid, for the manufacture of surgical sutures (a)	0
ex 5402 49 99 ex 5402 59 90 ex 5402 69 90	Non-textured filament yarn of polyvinyl alcohol, for the manufacture of sleeves for printing rollers (a)	0
ex 5402 49 99 ex 5402 69 90	Yarn of polytetrafluoroethylene	0
ex 5402 49 99 ex 5402 69 90	Yarn wholly of polyglycollic acid	0
ex 5404 10 90	Monofilament of poly(1,4-dioxanone)	0
ex 5404 10 90	Monofilament of a copolymer of 1,3-dioxan-2-one with 1,4-dioxan-2,5-dione, for the manufacture of surgical sutures (a)	0
ex 5404 10 90	Monofilament of polytetrafluoroethylene	0
ex 5404 90 90	Strip of polytetrafluoroethylene, with an extension at break not exceeding 25%	0
ex 5407 71 00	Woven fabrics of polyvinyl alcohol fibres, for machine embroidery	0
ex 5407 71 00 ex 5903 90 99	Woven polytetrafluoroethylene fibre fabric, coated or covered on one side with a copolymer of tetrafluoroethylene and trifluoroethylene having perfluorinated alkoxy side chains ending in carboxylic acid or sulphonic acid groups in the potassium or sodium salt form, whether or not coated on the same side with a metallic inorganic compound	0
ex 5503 10 19	Textile fibres exclusively of aromatic polyamides obtained by the polycondensation of <i>m</i> -phenylenediamine and isophthalic acid, for uses other than the manufacture of goods of Chapters 60 to 65 or of materials used in the manufacture of such goods (a)	0
ex 5503 10 19	Textile fibres containing by weight 85% or more of fibres of aromatic polyamides obtained by the polycondensation of <i>m</i> -phenylenediamine and isophthalic acid, and 1% or more but not more than 15% of fibres of poly(<i>p</i> -phenylene terephthalamide)	5
ex 5503 90 10 ex 5503 90 90	Acetalized, multicomponent spun fibres with a matrix fibril structure, consisting of emulsion-polymerized polyvinyl alcohol and polyvinyl chloride	0
ex 5503 90 90	Textile fibres of polytetrafluoroethylene	0

CN code	Description	Rate of autonomous duty (%)
ex 5503 90 90	Fibres wholly of poly(thio-1,4-phenylene)	0
ex 5503 90 90 ex 5601 30 00	Polyvinyl alcohol fibres, whether or not acetalized	0
ex 5504 10 00	Fibres entirely of modal (ISO)	0
ex 5603 00 10 ex 5603 00 91 ex 5603 00 93	Polyvinyl alcohol nonwovens, of a thickness of 200 micrometres or more but not exceeding 280 micrometres and of a weight of 20 g/m ² (a) or more but not exceeding 50 g/m ² , in the piece or cut into rectangles	0
ex 5603 00 10 ex 5603 00 93 ex 5603 00 95 ex 5603 00 99	Nonwovens of aromatic polyamide fibres obtained by polycondensation of <i>m</i> -phenylenediamine and isophthalic acid, in the piece or cut into rectangles	0
ex 5903 10 90 ex 5903 20 90 ex 5903 90 99	Knitted or woven fabrics, coated or covered on one side with artificial plastic material in which are embedded microspheres	0
ex 5907 00 00	Textile fabrics, coated with adhesive in which are embedded spheres of a diameter not exceeding 75 micrometres, of a weight not exceeding 550 g/m ²	0
ex 5911 90 90	Yarn and strip of impregnated polytetrafluoroethylene, whether or not oiled or graphited	0
ex 6815 99 90	Microspheres, containing by weight more than 90% of barium and titanium expressed as barium oxide and titanium dioxide, of a diameter of less than 100 micrometres and a refractive index of 2,1 or more but not exceeding 2,4	0
ex 6909 19 00	Plate, of dialuminium trioxide and titanium carbide, of dimensions not exceeding 48 × 48 mm, or of a diameter not exceeding 125 mm, for the manufacture of magnetic heads (a)	0
ex 7011 20 00	Glass envelopes for monochrome cathode-ray tubes: — of a diagonal screen measurement of 3,8 cm or more but not exceeding 51 cm, and — of a nominal neck-diameter of 13 mm, 20 mm, 29 mm or 37 mm	0
ex 7011 20 00	Face-plates, wholly of glass, of a diagonal dimension not exceeding 61 cm, and with a raised edge, for the manufacture of monochrome cathode-ray tubes (a)	0
ex 7011 20 00	Glass cones, with a shaped edge, of a diagonal dimension not exceeding 61 cm, for the manufacture of monochrome cathode-ray tubes (a)	0
ex 7019 10 59	Yarns of 33 tex ± 7,5%, or a multiple thereof, obtained from continuous spun glass filaments of a diameter of 2,5 micrometres or more but not exceeding 5,1 micrometres, other than those treated so as to improve their adhesion to elastomers	0
ex 7019 10 59	Yarn of 22 tex, spun from continuous glass filaments of a diameter of 4,7 micrometres or more but not exceeding 5,5 micrometres	0

CN code	Description	Rate of autonomous duty (%)
ex 7019 10 59	Yarn of 33, 34 or 51 $\pm 7,5\%$, or a multiple thereof, spun from continuous glass filaments of a diameter of 5,8 micrometres or more but not exceeding 7,1 micrometres	0
ex 7019 32 00 ex 7019 39 00	Non-woven products of non-textile glass fibre, of a weight not exceeding 120 g/m ² and a fibre diameter, excluding any coating, not exceeding 7 micrometres, for the manufacture of filtration products (a)	0
ex 7019 90 10	Non-textile glass fibres in which fibres of a diameter of less than 3,5 micrometres predominate	0
ex 7410 21 00	Sheets and plates of polytetrafluoroethylene, with aluminium oxide or titanium dioxide as a filler or reinforced with glass-fibre fabric, laminated on both sides with copper foil	0
7602 00 19	Waste of aluminium, other (including factory rejects)	0
ex 8103 90 10	Wire of unalloyed tantalum, of a diameter of 0,2 mm or more but not exceeding 0,5 mm, for the manufacture of capacitors (a)	0
ex 8104 90 10	Ground and polished magnesium sheets, of dimensions not exceeding 1 500 $\times$ 2 000 mm, coated on one side with an epoxy resin insensitive to light	0
ex 8108 10 10	Titanium sponge	0
8108 10 90	Waste and scrap titanium	0
ex 8111 00 11	Electrolytic manganese of a purity by weight of 99,7% or more, for the chemical industry (a)	0
ex 8419 89 90	Immersion tube (coils) bundles, consisting of an assembly of plastic tubes terminating at each end in a honeycomb structure (end-fitting) surrounded by a pipe connector	0
ex 8421 99 00	Components of separators for the separation or purification of gases from gas mixtures, consisting of a bundle of permeable hollow fibres enclosed within a container, whether or not perforated, of an overall length of 300 mm or more but not exceeding 3 700 mm and a diameter not exceeding 500 mm	0
ex 8421 99 00	Parts of equipment, for the purification of water by reverse osmosis, consisting of a bundle of hollow fibres of artificial plastic material with permeable walls, embedded in a block of artificial plastic material at one end and passing through a block of artificial plastic material at the other end, whether or not housed in a cylinder	0
ex 8421 99 00 ex 5911 90 90	Parts of equipment for the purification of water by reverse osmosis, consisting essentially of plastic-based membranes, supported internally by woven or non-woven textile materials which are wound round a perforated tube, and enclosed in a cylindrical plastic casing of a wall-thickness not exceeding 4 mm, whether or not housed in a cylinder of a wall-thickness of 5 mm or more	0
ex 8439 99 10 ex 8439 99 90	Suction roll shells, not drilled, in the form of alloy steel tubes, of a length of 5 207 mm or more and an external diameter of 754 mm or more, for use in machinery for making paper or paper-board (a)	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.