

Official Journal

of the European Communities

ISSN 0378-6978

L 287

Volume 36

22 November 1993

English edition

Legislation

Contents

I *Acts whose publication is obligatory*

.....

II *Acts whose publication is not obligatory*

Commission

93/598/ECSC:

- ★ Commission Decision of 19 July 1993 approving the Agreement between the Member States of the European Coal and Steel Community and the European Coal and Steel Community, of the one part, and the Republic of Slovenia, of the other part 1
- Agreement between the Member States of the European Coal and Steel Community and the European Coal and Steel Community of the one part, and the Republic of Slovenia, of the other part 2
- ★ Final Act 32

II

(Acts whose publication is not obligatory)

COMMISSION

COMMISSION DECISION

of 19 July 1993

approving the Agreement between the Member States of the European Coal and Steel Community and the European Coal and Steel Community, of the one part, and the Republic of Slovenia, of the other part

(93/598/ECSC)

THE COMMISSION OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Coal and Steel Community,

Whereas the Agreement between the Member States of the European Coal and Steel Community and the European Coal and Steel Community, of the one part, and the Republic of Slovenia, of the other part, was signed in Luxembourg on 5 April 1993 by the representatives of the ECSC Member States and by the Commission for the European Coal and Steel Community, of the one part, and by the representative of the Republic of Slovenia, of the other part,

HAS ADOPTED THIS DECISION:

Article 1

The Agreement between the Member States of the European Coal and Steel Community and the European Coal and Steel Community, of the one part, and the Republic of Slovenia, of the other part, is hereby approved.

The text of the Agreement is annexed to this Decision.

Article 2

On behalf of the European Coal and Steel Community, the President of the Commission hereby gives the notification provided for in Article 16 (2) of the Agreements ⁽¹⁾.

Done at Brussels, 19 July 1993.

For the Commission

The President

Jacques DELORS

⁽¹⁾ The date of entry into force of the Agreement will be published in the *Official Journal of the European Communities* by the General-Secretariat of the Commission.

AGREEMENT

between the Member States of the European Coal and Steel Community and the European Coal and Steel Community of the one part, and the Republic of Slovenia, of the other part

THE KINGDOM OF BELGIUM,

THE KINGDOM OF DENMARK,

THE FEDERAL REPUBLIC OF GERMANY,

THE HELLENIC REPUBLIC,

THE KINGDOM OF SPAIN,

THE FRENCH REPUBLIC,

IRELAND,

THE ITALIAN REPUBLIC,

THE GRAND DUCHY OF LUXEMBOURG,

THE KINGDOM OF THE NETHERLANDS,

THE PORTUGUESE REPUBLIC,

THE UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND,

being members of the European Coal and Steel Community,

and THE EUROPEAN COAL AND STEEL COMMUNITY,

of the one part,

THE REPUBLIC OF SLOVENIA,

of the other part,

WHEREAS the European Economic Community and the Republic of Slovenia are concluding a Cooperation Agreement concerning the sectors covered by that Community;

PURSUING the same objectives and desiring to find like solutions for the sector covered by the European Coal and Steel Community,

HAVE DECIDED, in pursuit of these objectives and considering that no provision of this Agreement may be interpreted as exempting the Contracting Parties from the obligations incumbent upon them under other international agreements,

TO CONCLUDE THIS AGREEMENT:

Article 1

Respect for the democratic principles and human rights established by the Helsinki Final Act and the Charter of Paris for a New Europe shall inspire the domestic and external policies of the Community and Slovenia, and shall constitute an essential element of this Agreement.

This Agreement shall apply to the products covered by the European Coal and Steel Community which are specified in Annex I.

TITLE I

Trade

Article 2

In the field of trade, the objective of this Agreement is to promote trade between the Contracting Parties, taking account of their respective levels of development and the need to ensure a better balance in their trade, with a view

to improving the conditions of access for Slovenian products to the Community market.

Article 3

1. Subject to the special provisions of paragraph 2, products originating in Slovenia shall be imported into the Community free of quantitative restrictions and measures having equivalent effect, and of customs duties and charges having equivalent effect.

2. The Community shall establish the tariff arrangements for imports of the products originating in Slovenia listed in Annex II, subject to the conditions and within the limits of the ceilings which it shall set annually.

3. For certain products which it considers to be sensitive, the Community reserves the right to call upon the Joint Committee to determine such special conditions for access to its market as may be necessary. The Joint Committee shall determine the conditions in question within a period not exceeding three months from the date of notification. Failing a decision by the Joint Committee within that period, the Community may take the necessary measures. However, such measures may not be wider in scope than those applicable in respect of the products in question pursuant to paragraph 2 under the conditions laid down in that paragraph.

For the purposes of implementing the provisions referred to in the first subparagraph, the Contracting Parties shall hold periodic exchanges of information in the Joint Committee before determining, if appropriate, special conditions for access by the products concerned to the markets of each of the Contracting Parties. The Contracting Parties shall notably exchange information on trade flows and medium and long-term production and export forecasts.

The Joint Committee shall examine periodically the measures taken under the first subparagraph to ascertain whether they are compatible with the objectives of the Agreement.

Article 4

Articles 19 to 34 of the Cooperation Agreement between the European Economic Community and the Republic of Slovenia shall apply to this Agreement *mutatis mutandis*.

Article 5

The provisions determining the rules of origin for the implementation of the Cooperation Agreement shall also apply to this Agreement.

Article 6

1. If the quotations made by Slovenian economic operators are likely to be detrimental to the functioning of the common market and if any such detriment is

attributable to a difference in the conditions of competition as regards prices, the other Contracting Party may take appropriate measures under the conditions and in accordance with the procedures laid down in paragraph 2.

2. The Contracting Parties shall provide the Joint Committee with all relevant information and shall give it the assistance it requires to examine the case and, where appropriate, take appropriate measures.

If Slovenia fails to put an end to the practice in question within the period fixed by the Joint Committee, or should agreement not be reached in the Joint Committee within one month of the matter being referred to it, the other Contracting Party may adopt any safeguard measures it considers necessary to avoid harming the functioning of the common market or to put an end to such harm; it may in particular withdraw tariff concessions.

Article 7

This Agreement shall not modify the provisions of the Treaty establishing the European Coal and Steel Community or the powers and jurisdiction deriving therefrom.

TITLE II

General and final provisions

Article 8

1. A Joint Committee is hereby established. It shall be responsible for the administration of this Agreement and shall ensure that it is implemented properly. For this purpose, it shall make recommendations and take decisions in the cases provided for in the Agreement.

The decisions taken shall be binding on the Contracting Parties, which, acting in accordance with their own rules, shall take such measures as are required to implement them.

2. In the interests of proper implementation of this Agreement, the Contracting Parties shall exchange information and, at the request of either Party, shall hold consultations within the Joint Committee.

3. The Joint Committee shall adopt its own rules of procedure.

Article 9

1. The Joint Committee shall consist of representatives of the Contracting Parties.

2. The Joint Committees shall act by mutual agreement.

Article 10

1. The Joint Committee shall be chaired by each Contracting Party in turn as laid down in its rules of procedure.

2. The chairman shall convene meetings of the Joint Committee at least once a year in order to review the general functioning of the Agreement.

The Joint Committee shall also meet whenever special circumstances require, at the request of either Contracting Party, as laid down in its rules of procedure.

3. The Joint Committee may decide to set up any working party that can assist it in carrying out its duties.

Article 11

Article 35 to 37 and 43 to 47 of the Cooperation Agreement shall apply to this Agreement *mutatis mutandis*.

Article 12

This Agreement shall apply, on the one hand, to the territories in which the Treaty establishing the European Coal and Steel Community is applied and under the conditions laid down in that Treaty and, on the other hand, to the territory of the Republic of Slovenia.

Article 13

The Annexes and the Declarations which appear in the Final Act shall form an integral part of this Agreement.

Article 14

Either Contracting Party may denounce this Agreement subject to giving six months' prior notice.

The Contracting Parties reserve the right to suspend this Agreement in whole or in part, with immediate effect, if a serious breach of its essential provisions occurs.

Article 15

This Agreement is drawn up in duplicate in the Danish, Dutch, English, French, German, Greek, Italian, Portuguese, Spanish and Slovenian languages, each of these texts being equally authentic.

Article 16

This Agreement shall be approved by the Contracting Parties in accordance with their own procedures.

This Agreement shall enter into force on the first day of the second month following the date on which the Contracting Parties notify each other that the procedures referred to in the first paragraph have been completed.

Hecho en Luxemburgo, el cinco de abril de mil novecientos noventa y tres.

Udfærdiget i Luxembourg, den femte april nitten hundrede og treoghalvfems.

Geschehen zu Luxemburg am fünften April neunzehnhundertdreißundneunzig.

Έγινεστο Λουξεμβούργο, στις πέντε Απριλίου χίλια εννιακόσια εννενήντα τρία.

Done at Luxembourg on the fifth day of April in the year one thousand nine hundred and ninety-three.

Fait à Luxembourg, le cinq avril mil neuf cent quatre-vingt-treize.


Fatto a Lussemburgo, addì cinque aprile millenovecentonovantatrè.

Gedaan te Luxemburg, de vijfde april negentienhonderd drieënnegentig.

Feito em Luxemburgo, em cinco de Abril de mil novecentos e noventa e três.

V Luksemburgu, petega aprila tisočdevetstotriindevetdeset.

Pour le Royaume de Belgique
Voor het Koninkrijk België

A stylized signature consisting of a large, rounded loop on the left and a vertical line on the right, with a horizontal line extending from the bottom of the vertical line.


På Kongeriget Danmarks vegne

A cursive signature with multiple loops and a long, sweeping tail.


Für die Bundesrepublik Deutschland

A signature starting with a large 'Z' followed by several loops.

Για την Ελληνική Δημοκρατία

A signature with a long, sweeping horizontal line and a vertical line extending upwards from the left.

Por el Reino de España

A signature with a large, stylized 'J' and a long, sweeping tail.

Pour la République française

Maurice Juy.

Thar cheann na hÉireann
For Ireland

Di 16/7

Per la Repubblica italiana

L. Gamba

Pour le Grand-Duché de Luxembourg

[Signature]

Voor het Koninkrijk der Nederlanden

[Signature]

Pela República Portuguesa



For the United Kingdom of Great Britain and Northern Ireland



Por la Comunidad Europea del Carbón y del Acero

For Det Europæiske Kul- og Stålfællesskab

Für die Europäische Gemeinschaft für Kohle und Stahl

Για την Ευρωπαϊκή Κοινότητα Άνθρακα και Χάλυβα


For the European Coal and Steel Community

Pour la Communauté européenne du charbon et de l'acier


Per la Comunità europea del carbone e dell'acciaio

Voor de Europese Gemeenschap voor Kolen en Staal

Pela Comunidade Europeia do Carvão e do Aço



Za Republiko Slovenijo



ANNEX I

List of products referred to in Article 1 of the Agreement

1992 Harmonized System codes	Description
2601	Iron ores and concentrates, including roasted iron pyrites:
	— Iron ores and concentrates, other than roasted iron pyrites:
2601 11 00	— — Non-agglomerated
2601 12 00	— — Agglomerated
2602 00 00	Manganese ores and concentrates, including manganiferous iron ores and concentrates, with a manganese content of 20 % or more, calculated on the dry weight
2619 00	Slag, dross (other than granulated slag), scalings and other waste from the manufacture of iron or steel:
2619 00 10	— Blast-furnace dust
2701	Coal; briquettes, ovoids and similar solid fuels manufactured from coal
2702	Lignite, whether or not agglomerated, excluding jet
2704 00	Coke and semi-coke of coal, of lignite or of peat, whether or not agglomerated; retort carbon:
2704 00 19	— Coke and semi-coke of coal or of lignite, excluding coke and semi-coke of coal for the manufacture of electrodes
7201	Pig iron and spiegeleisen in pigs, blocks or other primary forms
7202	Ferro-alloys:
	— Ferro-manganese:
7202 11	— — Containing by weight more than 2 % of carbon
	— Other:
ex 7202 99	— — Other:
7202 99 11	— — — Ferro-phosphorus containing by weight more than 3 % but less than 15 % of phosphorus
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94 %, in lumps, pellets or similar forms
7204	Ferrous waste and scrap; remelting scrap ingots of iron or steel
7206	Iron and non-alloy steel in ingots or other primary forms (excluding iron of heading No 7203)
7207	Semi-finished products of iron or non-alloy steel:
	— Containing by weight less than 0,25 % of carbon:
ex 7207 11	— — Of rectangular (including square) cross-section, the width measuring less than twice the thickness:
	— — — Rolled or obtained by continuous casting
ex 7207 12	— — Other, of rectangular (other than square) cross-section:
	— — — Rolled or obtained by continuous casting
ex 7207 19	— — Other:
	— Of circular or polygonal cross-section and blanks for angles, shapes and sections, rolled or obtained by continuous casting

1992 Harmonized System codes	Description
ex 7207 20	- Containing by weight 0,25 % or more of carbon: - Of rectangular (including square), circular or polygonal cross-section and blanks for angles, shapes and sections, rolled or obtained by continuous casting
7208	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated: - In coils, not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa: - Of a thickness exceeding 10 mm - Of a thickness of 4,75 mm or more but not exceeding 10 mm - Of a thickness of 3 mm or more but less than 4,75 mm - Of a thickness of less than 3 mm - Other, in coils, not further worked than hot-rolled: - Of a thickness exceeding 10 mm - Of a thickness of 4,5 mm or more but not exceeding 10 mm - Of a thickness of 3 mm or more but less than 4,75 mm - Of a thickness of less than 3 mm - Not in coils, not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa: - Rolled on four faces or in a closed box pass, of a width not exceeding 1 250 mm and of a thickness of not less than 4 mm, without patterns in relief - Other, of a thickness exceeding 10 mm - Other, of a thickness of 4,75 mm or more but not exceeding 10 mm - Other, of a thickness of 3 mm or more but less than 4,75 mm - Other, of a thickness of less than 3 mm - Other, not in coils, not further worked than hot-rolled: - Rolled on four faces or in a closed box pass, of a width not exceeding 1 250 mm and of a thickness of not less than 4 mm, without patterns in relief - Other, of a thickness exceeding 10 mm - Other, of a thickness of 4,75 mm or more but not exceeding 10 mm - Other, of a thickness of 3 mm or more but less than 4,75 mm - Other, of a thickness of less than 3 mm
7208 11 00	Of a thickness exceeding 10 mm
7208 12	Of a thickness of 4,75 mm or more but not exceeding 10 mm
7208 13	Of a thickness of 3 mm or more but less than 4,75 mm
7208 14	Of a thickness of less than 3 mm
7208 21	Of a thickness exceeding 10 mm
7208 22	Of a thickness of 4,5 mm or more but not exceeding 10 mm
7208 23	Of a thickness of 3 mm or more but less than 4,75 mm
7208 24	Of a thickness of less than 3 mm
7208 31 00	Rolled on four faces or in a closed box pass, of a width not exceeding 1 250 mm and of a thickness of not less than 4 mm, without patterns in relief
7208 32	Other, of a thickness exceeding 10 mm
7208 33	Other, of a thickness of 4,75 mm or more but not exceeding 10 mm
7208 34	Other, of a thickness of 3 mm or more but less than 4,75 mm
7208 35	Other, of a thickness of less than 3 mm
7208 41 00	Rolled on four faces or in a closed box pass, of a width not exceeding 1 250 mm and of a thickness of not less than 4 mm, without patterns in relief
7208 42	Other, of a thickness exceeding 10 mm
7208 43	Other, of a thickness of 4,75 mm or more but not exceeding 10 mm
7208 44	Other, of a thickness of 3 mm or more but less than 4,75 mm
7208 45	Other, of a thickness of less than 3 mm
7208 90	Other:
7208 90 10	Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
7209	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced), not clad, plated or coated: - In coils, not further worked than cold-rolled (cold-reduced), of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa: - Of a thickness of 3 mm or more - Of a thickness exceeding 1 mm but less than 3 mm - Of a thickness of 0,5 mm or more but not exceeding 1 mm
7209 11 00	Of a thickness of 3 mm or more
7209 12	Of a thickness exceeding 1 mm but less than 3 mm
7209 13	Of a thickness of 0,5 mm or more but not exceeding 1 mm

1992 Harmonized System codes	Description
7209 14	— — Of a thickness of less than 0,5 mm — Other, in coils, not further worked than cold-rolled (cold-reduced):
7209 21 00	— — Of a thickness of 3 mm or more
7209 22	— — Of a thickness exceeding 1 mm but less than 3 mm
7209 23	— — Of a thickness of 0,5 mm or more but not exceeding 1 mm
7209 24	— — Of a thickness of less than 0,5 mm — Not in coils, not further worked than cold-rolled (cold-reduced), of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:
7209 31 00	— — Of a thickness of 3 mm or more
7209 32	— — Of a thickness exceeding 1 mm but less than 3 mm
7209 33	— — Of a thickness of 0,5 mm or more but not exceeding 1 mm
7209 34	— — Of a thickness of less than 0,5 mm — Other, not in coils, not further worked than cold-rolled (cold-reduced):
7209 41 00	— — Of a thickness of 3 mm or more
7209 42	— — Of a thickness exceeding 1 mm but less than 3 mm
7209 43	— — Of a thickness of 0,5 mm or more but not exceeding 1 mm
7209 44	— — Of a thickness of less than 0,5 mm
7209 90	— Other:
7209 90 10	— Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
7210	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated:
	— Plated or coated with tin:
7210 11	— — Of a thickness of 0,5 mm or more:
7210 11 10	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
7210 12	— — Of a thickness of less than 0,5 mm:
7210 12 11	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
7210 12 19	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
7210 20	— Plated or coated with lead, including terne-plate:
7210 20 10	— — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square) — Electrolytically plated or coated with zinc:
7210 31	— — Of steel of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:
7210 31 10	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
7210 39	— — Other:
7210 39 10	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square) — Otherwise plated or coated with zinc:
7210 41	— — Corrugated:
7210 41 10	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)

1992 Harmonized System codes	Description
7210 49	— — Other:
7210 49 10	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
7210 50	— Plated or coated with chromium oxides or with chromium and chromium oxides:
7210 50 10	— — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
7210 60	— Plated or coated with aluminium:
7210 60 11	— — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
7210 60 19	— — —
7210 70	— Painted, varnished or coated with plastics:
7210 70 31	— — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
7210 70 39	— — —
7210 90	— Other:
7210 90 31	— — Other than silvered, gilded, platinum-plated or enamelled, not further worked than surface-treated, including, cladding, or simply cut into shapes other than rectangular (including square)
7210 90 39	— — —
7211	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated:
	— Not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:
7211 11 00	— — Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief
7211 12	— — Other, of a thickness of 4,75 mm or more
7211 19	— — Other
	— Other, not further worked than hot-rolled:
7211 21 00	— — exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief
7211 22	— — Other, of a thickness of 4,75 mm or more
7211 29	— — Other
7211 30	— Not further worked than cold-rolled (cold-reduced), of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:
7211 30 10	— — Of a width exceeding 500 mm
	— Other, not further worked than cold-rolled (cold-reduced):
7211 41	— — Containing by weight less than 0,25 % of carbon:
7211 41 10	— — — Of a width exceeding 500 mm
7211 41 91	— — — Of a width not exceeding 500 mm, in coils intended for the manufacture of tinplate
7211 49	— — Other:
7211 49 10	— — — Of a width exceeding 500 mm
7211 90	— Other:
7211 90 11	— — — Of a width exceeding 500 mm, not further worked than surface-treated
7212	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated:
7212 10	— Plated or coated with tin:

1992 Harmonized System codes	Description
7212 10 10	— — Tinplate, not further worked than surface-treated
7212 10 91	— — — Other, of a width exceeding 500 mm, further worked than surface-treated
	— Electrolytically plated or coated with zinc:
7212 21	— — Of steel of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:
7212 21 11	— — — Of a width exceeding 500 mm, not further worked than surface-treated
7212 29	— — Other:
7212 29 11	— — — Of a width exceeding 500 mm, not further worked than surface-treated
7212 30	— Otherwise plated or coated with zinc:
7212 30 11	— — Of a width exceeding 500 mm, not further worked than surface-treated
7212 40	— Painted, varnished or coated with plastics:
7212 40 10	— — Tinplate, not further worked than varnished
7212 40 91	— — — Other, of a width exceeding 500 mm, not further worked than surface-treated
7212 50	— Otherwise plated or coated than silvered, gilded, platinum-plated or enamelled, not further worked than surface-treated:
7212 50 31	— — Of a width exceeding 500 mm
7212 60	— Clad:
7212 60 11	— — Of a width exceeding 500 mm, not further worked than surface-treated
7212 60 91	— — Of a width not exceeding 500 mm, hot-rolled, not further worked than clad
7213	Bars and rods, hot-rolled, in irregularly wound coils, of iron or non-alloy steel
7214	Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling:
7214 20 00	— Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling
7214 30 00	— Of free-cutting steel
7214 40	— Other, containing by weight less than 0,25 % of carbon
7214 50	— Other, containing by weight 0,25 % or more but less than 0,6 % of carbon
7214 60 00	— Other, containing by weight 0,6 % or more of carbon
7215	Other bars and rods of iron or non-alloy steel:
7215 90	— Other:
7215 90 10	— — Hot-rolled, hot-drawn or extruded, not further worked than clad
7216	Angles, shapes and sections of iron or non-alloy steel:
7216 10 00	— U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm
	— L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm:
7216 21 00	— — L sections
7216 22 00	— — T sections
	— U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded of a height of 80 mm or more:
7216 31	— — U sections
7216 32	— — I sections

1992 Harmonized System codes	Description
7216 33	— — H sections
7216 40	— L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more
7216 50	— Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded
7216 90	— Other:
7216 90 10	— — Hot-rolled, hot-drawn or extruded, not further worked than clad
7218	Stainless steel in ingots or other primary forms: semi-finished products of stainless steel:
7218 10 00	— Ingots and other primary forms
ex 7218 90	— Other:
	— — — Rolled or obtained by continuous casting
7219	Flat-rolled products of stainless steel, of a width of 600 mm or more:
	— Not further worked than hot-rolled, in coils:
7219 11	— — Of a thickness exceeding 10 mm
7219 12	— — Of a thickness of 4,75 mm or more but not exceeding 10 mm
7219 13	— — Of a thickness of 3 mm or more but less than 4,75 mm
7219 14	— — Of a thickness of less than 3 mm
	— Not further worked than hot-rolled, not in coils:
7219 21	— — Of a thickness exceeding 10 mm
7219 22	— — Of a thickness of 4,75 mm or more but not exceeding 10 mm
7219 23	— — Of a thickness of 3 mm or more but less than 4,75 mm
7219 24	— — Of a thickness of less than 3 mm:
	— Not further worked than cold-rolled (cold-reduced):
7219 31	— — Of a thickness of 4,75 mm or more
7219 32	— — Of a thickness of 3 mm or more but less than 4,75 mm
7219 33	— — Of a thickness exceeding 1 mm but less than 3 mm
7219 34	— — Of a thickness of 0,5 mm or more but not exceeding 1 mm
7219 35	— — Of a thickness of less than 0,5 mm
ex 7219 90	— Other:
	— Not further worked than surface-treated, including cladding, or simply cut into shapes other than rectangular (including square)
7220	Flat-rolled products of stainless steel, of a width of less than 600 mm:
	— Not further, worked than hot-rolled:
7220 11 00	— — Of a thickness of 4,75 mm or more
7220 12 00	— — Of a thickness of less than 4,75 mm
7220 20	— Not further worked than cold-rolled (cold-reduced):
7220 20 10	— — Of a width exceeding 500 mm
7220 90	— Other:
7220 90 11	— — Of a width exceeding 500 mm, not further worked than surface-treated, including cladding

1992 Harmonized System codes	Description
7220 90 31	— — Of a width not exceeding 500 mm, hot-rolled, not further worked than clad
7221 00	Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel:
7222 10	— Bars and rods, not further worked than hot-rolled, hot-drawn or extruded
7222 30	— Other bars and rods:
7222 30 10	— — Hot-rolled, hot-drawn or extruded, not further worked than clad
7222 40	— Angles, shapes and sections:
7222 40 11	— — Not further worked than hot-rolled, hot-drawn or extruded, including those not
7222 40 19	further worked than clad
7222 40 30	
7224	Other alloy steel in ingots or other primary forms; semifinished products of other alloy steel:
7224 10 00	— Ingots and other primary forms
7224 90	— Other:
7224 90 01 to 7224 90 15	— — — Hot-rolled or obtained by continuous casting
7225	Flat-rolled products of other alloy steel, of a width of 600 mm or more:
7225 10	— Of silicon-electrical steel
7225 20	— Of high-speed steel:
7225 20 10	— — Not further worked than rolled, not further worked than surface-treated,
7225 20 30	including cladding or simply cut into shapes other than rectangular (including square)
7225 30 00	— Other, not further worked than hot-rolled, in coils
7225 40	— Other, not further worked than hot-rolled, not in coils
7225 50	— Other, not further worked than cold-rolled (cold-reduced)
7225 90	— Other:
7225 90 10	— — Not further worked than surface-treated, including cladding or simply cut into shapes other than rectangular (including square)
7226	Flat-rolled products of other alloy steel, of a width of less than 600 mm:
7226 10	— Of silicon-electrical steel:
7226 10 10	— — Not further worked than hot-rolled
7226 10 30	— — Other, of a width exceeding 500 mm
7226 20	— Of high-speed steel:
7226 20 10	— — Not further worked than hot-rolled
7226 20 31	— — Not further worked than cold-rolled (cold-reduced), of a width exceeding 500 mm
	— — Other:
7226 20 51	— — — Of a width exceeding 500 mm, not further worked than surface-treated, including cladding
7226 20 71	— — — Of a width not exceeding 500 mm, not further worked than surface-treated, including cladding, hot-rolled, not further worked than clad

1992 Harmonized System codes	Description
	— Other:
7226 91	— — Not further worked than hot-rolled
7226 92	— — Not further worked than cold-rolled (cold-reduced):
7226 92 10	— — — Of a width exceeding 500 mm, not further worked than surface-treated including cladding, hot-rolled, not further worked than clad
7226 99	— — Other:
7226 99 11	— — — Of a width exceeding 500 mm, not further worked than surface-treated, including cladding
7226 99 31	— — — Of a width not exceeding 500 mm
7227	Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel
7228	Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel:
7228 10	— Bars and rods, of high-speed steel:
7228 10 10	— — Not further worked than hot-rolled, hot-drawn or extruded, including those not further worked than clad
7228 10 30	— — —
7228 20	— Bars and rods, of silico-manganese steel:
7228 20 11	— — Not further worked than hot-rolled, hot-drawn or extruded, including those not further worked than clad
7228 20 19	— — —
7228 20 30	— — —
7228 30	— Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded
7228 60	— Other bars and rods:
7228 60 10	— — Hot-rolled, hot-drawn or extruded, not further worked than clad
7228 70	— Angles, shapes and sections:
7228 70 10	— — Not further worked than hot-rolled, hot-drawn or extruded, including those not further worked than clad
7228 70 31	— — —
7228 80	— Hollow drill bars and rods
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel:
7301 10 00	— Sheet piling
7302	Railway or tramway track construction material of iron or steel, the following: rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers (cross-ties), fish-plates, chairs, chair wedges, sole plates (base plates) rail clips, bedplates, ties and other material specialized for jointing or fixing rails:
7302 10	— Rails:
7302 10 31	— — Other than current-conducting with parts of non-ferrous metal
7302 10 39	— — —
7302 10 90	— — —
7302 20 00	— Sleepers (cross-ties)
7302 40	— Fish-plates and sole plates:
7302 40 10	— — Rolled
7302 90	— Other:
7302 90 10	— — Check-rails

ANNEX II

CN code (*)	Description (a)
	Pig iron and spiegeleisen in pigs, blocks or other primary forms:
	— Non-alloy pig iron containing by weight 0,5 % or less of phosphorus:
	— — Containing by weight not less than 0,4 % of manganese:
7201 10 11	— — — Containing by weight 1 % or less of silicon
7201 10 19	— — — Containing by weight more than 1 % of silicon
7201 10 30	— — Containing by weight not less than 0,1 % but less than 0,4 % of manganese
7201 10 90	— — Containing by weight less than 0,1 % of manganese
7201 20 00	— Non-alloy pig iron containing by weight more than 0,5 % of phosphorus
	— Alloy pig iron:
7201 30 90	— — Other
7201 40 00	— Spiegeleisen
	Ferro-alloys:
	— Other:
	— — Other:
	— — — Ferro-phosphorus:
7202 99 11	— — — — Containing by weight more than 3 % but less than 15 % of phosphorus
	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94 %, in lumps, pellets or similar forms:
7203 90 00	— Other
	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated:
	— In coils, not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:
7208 11 00	— — Of a thickness exceeding 10 mm
	— — Of a thickness of 4,75 mm or more but not exceeding 10 mm:
7208 12 10	— — — Intended for re-rolling (1)
	— — — Other:
7208 12 91	— — — — With patterns in relief
	— — — — Other:
7208 12 95	— — — — — Pickled
7208 12 98	— — — — — Other
	— — Of a thickness of 3 mm or more but less than 4,75 mm:
7208 13 10	— — — Intended for re-rolling (1)
	— — — Other:

(*) The Taric codes are to be found on the last page of this Annex.

(a) Notwithstanding the rules interpretation of the combined nomenclature, the wording for the designation of the products is to be considered as having no more than an indicative value, the preferential scheme being determined, within the context of this Annex, by the application of CN codes. Where ex CN code positions are indicated, the preferential scheme is to be determined by application of the CN code and corresponding description taken together.

(1) Entry within this code is subject to conditions laid down in the relevant Community provisions.

CN code	Description
7208 13 91	— — — — With patterns in relief
	— — — — Other:
7208 13 95	— — — — — Pickled
7208 13 98	— — — — — Other
	— — Of a thickness of less than 3 mm:
7208 14 10	— — — Intended for re-rolling ⁽¹⁾
	— — — Other:
7208 14 91	— — — — Pickled
7208 14 99	— — — — Other
	— Other, in coils, not further worked than hot-rolled:
	— — Of a thickness exceeding 10 mm:
7208 21 10	— — — With patterns in relief
7208 21 90	— — — Other
	— — Of a thickness of 4,75 mm or more but not exceeding 10 mm:
7208 22 10	— — — Intended for re-rolling ⁽¹⁾
	— — — Other:
7208 22 91	— — — — With patterns in relief
	— — — — Other:
7208 22 95	— — — — — Pickled
7208 22 98	— — — — — Other
	— — Of a thickness of 3 mm or more but less than 4,75 mm:
7208 23 10	— — — Intended for re-rolling ⁽¹⁾
	— — — Other:
7208 23 91	— — — — With patterns in relief
	— — — — Other:
7208 23 95	— — — — — Pickled
7208 23 98	— — — — — Other
	— — Of a thickness of less than 3 mm:
7208 24 10	— — — Intended for re-rolling ⁽¹⁾
	— — — Other:
7208 24 91	— — — — Pickled
7208 24 99	— — — — Other
	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated:
	— Not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:
	— — Other, of a thickness of 4,75 mm or more:
ex 7211 12 10	— — — Of a width exceeding 500 mm
	— ⁽²⁾
	— — Other:

⁽¹⁾ Entry with this code is subject to conditions laid down in the relevant Community provisions.

⁽²⁾ Flat-rolled products of a weight of 500 kg or more.

CN code	Description
ex 7211 19 10	- - - Of a width exceeding 500 mm: - (1) - Other, not further worked than hot-rolled: - - Other, of a thickness of 4,75 mm or more:
ex 7511 22 10	- - - Of a width exceeding 500 mm: - (1) - - Other:
ex 7211 29 10	- - - Of a width exceeding 500 mm: - (1)
	Semi-finished products of iron or non-alloy steel:
	- Containing by weight less than 0,25 % of carbon:
	- - Other:
	- - - Of circular or polygonal cross-section:
	- - - - Rolled or obtained by continuous casting:
7207 19 15	- - - - - Other
	- Containing by weight 0,25 % or more of carbon:
	- - Of circular or polygonal cross-section:
	- - - Rolled or obtained by continuous casting:
	- - - - Other:
7207 20 55	- - - - - Containing by weight 0,25 % or more but less than 0,6 % of carbon
	Bars and rods, hot-rolled, in irregularly wound coils of iron or non-alloy steel:
7213 10 00	- Containing indentations, ribs, grooves or other deformations produced during the rolling process
7213 31 00	- Other, containing by weight less than 0,25 % of carbon
7213 39 00	
7213 41 00	- Other, containing by weight 0,25 % or more but less than 0,6 % of carbon
7213 49 00	
	Other bars and rods of other alloy steel, not further worked than forged hot-rolled, hot-drawn or hot-extruded but including those twisted after rolling:
7214 20 00	- Containing indentations, ribs, grooves, or other deformations produced during the rolling process or twisted after rolling
7214 40 10	- Other, containing by weight less than 0,25 % of carbon
7214 40 91	
7214 40 99	
7214 50 10	- Other, containing by weight 0,25 % or more but less than 0,6 % of carbon
7214 50 91	
7214 50 99	
	Other bars and rods of iron or non-alloy steel:
	- Other:
7215 90 10	- - Hot-rolled, hot-drawn or extruded not further worked than clad
	Other bars and rods of other alloy steel, angles, shapes and sections of other alloy steel:
	- Hollow drill bars and rods:
7228 80 90	- - Of non-alloy steel

(1) Flat-rolled products of a weight of 500 kg or more.

CN code	Description
	Semi-finished products of iron or non-alloy steel:
	– Containing by weight less than 0,25 % of carbon:
	– – Other:
	– – – Blanks for angles, shapes and sections:
7207 19 31	– – – Rolled or obtained by continuous casting
	– Containing by weight 0,25 % or more of carbon:
	– – Blanks for angles, shapes and sections:
7207 20 71	– – – Rolled or obtained by continuous casting
	Angles, shapes and sections of iron of non-alloy steel:
7216 10 00	– U-, I- or H-sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm
7216 21 00	– L- or T-sections, not further worked than hot-rolled, hot-drawn or extruded of a height of less than 80 mm
7216 22 00	– – – Of a height of 80 mm or more but not exceeding 220 mm:
ex 7216 31 11	– – – – With parallel flange faces
	– (1)
ex 7216 31 19	– – – – Other
	– (1)
	– – – Of a height of more than 220 mm:
ex 7216 31 91	– – – – With parallel flange faces
	– (1)
ex 7216 31 99	– – – – Other
	– (1)
	– – – Of a height of 80 mm or more but not exceeding 220 mm:
ex 7216 32 11	– – – – With parallel flange faces
	– (1)
ex 7216 32 19	– – – – Other
	– (1)
	– – – Of a height of more than 220 mm:
ex 7216 32 91	– – – – With parallel flange faces
	– (1)
ex 7216 32 99	– – – – Other
	– (1)
ex 7216 33 10	– – – Of a height of 80 mm or more but not exceeding 180 mm
	– (1)
ex 7216 33 90	– – – Of a height of more than 180 mm
	– (1)
7216 40 10	– L- or T-sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more
7216 40 90	– L- or T-sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more
7216 50 10	– Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded
7216 50 90	– Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded

(1) Other than products containing, by weight, not less than 0,60 % of carbon and having a content, by weight, less than 0,04 % of phosphorus and sulphur taken separately and less than 0,07 % of these elements taken together.

CN code	Description
7216 90 10	— Other: — — Hot-rolled, hot-drawn or extruded, not further worked than clad
7301 10 00	— Sheet piling
ex 7211 12 90	- Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated: — Not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa: — — Other, of a thickness of 4,75 mm or more: — — — Of a width not exceeding 500 mm: — — — — (1) — — — Other: — — — — Of a width not exceeding 500 mm:
ex 7211 19 91	— — — — Of a thickness of 3 mm or more but less than 4,75 mm: — — — — — (1)
ex 7211 19 99	— — — — Of a thickness of less than 3 mm: — — — — — (1)
ex 7211 22 90	— — Other, not further worked than hot-rolled: — — — Other, of a thickness of 4,75 mm or more: — — — — Of a width not exceeding 500 mm: — — — — — (1) — — Other, not further worked than hot-rolled: — — — Other: — — — — Of a width not exceeding 500 mm (ECSC):
ex 7211 29 91	— — — — Of a thickness of 3 mm or more but less than 4,75 mm: — — — — — (1)
ex 7211 29 99	— — — — Of a thickness of less than 3 mm — — — — — (1)
7211 41 91	— Other, not further worked than cold-rolled (cold-reduced): — — Containing by weight less than 0,25 % of carbon: — — — Of a width not exceeding 500 mm: — — — — In coils intended for the manufacture of tin plate — Clad: — — Of a width not exceeding 500 mm: — — — Not further worked than surface-treated:
7212 60 91	— — — — Hot-rolled, not further worked than clad: — — — — — (1)

(1) Other than products containing, by weight, not less than 0,60 % of carbon and having a content, by weight, less than 0,04 % of phosphorus and sulphur taken separately and less than 0,07 % of these elements taken together.

CN code	Description
	Flat-rolled products of iron of non-alloy steel of a width of 600 mm or more, hot-rolled, not clad, plated or coated:
	— Not in coils, not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:
7208 32 10	— — Other, of a thickness exceeding 10 mm
7208 32 30	
7208 32 51	
7208 32 59	
7208 32 91	
7208 32 99	
7208 33 10	— — Other, of a thickness of 4,75 mm or more but not exceeding 10 mm
7208 33 91	
7208 33 99	
7208 34 10	— — Other, of a thickness of 3 mm or more but less than 4,75 mm
7208 34 90	
7208 35 10	— — Other, of a thickness of less than 3 mm
7208 35 90	
	— — Other, not in coils, not further worked than hot-rolled
7208 42 10	— — Other, of a thickness exceeding 10 mm
7208 42 30	
7208 42 51	
7208 42 59	
7208 42 91	
7208 42 99	
7208 43 10	— — Other, of a thickness of 4,75 mm or more but not exceeding 10 mm
7208 43 91	
7208 43 99	
7208 44 10	— — Other, of a thickness of 3 mm or more but less than 4,75 mm
7208 44 90	
7208 45 10	— — Other, of a thickness of less than 3 mm
7208 45 90	
	— Other:
7208 90 10	— — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced) not clad, plated or coated:
	— In coils, not further worked than cold-rolled (cold-reduced) of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:
7209 12 10	— — Of a thickness exceeding 1 mm but less than 3 mm
7209 12 90	
7209 13 10	— — Of a thickness of 0,5 mm or more but not exceeding 1 mm
7209 13 90	
7209 14 10	— — Of a thickness of less than 0,5 mm:
7209 14 90	
	— Other, in coils not further worked than cold-rolled (cold reduced)
7209 22 10	— — Of a thickness exceeding 1 mm but less than 3 mm
7209 22 90	
7209 23 10	— — Of a thickness of 0,5 mm or more but not exceeding 1 mm
7209 23 90	
7209 24 10	— — Of a thickness of less than 0,5 mm
7209 24 91	
7209 24 99	

CN code	Description
	— Not in coils, not further worked than cold-rolled (cold-reduced) of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:
7209 32 10	— — Of a thickness exceeding 1 mm but less than 3 mm
7209 32 90	
7209 33 10	— — Of a thickness of 0,5 mm or more but not exceeding 1 mm
7209 33 90	
7209 34 10	— — Of a thickness of less than 0,5 mm
7209 34 90	
	— Other, not in coils, not further worked than cold-rolled (cold-reduced):
7209 42 10	— — Of a thickness exceeding 1 mm but not exceeding 3 mm
7209 42 90	
7209 43 10	— — Of a thickness of 0,5 mm or more but not exceeding 1 mm
7209 43 90	
7209 44 10	— — Of a thickness of less than 0,5 mm
7209 44 90	
	— Other:
7209 90 10	— — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated:
	— Plated or coated with tin:
	— — Of a thickness of 0,5 mm or more:
7210 11 10	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
	— — Of a thickness of less than 0,5 mm:
7210 12 11	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
7210 12 19	
	— Plated or coated with lead, including terne-plate:
7210 20 10	— — Not further worked than surface-treated or simply cut into shapes other than arectangular (including square)
	— Elektrolytically plated or coated with zinc:
	— — Of steel of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or a thickness of 3 mm or more and having a minimum yield point of 355 MPa:
7210 31 10	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
	— — Other:
7210 39 10	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
	— Otherwise plated or coated with zinc:
	— — Corrugated:
7210 41 10	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
	— — Other:
7210 49 10	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
	— Plated or coated with chromium oxides or with chromium and chromium oxides:
7210 50 10	— — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)

CN code	Description
	— Plated or coated with aluminium: — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
7210 60 11	— — — Plated or coated with aluminium-zinc alloys
7210 60 19	— — — Other
	— Painted, varnished or plastic coated:
7210 70 31	— — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
7210 70 39	— Other:
	— — Other:
7210 90 31	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
7210 90 33	
7210 90 35	
7210 90 39	
	Flat-rolled products of iron or non-alloys steel, of a width of less than 600 mm, not clad, plated or coated:
	— Not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of thickness of 3 mm or more and having a minimum yield point of 355 MPa:
	— — Other, of a thickness of 4,75 mm or more:
ex 7211 12 10	— — — Of a width exceeding 500 mm:
	— (1)
	— — Other:
ex 7211 19 10	— — — Of a width exceeding 500 mm:
	— (1)
	— Other, not further worked than hot-rolled:
	— — Other, of a thickness of 4,75 mm or more:
ex 7211 22 10	— — — Of a width exceeding 500 mm:
	— (1)
	— — Other:
ex 7211 29 10	— — — Of a width exceeding 500 mm:
	— (2)
	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated:
	— Not further worked than cold-rolled (cold-reduced) of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:
7211 30 10	— — Of a width exceeding 500 mm
	— Other, not further worked than cold-rolled (cold-reduced):
	— — Containing by weight less than 0,25 % of carbon:
7211 41 10	— — — Of a width exceeding 500 mm
	— — Other:
7211 49 10	— — — Of a width exceeding 500 mm
	— Other:
	— — Of a width exceeding 500 mm:
7211 90 11	— — — Not further worked than surface-treated

(1) Not including flat-rolled products of a weight of 500 kg or more.

(2) Containing, by weight, not less than 0,6 % of carbon and having a content, by weight, less than 0,04 % of phosphorus and sulphur taken separately and less than 0,07 % of these elements taken together.

CN code	Description
	Flat-rolled products of iron or non-alloy steel, of a width of less than 500 mm, clad, plated or coated:
	— Plated or coated with tin:
7212 10 10	— — Tinplate, not further worked than surface-treated
ex 7212 10 91	— — Other ⁽¹⁾
	— Electrolytically plated or coated with zinc:
	— — Of steel of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:
7212 21 11	— — — Of a width exceeding 500 mm:
	— — — — Not further worked than surface-treated
	— — — Other:
	— — — — Of a width exceeding 500 mm:
7212 29 11	— — — — Not further worked than surface-treated
	— Otherwise plated or coated with zinc:
	— — Of a width exceeding 500 mm:
7212 30 11	— — — Not further worked than surface-treated
	— Painted, varnished or plastic coated:
7212 40 10	— — Tinplate, not further worked than varnished
	— — Other:
	— — — Of a width exceeding 500 mm:
7212 40 91	— — — — Not further worked than surface-treated
	— Otherwise plated or coated:
	— — Of a width exceeding 500 mm:
	— — — Lead-coated:
7212 50 31	— — — — Not further worked than surface-treated
	— — — Other:
7212 50 51	— — — — Not further worked than surface-treated
	— Clad:
	— — Of a width exceeding 500 mm:
7212 60 11	— — — Not further worked than surface-treated
	Ferrous waste and scrap; remelting scrap ingots of iron or steel:
	— Remelting scrap ingots:
7204 50 90	— — Other
	Iron and non-alloy steel in ingots or other primary forms (excluding iron of code 7203):
7206 10 00	— Ingots (ECSC)
	Semi-finished products of iron or non-alloy steel:
	— Containing by weight less than 0,25 % of carbon:
	— — Of rectangular (including square) cross-section, the width measuring less than twice the thickness:
	— — — Rolled or obtained by continuous casting:

⁽¹⁾ Containing, by weight, not less than 0,6 % of carbon and having a content, by weight, less than 0,04 % of phosphorus and sulphur taken separately and less than 0,07 % of these elements taken together.

CN code	Description
7207 11 11	— — — — Free-cutting steel — — Other: — — — Of circular or polygonal cross-section: — — — — Rolled or obtained by continuous casting:
7207 19 11	— — — — — Of free-cutting steel — Containing by weight 0,25 % or more of carbon: — — Of rectangular (including square) cross-section, the width measuring less than twice the thickness: — — — Rolled or obtained by continuous casting:
7207 20 11	— — — — Free-cutting steel — — — — Other, containing by weight:
7207 20 17	— — — — — 0,6 % or more of carbon — — Of circular or polygonal cross-section: — — — Rolled or obtained by continuous casting:
ex 7207 20 31	— — — — Of a thickness of 50 mm or more — ⁽¹⁾
ex 7207 20 33	— — — — Of a thickness of less than 50 mm — ⁽¹⁾ — — Of circular or polygonal cross-section: — — — Rolled or obtained by continuous casting:
7207 20 51	— — — — Free-cutting steel — — — — Other:
7207 20 57	— — — — — Containing by weight 0,6 % of carbon — Not in coils, not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or a thickness of 3 mm or more and having a minimum yield point of 355 MPa:
ex 7208 31 00	— — Rolled on four faces or in a closed box pass, of a width not exceeding 1 250 mm and of a thickness of not less than 4 mm, without patterns in relief: — ⁽¹⁾ — Other, not in coils, not further worked than hot-rolled:
ex 7208 41 00	— — Rolled on four faces or in a closed box pass, of a width not exceeding 1 250 mm and of a thickness of not less than 4 mm, without patterns in relief: — ⁽¹⁾
7211	- Flat-rolled products of iron or non-alloy steel, of a width of less than 60 mm, not clad, plated or coated: — Not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:
ex 7211 11 00	— — Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief — ⁽¹⁾ — — Other, of a thickness of 4,75 mm or more:

⁽¹⁾ Containing, by weight, not less than 0,6 % of carbon and having a content, by weight, less than 0,04 % of phosphorus and sulphur taken separately and less than 0,07 % of these elements taken together.

CN code	Description
ex 7211 12 90	— — — Of a width not exceeding a 500 mm: — ⁽¹⁾ — — Other: — — — Of a width not exceeding 500 mm:
ex 7211 19 91	— — — — Of a thickness of 3 mm or more but less than 4,75 mm: — ⁽¹⁾
ex 7211 19 99	— — — — Of a thickness of less than 3 mm — ⁽¹⁾ — Other, not further worked than hot-rolled:
ex 7211 21 00	— — Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief (ECSC) — ⁽¹⁾ — — Other, of a thickness of 4,75 mm or more:
ex 7211 22 90	— — — Of a width not exceeding 500 mm: — ⁽¹⁾ — — Other: — — — Of a width not exceeding 500 mm:
ex 7211 29 91	— — — — Of a thickness of 3 mm or more but less than 4,75 mm: — ⁽¹⁾
ex 7211 29 99	— — — — Of a thickness of less than 3 mm: — ⁽¹⁾
	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated:
	— Clad:
	— — Of a width not exceeding 500 mm:
	— — — Not further worked than surface-treated:
ex 7212 60 91	— — — — Hot-rolled, not further worked than clad: — ⁽¹⁾
	Bars and rods, hot-rolled, in irregularly wound coils of iron or non-alloy steel:
7213 20 00	— Of free-cutting steel — Other, containing by weight 0,6 % or more of carbon:
ex 7213 50 10	— — Containing by weight 0,6 % or more but not more than 0,75 % of carbon: — ⁽¹⁾
ex 7213 50 90	— — Containing by weight more than 0,75 % of carbon: — ⁽¹⁾
7214	Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling:
7214 30 00	— Of free-cutting steel
7214 60 00	— Other, containing by weight 0,6 % or more of carbon

⁽¹⁾ Containing, by weight, not less than 0,6 % of carbon and having a content, by weight, less than 0,04 % of phosphorus and sulphur taken separately and less than 0,07 % of these elements taken together.

CN code	Description
7216	Angles, shapes and sections of iron or non-alloy steel:
	— U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm:
	— — U sections:
	— — — Of a height of 80 mm or more but not exceeding 220 mm:
ex 7216 31 11	— — — — With parallel flange faces:
	— (1)
ex 7216 31 19	— — — — Other
	— (1)
	— — — Of a height of more than 220 mm:
ex 7216 31 91	— — — — With parallel flange faces:
	— (1)
ex 7216 31 99	— — — — Other:
	— (1)
	— — I sections:
	— — — Of a height of 80 mm or more but not exceeding 220 mm:
ex 7216 32 11	— — — — With parallel flange faces:
	— (1)
ex 7216 32 19	— — — — Other:
	— (1)
	— — — Of a height of more than 220 mm:
ex 7216 32 91	— — — — With parallel flange faces:
	— (1)
ex 7216 32 99	— — — — Other:
	— (1)
	— — H sections:
ex 7216 33 10	— — — Of a height of 80 mm or more but not exceeding 180 mm:
	— (1)
ex 7216 33 90	— — — Of a height of more than 180 mm:
	— (1)
	Stainless steel in ingots or other primary forms, semi-finished products of stainless steel:
	— (1)
7218 10 00	— Ingots and other primary forms
	— Other:
	— — Of rectangular (including square) cross-section:
7218 90 11	— — — Rolled or obtained by continuous casting
7218 90 13	
7218 90 15	
7218 90 19	
	— — Other:
7218 90 50	— — — Rolled or obtained by continuous casting
	Flat-rolled products of stainless steel, of a width of 600 mm or more:
7219 11 10	— Not further worked than hot-rolled in coils
7219 11 90	

(1) Containing, by weight, not less than 0,6% of carbon and having a content, by weight, less than 0,04% of phosphorus and sulphur taken separately and less than 0,07% of these elements taken together.

CN code	Description
7219 12 10 7219 12 90	— Not further worked than hot-rolled, not in coils
7219 13 10 7219 13 90	— Not further worked than cold-rolled (cold-reduced):
7219 14 10 7219 14 90	— — Of a thickness exceeding 1 mm but less than 3 mm:
	— — — Containing by weight 2,5 % or more of nickel, of a thickness:
7219 21 11	— — — — Exceeding 13 mm
7219 21 19 7219 21 90	— — — — Exceeding 10 mm but not exceeding 13 mm
7219 22 10 7219 22 90 7219 23 10 7219 23 90 7219 24 10 7219 24 90 7219 33 10 7219 33 90	
7219 34 10 7219 34 90	— — Of a thickness of 0,5 mm or more but not exceeding 1 mm
7219 35 10 7219 35 90	— — Of a thickness of less than 0,5 mm
	— Other:
7219 90 11 7219 90 19	— — Not further worked than surface-treated, including cladding, or simply cut into shapes other than rectangular (including square)
	Flat-rolled products of stainless steel, of a width of less than 600 mm:
7220 11 00 7220 12 00	— Not further worked than hot-rolled
7221 00	Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel:
7221 00 10	— Containing by weight 2,5 % or more of nickel
7221 00 90	— Containing by weight less than 2,5 % of nickel
7224	Other alloy steel in ingots other primary forms; semi-finished products of other alloy steel:
7224 90	— Other:
	— — Of rectangular (including square) cross-section:
	— — — Hot-rolled or obtained by continuous casting:
	— — — — The width measuring less than twice the thickness:
7224 90 01	— — — — — Of high-speed steel
7224 90 09	— — — — — Other
7224 90 15	— — — — — Other
7225	Flat-rolled products of other alloy steel, of a width of 600 mm or more:
	— Other, not further worked than cold-rolled (cold-reduced):
ex 7225 50 10	— — Containing by weight less than 0,6 % of silicon and not less than 0,3 % but not more than 1 % of aluminium:
	— (1)
ex 7225 50 90	— — Other:
	— (1)

(1) With a thickness of less than 3 mm.

CN code	Description
7227 (all numbers)	Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel
	Other bars and rods of other alloy steel; angles, shapes and sections of other alloy steel, hollow drill bars and rods, of alloy or non-alloy steel:
	— Bars and rods, or alloy or non-alloy steel:
7228 10 10	— — Not further worked than hot-rolled, hot-drawn or extruded
	— — Other:
7228 10 30	— — — Hot-rolled, hot-drawn or extruded not further worked than clad
	— Bars and rods, of silico-manganese steel:
7228 20 11	— — Not further worked than hot-rolled, hot-drawn or extruded
7228 20 19	— — Other:
7228 20 30	— — — Hot-rolled, hot-drawn or extruded not further worked than clad
7228 30	— Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded:
7228 30 10	— — Of circular cross-section of a diameter of 80 mm or more
7228 30 30	— — Of rectangular cross-section, rolled on four faces
7228 30 80	— — Other
7228 60	— Other bars and rods:
7228 60 10	— — Hot-rolled, hot-drawn or extruded not further worked than clad
	— Angles, shapes and sections:
7228 70 10	— — Not further worked than hot-rolled hot-drawn or extruded
	— Not further worked than cold-rolled (cold-reduced):
7220 20 10	— — Of a width exceeding 500 mm
	— Other:
	— — Of a width exceeding 500 mm:
7220 90 11	— — — Not further worked, than surface-treated, including cladding
	— — Of a width not exceeding 500 mm:
	— — — Not further worked than surface-treated, including cladding:
7220 90 31	— — — — Hot-rolled, nor further worked than clad
	Other bars, and rods of stainless steel; shapes and sections of stainless steel:
7222 10 11 7222 10 19 7222 10 51 7222 10 59 7222 10 99	— Bars and rods, not further worked than hot-rolled, hot-drawn or extruded
	— Other bars and rods:
7222 30 10	— — Hot-rolled, hot-drawn or extruded not further worked than clad
	— Angles, shapes and sections:
7222 40 11 7222 40 19	— — Not further worked than hot-rolled, hot-drawn or extruded
	— — Other:
7222 40 30	— — — Hot-rolled, hot-drawn or extruded not further worked than clad
	Other alloy steel in ingots or other primary forms, semi-finished products of other alloy steel:
7224 10 00	— Ingots and other primary forms:
7224 90 30	— — — Hot-rolled or obtained by continuous casting

CN code	Description
	Flat-rolled products of other alloy steel, of a width of 600 mm or more:
7225 10 10	- Of silicon-electrical steel
7225 10 91	
7225 10 99	
	- Of high speed steel:
7225 20 10	- - Not further worked than hot-rolled
7225 20 30	- - Not further worked than surface-treated, including cladding or simply cut into shapes other than rectangular (including square)
7225 30 00	- Other, not further worked than hot-rolled, in coils:
7225 40 10	- - Other, not further worked than hot-rolled, not in coils
7225 40 30	
7225 40 50	
7225 40 70	
7225 40 90	
	- Other:
7225 90 10	- - Not further worked than surface-treated including cladding or simply cut into shapes other than rectangular (including square)
	Flat-rolled products of other alloy steel, of a width of less than 600 mm:
	- Of silicon-electrical steel:
7226 10 10	- - Not further worked than hot-rolled
	- - Other:
7226 10 30	- - - Of a width exceeding 500 mm
	- Of high-speed steel:
7226 20 10	- - Not further worked than hot-rolled
	- - Not further worked than cold-rolled (cold-reduced):
7226 20 31	- - - Of a width exceeding 500 mm
	- - Other:
	- - - Of a width exceeding 500 mm:
7226 20 51	- - - - Not further worked than surface treated, including cladding
	- - - Of a width not exceeding 500 mm:
	- - - - Not further worked than surface-treated including cladding:
7226 20 71	- - - - - Hot-rolled, not further worked than clad
	- Other:
	- - Not further worked than hot-rolled:
7226 91 10	- - - Of a thickness of 4,75 mm or more
7226 91 90	- - - Of a thickness of less than 4,75 mm
	- - Not further worked than cold-rolled (cold-reduced):
7226 92 10	- - - Of a width exceeding 500 mm
	- - Other:
	- - - Of a width exceeding 500 mm:
7226 99 11	- - - - Not further worked than surface-treated, including cladding
	- - - Of a width not exceeding 500 mm:
	- - - - Not further worked than surface-treated, including cladding:
7226 99 31	- - - - - Hot-rolled, not further worked than clad
	- - Other:
7228 70 31	- - - Hot-rolled, hot-drawn or extruded not further worked than clad
	- Hollow drill bars and rods:
7228 80 10	- - Of alloy steel

TARIC CODES

CN code	Taric code	CN code	Taric code
ex 7211 12 10	7211 12 10 * 12 7211 12 10 * 91	ex 7211 19 10	7211 19 10 * 13 7211 19 10 * 15 7211 19 10 * 17 7211 19 10 * 18 7211 19 10 * 99
ex 7211 19 10	7211 19 10 * 12 7211 19 10 * 14 7211 19 10 * 91	ex 7211 22 10	7211 22 10 * 18 7211 22 10 * 19 7211 22 10 * 99
ex 7211 22 10	7211 22 10 * 12 7211 22 10 * 91	ex 7211 29 10	7211 29 10 * 13 7211 29 10 * 15 7211 29 10 * 17 7211 29 10 * 18 7211 29 10 * 99
ex 7211 29 10	7211 29 10 * 12 7211 29 10 * 14 7211 29 10 * 91	ex 7212 10 91	7212 10 91 * 90
ex 7216 31 11	7216 31 11 * 10 7216 31 11 * 99	ex 7207 20 31	7207 20 31 * 10
ex 7216 31 19	7216 31 19 * 10 7216 31 19 * 99	ex 7207 20 33	7207 20 33 * 10
ex 7216 31 91	7216 31 91 * 10 7216 31 91 * 99	ex 7208 31 00	7208 31 00 * 10
ex 7216 31 99	7216 31 99 * 10 7216 31 99 * 99	ex 7208 41 00	7208 41 00 * 10
ex 7216 32 11	7216 32 11 * 10 7216 32 11 * 99	ex 7211 11 00	7211 11 00 * 10
ex 7216 32 19	7216 32 19 * 10 7216 32 19 * 99	ex 7211 12 90	7211 12 90 * 10
ex 7216 32 91	7216 32 91 * 10 7216 32 91 * 99	ex 7211 19 91	7211 19 91 * 10
ex 7216 32 99	7216 32 99 * 10 7216 32 99 * 99	ex 7211 19 99	7211 19 99 * 10
ex 7216 33 10	7216 33 10 * 90	ex 7211 21 00	7211 21 00 * 10
ex 7216 33 90	7216 33 90 * 90	ex 7211 22 90	7211 22 90 * 10
ex 7211 12 90	7211 12 90 * 90	ex 7211 29 91	7211 29 91 * 10
ex 7211 19 91	7211 19 91 * 90	ex 7211 29 99	7211 29 99 * 10
ex 7211 19 99	7211 19 99 * 90	ex 7212 60 91	7212 60 91 * 10
ex 7211 22 90	7211 22 90 * 90	ex 7213 50 10	7213 50 10 * 10
ex 7211 29 91	7211 29 91 * 90	ex 7213 50 90	7213 50 90 * 10
ex 7211 29 99	7211 29 99 * 90	ex 7216 31 11	ex 7216 31 11 * 91
ex 7212 60 91	7212 60 91 * 90	ex 7216 31 19	ex 7216 31 19 * 91
ex 7211 12 10	7211 12 10 * 18 7211 12 10 * 19 7211 12 10 * 99	ex 7216 31 91	ex 7216 31 91 * 91
		ex 7216 31 99	ex 7216 31 99 * 91
		ex 7216 32 11	ex 7216 32 11 * 91
		ex 7216 32 19	ex 7216 32 19 * 91
		ex 7216 32 91	ex 7216 32 91 * 91
		ex 7216 32 99	ex 7216 32 99 * 91
		ex 7216 33 10	ex 7216 33 10 * 10
		ex 7216 33 90	ex 7216 33 90 * 10
		ex 7225 50 10	ex 7225 50 10 * 10
		ex 7225 50 90	ex 7225 50 90 * 10

FINAL ACT

The PLENIPOTENTIARIES of:

the KINGDOM OF BELGIUM,

the KINGDOM OF DENMARK,

the FEDERAL REPUBLIC OF GERMANY,

the HELLENIC REPUBLIC,

the KINGDOM OF SPAIN,

the FRENCH REPUBLIC,

IRELAND,

the ITALIAN REPUBLIC,

the GRAND DUCHY OF LUXEMBOURG,

the KINGDOM OF THE NETHERLANDS,

the PORTUGUESE REPUBLIC,

the UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND,

being Member States of the European Coal and Steel Community,

and

of THE EUROPEAN COAL AND STEEL COMMUNITY,

of the one part,

and

of THE REPUBLIC OF SLOVENIA,

of the other part,

meeting at Luxembourg on 5 April 1993 for the signing of the Agreement between the Member States of the European Coal and Steel Community, and the European Coal and Steel Community, of the one part, and the Republic of Slovenia, of the other part,

at the time of signing this Agreement, have adopted the following Declarations annexed to this Act:

1. Declaration on the interpretation of the term 'Contracting Parties' as used in the Agreement;
2. Declaration by the Contracting Parties on Article 3 of the Agreement.

Hecho en Luxemburgo, el cinco de abril de mil novecientos noventa y tres.

Udfærdiget i Luxembourg, den femte april nitten hundrede og treoghalvfems.

Geschehen zu Luxemburg am fünften April neunzehnhundertdreiundneunzig.

Έγινε στο Λουξεμβούργο, στις πέντε Απριλίου χίλια εννιακόσια εννενήντα τρία.

Done at Luxembourg on the fifth day of April in the year one thousand nine hundred and ninety-three.

Fait à Luxembourg, le cinq avril mil neuf cent quatre-vingt-treize.

Fatto a Lussemburgo, addì cinque aprile millenovecentonovantatré.


Gedaan te Luxemburg, de vijfde april negentienhonderd drieënnegentig.

Feito em Luxemburgo, em cinco de Abril de mil novecentos e noventa e três.

V Luksemburgu, petega aprila tisočdevetstotriindevetdeset.

Pour le Royaume de Belgique

Voor het Koninkrijk België

A stylized signature consisting of a large, rounded loop followed by a vertical line and a horizontal line.


På Kongeriget Danmarks vegne

A cursive signature with multiple loops and a long horizontal stroke at the end.


Für die Bundesrepublik Deutschland

A signature starting with a large 'J' followed by several loops.


Για την Ελληνική Δημοκρατία




Por el Reino de España



Pour la République française



Thar cheann na hÉireann
For Ireland




Per la Repubblica italiana



Pour le Grand-Duché de Luxembourg



Voor het Koninkrijk der Nederlanden



Pela República Portuguesa



For the United Kingdom of Great Britain and Northern Ireland



Por la Comunidad Europea del Carbón y del Acero

For Det Europæiske Kul- og Stålfællesskab

Für die Europäische Gemeinschaft für Kohle und Stahl

Για την Ευρωπαϊκή Κοινότητα Άνθρακα και Χάλυβα

For the European Coal and Steel Community

Pour la Communauté européenne du charbon et de l'acier


Per la Comunità europea del carbone e dell'acciaio

Voor de Europese Gemeenschap voor Kolen en Staal

Pela Comunidade Europeia do Carvão e do Aço



Za Republiko Slovenijo




1. DECLARATION ON THE INTERPRETATION OF THE TERM 'CONTRACTING PARTIES' AS USED IN THE AGREEMENT

The European Coal and Steel Community and its Member States, of the one part, and the Republic of Slovenia, of the other part, agree to interpret the Agreement to the effect that the expression 'Contracting Parties' appearing therein means on the one hand the Community and the Member States, or either the Member States or the Community alone, and on the other hand the Republic of Slovenia. The meaning to be attributed to this expression in each case is to be deduced from the relevant provisions of the Agreement and from the corresponding provisions of the Treaty establishing the European Coal and Steel Community.

2. DECLARATION BY THE CONTRACTING PARTIES ON ARTICLE 3 OF THE AGREEMENT

The ceilings referred to in Article 3 of the Agreement will apply overall to the Republics that have emerged from the former Socialist Federal Republic of Yugoslavia.

The import arrangements applicable to products originating in Slovenia referred to in Article 3 of the Agreement may not be less favourable overall than those applicable in 1992 pursuant to Decision 92/150/ECSC of the Member States' representatives meeting within the Council on 3 February 1992.

The Member States of the ECSC and the ECSC reserve the right to propose to Slovenia that the unilateral arrangements provided for in Article 3 be replaced with contractual arrangements based on the relevant provisions of the Agreement between the Member States of the ECSC and the ECSC on the one hand and the former Socialist Federal Republic of Yugoslavia on the other, for products included in Annex II to this Agreement.

Slovenia takes note of this and expresses its wish to begin negotiations quickly on this matter.
