

Official Journal

of the European Union

ISSN 1725-2555

L 161

Volume 46

30 June 2003

English edition

Legislation

Contents

I *Acts whose publication is obligatory*

- ★ **Council Regulation (EC) No 1048/2003 of 16 June 2003 amending Regulation (EC) No 1255/96 temporarily suspending the autonomous common customs tariff duties on certain industrial, agricultural and fishery products**

1

1

EN

Acts whose titles are printed in light type are those relating to day-to-day management of agricultural matters, and are generally valid for a limited period.

The titles of all other Acts are printed in bold type and preceded by an asterisk.

I

(Acts whose publication is obligatory)

COUNCIL REGULATION (EC) No 1048/2003**of 16 June 2003****amending Regulation (EC) No 1255/96 temporarily suspending the autonomous Common Customs Tariff duties on certain industrial, agricultural and fishery products**

THE COUNCIL OF THE EUROPEAN UNION,

Having regard to the Treaty establishing the European Community, and in particular Article 26 thereof,

Having regard to the proposal from the Commission,

Whereas:

- (1) It is in the interest of the Community to suspend partially or totally the autonomous Common Customs Tariff duties for a number of new products not listed in the Annex to Regulation (EC) No 1255/96 ⁽¹⁾.
- (2) A number of products should be withdrawn from the list in the Annex to the said Regulation because it is no longer in the Community's interest to maintain suspension of autonomous Common Customs Tariff duties or because the description needs to be altered in the light of technical developments.
- (3) Products whose description needs to be altered should be regarded as new products.
- (4) Regulation (EC) No 1255/96 should be altered accordingly.
- (5) Having regard to the economic importance of this Regulation, it is necessary to rely upon the grounds of urgency provided for in point 1.3 of the Protocol

annexed to the Treaty on European Union and to the Treaties establishing the European Community on the role of national parliaments in the European Union,

HAS ADOPTED THIS REGULATION:

Article 1

The Annex to Regulation (EC) No 1255/96 is hereby amended as follows:

1. the products set out in Annex I to this Regulation shall be inserted;
2. the products for which the codes are set out in Annex II to this Regulation shall be deleted.

Article 2

The duration of the validity of the suspension measure for colour cathode-ray tubes with a diagonal measurement of the screen of 85,5 cm or more (TARIC code 8540 11 99 31) shall be limited to 31 December 2003 and the rate of autonomous duty applicable from 1 July 2003 shall be 5 %.

Article 3

This Regulation shall enter into force on the day of its publication in the *Official Journal of the European Union*.

It shall apply with effect from 1 July 2003.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Luxembourg, 16 June 2003.

For the Council

The President

G. PAPANDREOU

⁽¹⁾ OJ L 158, 29.6.1996, p. 1. Regulation as last amended by Regulation (EC) No 2264/2002 (OJ L 350, 27.12.2002, p. 1).

ANNEX I

CN code	TARIC	Description	Rate of autonomous duty (%)
ex 1515 90 99	92	Vegetable oil, refined, containing by weight 35 % or more but not more than 50 % of arachidonic acid or 35 % or more but not more than 50 % of docosaheaxaenoic acid	0
ex 2106 10 20 ex 3504 00 00	10 30	Soya protein isolate, containing by weight 6,6 % or more but not more than 8,6 % of calcium phosphate	0
ex 2836 99 18	10	Zirconium (IV) basic carbonate	0
2846 90	00	Compounds, inorganic or organic, of rare-earth metals, of yttrium or of scandium or of mixtures of these metals, other than those of subheading 2846 10 00	0
ex 2907 19 00	10	2,3,5-Trimethylphenol	0
ex 2907 29 00	80	Pyrogallol	0
ex 2908 90 00	30	4-Nitrophenol	0
ex 2909 19 00	20	Bis(2-chloroethyl) ether	0
ex 2910 90 00	70	(Epoxyethyl)benzene (styrene oxide)	0
ex 2916 39 00	80	Ethyl 2-(4-nitrophenyl)butyrate	0
ex 2917 19 90	70	Itaconic acid	0
ex 2918 19 80	30	2,2-Bis(hydroxymethyl)butyric acid	0
ex 2918 90 90	50	Methyl 3,4,5-trimethoxybenzoate	0
ex 2920 90 85	40	Tritolyl phosphite	0
ex 2921 44 00	20	Diphenylamine	0
ex 2922 43 00	10	Anthranilic acid	0
ex 2922 49 95	40	Norvaline	0
ex 2922 50 00	70	2-(1-Hydroxycyclohexyl)-2-(4-methoxyphenyl)ethylammonium acetate	0
ex 2924 29 95	85	p-Aminobenzamide	0
ex 2926 90 95	88	1,3-Propylenediaminetetraacetonitrile	0
ex 2930 90 70	87	3-Sulfinobenzoic acid	0
ex 2931 00 95	86	Mixture of the isomers 9-icosyl-9-phosphabicyclo[3.3.1]nonane and 9-icosyl-9-phosphabicyclo[4.2.1]nonane	0
ex 2931 00 95	87	Tris(4-methylpentan-2-oximino)methylsilane	0
ex 2931 00 95	88	Tris(4-methylpentan-2-oximino)vinylsilane	0
ex 2932 29 80	75	Rofecoxib (INN)	0
ex 2933 79 00	10	Ezetimibe (INN)	0
ex 2934 20 80	30	Benthiavalicarb-isopropyl (ISO)	0
ex 2935 00 90	85	N-[4-(Isopropylaminoacetyl)phenyl]methanesulfonamide hydrochloride	0
ex 2935 00 90	86	4-(3-Tolyl)-amino-3-pyridinesulfonamide	0
ex 3206 11 00	10	Titanium dioxide coated with isopropoxytitanium triisostearate, containing by weight 1,5 % or more but not more than 2,5 % of isopropoxytitanium triisostearate	0
ex 3207 40 80	20	Glass flakes coated with silver, of an average diameter of 40 (± 10) µm	0

CN code	TARIC	Description	Rate of autonomous duty (%)
ex 3208 90 19	60	Anti-reflection coating, consisting of amino-resin and modified phenolic resin, in the form of a solution in 1-methoxypropan-2-ol and ethyl lactate, containing by weight 15 % or more but not more than 24 % of both polymers taken together	0
ex 3215 90 80	30	Ink preparation, in the form of powder, for use in the manufacture of ink-filled bottles of a kind used in colour digital presses of subheading 8443 19 ^(a)	0
ex 3507 90 90	60	Trypsin certified to be produced in compliance with EC Good Manufacturing Practice (cGMP) and having a specific enzyme activity of 0,45 µkat/mg or more, for the manufacture of goods of heading No 3004 ^(a)	0
ex 3702 43 00	10	Photographic film, of a nominal width of 459, 669 or 761 mm, composed of several layers, including two polyester films, a carbon layer, an adhesive layer, whether or not with a layer of a copolymer of styrene with acrylonitrile	0
ex 3702 44 00	10		
3805 10 10		Gum turpentine	0
ex 3815 12 00	10	Catalyst, in the form of granules or rings of a diameter of 3 mm or more but not exceeding 10 mm, consisting of silver on an aluminium oxide support and containing by weight 8 % or more but not more than 40 % of silver	0
ex 3824 90 99	86	Anti-reflection coating, containing by weight: — 30 % or more but not more than 40 % of cyclohexanone, — 30 % or more but not more than 40 % of 1-methyl-2-pyrrolidone, — 20 % or more but not more than 30 % of tetrahydrofurfuryl alcohol	0
ex 3825 69 00	10	Spent catalyst, in the form of rodlets of diameter of 1 mm or more but not exceeding 3 mm, containing a mixture of sulfides of tungsten and of nickel on a support of zeolite, containing by weight not more than 10 % of tungsten and not more than 10 % of nickel, for regeneration as a catalyst for hydrocarbon cracking ^(a)	0
ex 3906 90 90	50	Polymers of esters of acrylic acid with one or more of the following monomers in the chain: — chloromethyl vinyl ether, — chloroethyl vinyl ether, — chloromethylstyrene, — vinyl chloroacetate, — methacrylic acid, containing by weight not more than 5 % of each of the monomeric units, in one of the forms mentioned in note 6 (b) to Chapter 39	0
ex 3907 20 99	35	Polyethylene glycol chemically modified with an isocyanate group containing a carbodiimide group, in the form of a solution in 2-methoxy-1-methylethyl acetate	0
ex 3920 43 10	97	Film embossed to a depth of not more than 12 µm, of a gloss level of 7 or more but not exceeding 17, measured at 60° using a gloss meter (as determined by the ISO 2813:2000 method), consisting of at least two layers of poly(vinyl chloride), of a total thickness not exceeding 0,5 mm, covered on the embossed side with a protective film, in rolls of a width of 1 400 mm or more but not exceeding 1 420 mm, for use in the manufacture of goods of heading No 9403 ^(a)	0
ex 3920 62 19	30	Poly(ethylene terephthalate) film, of a thickness of 20 µm or more but not exceeding 30 µm, coated on one side with silicone, for use in the manufacture of window film ^(a)	3
ex 3920 62 19	87	Poly(ethylene terephthalate) film, coated with among other a scratch resistant layer based on polyacrylate and a thermoadhesive layer, of a nominal width of 790 mm and a total thickness of 23 µm or more but not exceeding 26 µm	0
ex 3920 99 59	60	Film of a vinyl alcohol copolymer, soluble in cold water, of a thickness of 34 µm or more but not exceeding 90 µm, a tensile strength at break of 32,8 (± 12,1) MPa and an elongation at break of (675 ± 225) %	0

CN code	TARIC	Description	Rate of autonomous duty (%)
ex 5503 10 10 ex 5601 30 00	10 40	Synthetic staple fibres of a copolymer of terephthalic acid, <i>p</i> -phenylenediamine and 3,4'-oxybis(phenyleneamine), of a length not exceeding 7 mm	0
ex 5906 99 90	10	Rubberised textile fabric, consisting of warp yarns of polyamide-6,6 and weft yarns of polyamide-6,6, polyurethane and a copolymer of terephthalic acid, <i>p</i> -phenylenediamine and 3,4'-oxybis(phenyleneamine)	0
ex 6903 20 90 ex 6914 90 90	10 10	Yarn of continuous ceramic filaments, each filament containing by weight: — 12 % or more of diboron trioxide, — 26 % or less of silicon dioxide and — 60 % or more of dialuminium trioxide	0
ex 6909 19 00 ex 6914 90 90	50 20	Ceramic articles made of continuous filaments of ceramic oxides, containing by weight: — 2 % or more of diboron trioxide, — 28 % or less of silicon dioxide and — 60 % or more of dialuminium trioxide	0
ex 7019 90 99	10	Glass cord impregnated with rubber or plastic, obtained from twisted glass filament yarns, coated with a latex comprising at least a resorcinol-formaldehyde resin and chlorosulfonated polyethylene	0
ex 7212 50 91	10	Perforated steel strip, plated or coated with nickel, of a width of 140 mm or more but not exceeding 500 mm and a thickness of 40 µm or more but not exceeding 140 µm	0
ex 7218 10 00	10	Blocks of stainless steel, of a weight exceeding 200 kg, containing chromium and nickel, non magnetic, obtained by remelting alloyed scrap and waste	0
8104 11 00		Unwrought magnesium, containing at least 99,8 % by weight of magnesium	0
ex 8309 90 90	10	Aluminium can ends with so-called 'ring pull' full aperture with a diameter of 136,5 mm (± 1 mm)	0
ex 8477 80 99	10	Machines for casting or for surface modification of plastic membranes of heading No 3921	0
ex 8540 11 99	31	Colour cathode-ray tube with a diagonal measurement of the screen of 85,5 cm or more	5

^(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

ANEXO II — BILAG II — ANHANG II — ΠΑΡΑΡΤΗΜΑ II — ANNEX II — ANNEXE II — ALLEGATO II —
BIJLAGE II — ANEXO II — LIITE II — BILAGA II

Código NC KN-kode KN-Code Κωδικός ΣΟ CN code Code CN Codice NC GN-code Código NC CN-koodi KN-nummer	TARIC
ex 2846 90 00	30
ex 3507 90 90	50
ex 3507 90 90	60
ex 3702 43 00	10
ex 3702 44 00	10
ex 3812 30 80	10
ex 3812 30 80	40
ex 3812 30 80	50
ex 3815 12 00	10
ex 3824 90 99	12
ex 3906 90 90	50
ex 3920 62 19	30
ex 3920 62 19	87
ex 3920 99 59	60
ex 6903 20 90	10
ex 7212 50 91	10
ex 8104 11 00	30
ex 8540 11 99	31