

Official Journal of the European Union

L 237



English edition

Legislation

Volume 62

13 September 2019

Contents

II *Non-legislative acts*

REGULATIONS

- ★ **Commission Implementing Regulation (EU) 2019/1397 of 6 August 2019 on design, construction and performance requirements and testing standards for marine equipment and repealing Implementing Regulation (EU) 2018/773 ⁽¹⁾** 1

⁽¹⁾ Text with EEA relevance.

EN

Acts whose titles are printed in light type are those relating to day-to-day management of agricultural matters, and are generally valid for a limited period.

The titles of all other acts are printed in bold type and preceded by an asterisk.

II

(Non-legislative acts)

REGULATIONS

COMMISSION IMPLEMENTING REGULATION (EU) 2019/1397**of 6 August 2019****on design, construction and performance requirements and testing standards for marine equipment and repealing Implementing Regulation (EU) 2018/773****(Text with EEA relevance)**

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Directive 2014/90/EU of the European Parliament and of the Council of 23 July 2014 on marine equipment and repealing Council Directive 96/98/EC ⁽¹⁾, and in particular Article 35(2) thereof,

Whereas:

- (1) The Commission is empowered to indicate, by means of implementing acts, the design, construction and performance requirements and testing standards in respect of marine equipment falling within the scope of application of Directive 2014/90/EU as well as the dates from which the testing standards are to apply. Those requirements and standards are provided for in the international instruments referred to in Directive 2014/90/EU.
- (2) In order to take into account the most recent changes, the list of the applicable international instruments should be regularly updated. In order to provide a comprehensive list containing all products belonging to the scope of Directive 2014/90/EU, Commission Implementing Regulation (EU) 2018/773 ⁽²⁾ should be repealed.
- (3) Marine equipment newly subject to harmonised Union requirements under Directive 2014/90/EU should be explicitly listed as new items in column 1 of the Annex to this Regulation.
- (4) It is reasonable and proportionate to allow a new item which is in conformity with the national requirements for type-approval in force in a Member State before the entry into force of this Regulation to continue to be placed on the market and on board an EU ship for a transitional period of reasonable duration.
- (5) In order to facilitate a harmonised, rapid and simple implementation of Directive 2014/90/EU, implementing acts adopted pursuant to that Directive should take the form of Implementing Regulations.
- (6) The measures provided for in this Regulation are in accordance with the opinion of the Committee on Safe Seas and the Prevention of Pollution from Ships,

HAS ADOPTED THIS REGULATION:

Article 1

The design, construction and performance requirements and the testing standards provided for in the international instruments referred to in Directive 2014/90/EU shall apply to each item of marine equipment as set out in the Annex.

⁽¹⁾ OJ L 257, 28.8.2014, p. 146.

⁽²⁾ Commission Implementing Regulation (EU) 2018/773 of 15 May 2018 on design, construction and performance requirements and testing standards for marine equipment and repealing Implementing Regulation (EU) 2017/306 (OJ L 133, 30.5.2018, p. 1).

Article 2

Implementing Regulation (EU) 2018/773 is repealed.

Article 3

1. Marine equipment listed as a 'new item inserted by Implementing Regulation (EU) 2017/306' in column 1 of the Annex to this Regulation, which is in compliance with the national requirements for type-approval in force before 16 March 2017 in a Member State, may continue to be placed on the market and on board an EU ship until 16 March 2020.
2. Marine equipment listed as a 'new item inserted by Implementing Regulation (EU) 2018/773' in column 1 of the Annex, which is in compliance with the national requirements for type-approval in force before 19 June 2018 in a Member State, may continue to be placed on the market and on board an EU ship until 19 June 2021.
3. Marine equipment listed as a 'new item inserted by Implementing Regulation 2019/1397' in column 1 of the Annex, which is in compliance with the national requirements for type-approval in force before 3 October 2019 in a Member State, may continue to be placed on the market and on board an EU ship until 3 October 2022.

Article 4

This Regulation shall enter into force on the twentieth day following that of its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 6 August 2019.

For the Commission
The President
Jean-Claude JUNCKER

ANNEX

General note: references to 'SOLAS' Regulations refer to the provisions of the International Convention for the Safety of Life at Sea, as amended.

List of acronyms used

A.1, Amendment 1 concerning Standard Documents other than IMO.

A.2, Amendment 2 concerning Standard Documents other than IMO.

AC, Amending Corrigendum concerning Standard Documents other than IMO.

CAT, Category for radar equipment as defined in section 1.3 of IEC 62388 (2007)

Circ., Circular.

COLREG, International Regulations for Preventing Collisions at Sea.

COMSAR, IMO's Sub-Committee on Radiocommunications and Search and Rescue.

EN, European Standard.

ETSI, European Telecommunication Standardisation Institute.

FSS, International Code for Fire Safety Systems.

FTP, International Code for Application of Fire Test Procedures.

HSC, High Speed Craft Code.

IBC, International Bulk Chemical Code.

ICAO, International Civil Aviation Organization.

IEC, International Electrotechnical Commission.

IGC, International Code for the Construction and Equipment of Ships Carrying Liquefied Gases in Bulk.

IMO, International Maritime Organization.

ISO, International Organisation for Standardization.

ITU, International Telecommunication Union.

LSA, Life saving appliance.

MARPOL, International Convention for the Prevention of Pollution from Ships.

MED, Marine Equipment Directive.

MEPC, Marine Environment Protection Committee.

MSC, Maritime Safety Committee.

NOx, Nitrogen Oxides.

O₂/HC systems: Oxygen Hydro Carbon systems.

SOLAS, International Convention for the Safety of Life at Sea.

SOx, Sulphur Oxides.

Reg., Regulation.

Res., Resolution.

Notes applicable to the whole of this Annex

- (a) General: In addition to the testing standards specifically referred to in this Annex, type-examination (type approval) requires compliance with the applicable requirements of the international conventions and the relevant resolutions and circulars of the IMO. Such compliance is referred to in the modules for conformity assessment in Directive 2014/90/EU.
- (b) Column 3: Where two sets of testing standards are separated by 'or', each set fulfils all the testing requirements to meet IMO Performance Standards; thus testing to one of those sets is sufficient to demonstrate compliance with the requirements of the relevant international instruments. On the contrary, when other separators (such as comma) are used all the listed references apply.
- (c) Column 6: In order to take into consideration the timeframes for shipbuilding, depending on the characteristics of the specific marine equipment, the term 'placing on board' shall be understood as meaning (as indicated in brackets behind the dates):
 - I: first installation of the equipment in its functional position on board an EU ship;
 - II: first installation of the equipment in its functional position or stowing in its functional position on board an EU ship;
 - III: delivery of the equipment to the shipyard if this takes place within 30 months before the first installation of the equipment in its functional position.
- (d) Where there are two rows for one marine equipment entry (e.g. MED/3.12), the second (lower) row contains the updated requirements of the international instruments in respect to the ones shown in the first (upper) row.
- (e) In the situations referred to in point (d) where no date is given in columns 5 and 6, this indicates that there has been no change in the testing standards and that the marine equipment item concerned shall comply with the requirements indicated in the (second) lower row.
- (f) Where there are more than two rows for one marine equipment entry (such as MED/3.51a), the lowest row contains the updated requirements of the international instruments in respect to the ones shown in the upper rows.

1. Life-saving appliances

Column 2: IMO MSC/Circular 980 shall apply except when superseded by the specific instruments referred to in Column 2.

Number and item designation	Regulations of SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO, as applicable	Testing standards	Modules for conformity assessment	First placing on the market	Last placing on board
1	2	3	4	5	6
MED/1.1 — Lifebuoys	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res. MSC.81(70), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. III/7, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) II, — IMO Res.MSC.97(73)-(2000 HSC Code) 8.				
MED/1.2a — Position-indicating lights for life-saving appliances: (a) for survival craft and rescue boats,	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res. MSC.81(70), as amended.	B+D B+E B+F		13.9.2022 (II)
	Carriage and performance requirements — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) II, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.97(73)-(2000 HSC Code) 8.				

1	2	3	4	5	6
MED/1.2a — Position-indicating lights for life-saving appliances: (a) for survival craft and rescue boats, (NEW ROW)	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.81(70), as amended, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008). Or — IMO Res.MSC.81(70), as amended, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008).	B+D B+E B+F	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.97(73)-(2000 HSC Code) 8.				
MED/1.2b — Position-indicating lights for life-saving appliances: (b) for lifebuoys,	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res. MSC.81(70), as amended.	B+D B+E B+F		13.9.2022 (II)
	Carriage and performance requirements — SOLAS 74 Reg. III/7, — SOLAS 74 Reg. III/22, — SOLAS 74 Reg. III/32, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) II, — IMO Res.MSC.97(73)-(2000 HSC Code) 8.				

1	2	3	4	5	6
MED/1.2b — Position-indicating lights for life-saving appliances: (b) for lifebuoys, (NEW ROW)	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.81(70), as amended, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008). Or — IMO Res.MSC.81(70), as amended, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008).	B+D B+E B+F	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. III/7, — SOLAS 74 Reg. III/22, — SOLAS 74 Reg. III/32, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) II, — IMO Res.MSC.97(73)-(2000 HSC Code) 8.				
MED/1.2c Position-indicating lights for life-saving appliances: (c) for lifejackets.	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res. MSC.81(70), as amended.	B+D B+E B+F		13.9.2022 (II)
	Carriage and performance requirements — SOLAS 74 Reg. III/7, — SOLAS 74 Reg. III/22, — SOLAS 74 Reg. III/26, — SOLAS 74 Reg. III/32, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) II, — IMO Res.MSC.97(73)-(2000 HSC Code) 8.				

1	2	3	4	5	6
MED/1.2c Position-indicating lights for life-saving appliances: (c) for lifejackets. (NEW ROW)	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res. MSC.81(70), as amended, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008). Or — IMO Res.MSC.81(70), as amended, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008).	B+D B+E B+F	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. III/7, — SOLAS 74 Reg. III/22, — SOLAS 74 Reg. III/26, — SOLAS 74 Reg. III/32, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) II, — IMO Res.MSC.97(73)-(2000 HSC Code) 8.				
MED/1.3 — Lifebuoys self-activating smoke signals	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res. MSC.81(70), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. III/7, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) II, — IMO Res.MSC.97(73)-(2000 HSC Code) 8.				

1	2	3	4	5	6
MED/1.4 — Lifejackets	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res. MSC.81(70), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. III/7, — SOLAS 74 Reg. III/22, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) II, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO MSC/Circ.922, — IMO MSC.1/Circ.1304, — IMO MSC.1/Circ.1470.				
MED/1.5a — Immersion suits and anti-exposure suits designed to be worn in conjunction WITH a lifejacket a) immersion suit without inherent insulation,	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res. MSC.81(70), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. III/7, — SOLAS 74 Reg. III/22, — SOLAS 74 Reg. III/32, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) II, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO MSC/Circ.1046.				

1	2	3	4	5	6
MED/1.5b — Immersion suits and anti-exposure suits designed to be worn in conjunction WITH a lifejacket b) immersion suit with inherent insulation,	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res. MSC.81(70), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. III/7, — SOLAS 74 Reg. III/22, — SOLAS 74 Reg. III/32, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) II, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO MSC/Circ.1046.				
MED/1.5c — Immersion suits and anti-exposure suits designed to be worn in conjunction WITH a lifejacket c) anti exposure suits.	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res. MSC.81(70), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. III/7, — SOLAS 74 Reg. III/22, — SOLAS 74 Reg. III/32, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) II, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO MSC/Circ.1046.				

1	2	3	4	5	6
MED/1.6a — Immersion suits and anti-exposure suits designed to be worn WITHOUT a lifejacket a) immersion suit without inherent insulation,	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res. MSC.81(70), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. III/7, — SOLAS 74 Reg. III/22, — SOLAS 74 Reg. III/32, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) II, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO MSC/Circ.1046.				
MED/1.6b — Immersion suits and anti-exposure suits designed to be worn WITHOUT a lifejacket b) immersion suit with inherent insulation,	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res. MSC.81(70), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. III/7, — SOLAS 74 Reg. III/22, — SOLAS 74 Reg. III/32, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) II, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO MSC/Circ.1046.				

1	2	3	4	5	6
MED/1.6c — Immersion suits and anti-exposure suits designed to be worn WITH-OUT a lifejacket c) anti exposure suits.	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res. MSC.81(70), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. III/7, — SOLAS 74 Reg. III/22, — SOLAS 74 Reg. III/32, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) II, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO MSC/Circ.1046.				
MED/1.7 — Thermal protective aids	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res. MSC.81(70), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. III/22, — SOLAS 74 Reg. III/32, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) II, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO MSC/Circ.1046.				

1	2	3	4	5	6
MED/1.8 — Rocket parachute flares (pyrotechnics)	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res. MSC.81(70), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. III/6, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) III, — IMO Res.MSC.97(73)-(2000 HSC Code) 8.				
MED/1.9 — Hand flares (pyrotechnics)	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res. MSC.81(70),as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) III, — IMO Res.MSC.97(73)-(2000 HSC Code) 8.				
MED/1.10 — Buoyant smoke signals (pyrotechnics)	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res. MSC.81(70), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. III/34, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) III.				

1	2	3	4	5	6
MED/1.11 — Line-throwing appliances	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res. MSC.81(70), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. III/18, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) VII, — IMO Res.MSC.97(73)-(2000 HSC Code) 8.				
MED/1.12 — Inflatable liferafts	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.81(70), as amended. And for extended service intervals: — IMO MSC.1/Circ.1328.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. III/13, — SOLAS 74 Reg. III/21, — SOLAS 74 Reg. III/26, — SOLAS 74 Reg. III/31, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO MSC/Circ.811, — IMO MSC.1/Circ.1328.				

1	2	3	4	5	6
MED/1.13 — Rigid liferafts	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res. MSC.81(70), as amended,	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. III/21, — SOLAS 74 Reg. III/26, — SOLAS 74 Reg. III/31, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.97(73)-(2000 HSC Code) 8.				
MED/1.14 — Automatically self-righting liferafts	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res. MSC.81(70), as amended. And for extended service intervals: — IMO MSC.1/Circ.1328.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. III/26, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO MSC/Circ.809, — IMO MSC/Circ.811, — IMO MSC.1/Circ.1328.				

1	2	3	4	5	6
MED/1.15 — Canopied reversible liferafts	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.81(70), as amended. And for extended service intervals: — IMO MSC.1/Circ.1328.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. III/26, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO MSC/Circ.809, — IMO MSC/Circ.811, — IMO MSC.1/Circ.1328.				
MED/1.16 — Float-free arrangements for liferafts (hydrostatic release units)	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.81(70), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. III/13, — SOLAS 74 Reg. III/26, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO MSC/Circ.811.				

1	2	3	4	5	6
MED/1.17a — Lifeboats: (a) Davit-launched lifeboats: — partially enclosed, — totally enclosed.	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.81(70), as amended, — IMO MSC/Circ.1006.	B+D B+F G		
	Carriage and performance requirements — SOLAS 74 Reg. III/21, — SOLAS 74 Reg. III/31, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO MSC.1/Circ.1423.				
MED/1.17b — Lifeboats: (b) Free-fall lifeboats.	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.81(70), as amended, — IMO MSC/Circ.1006.	B+D B+F G		
	Carriage and performance requirements — SOLAS 74 Reg. III/21, — SOLAS 74 Reg. III/31, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO MSC.1/Circ.1423.				

1	2	3	4	5	6
MED/1.18 — Rigid rescue boats	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.81(70), as amended, — IMO MSC/Circ.1006.	B+D B+F G		
	Carriage and performance requirements — SOLAS 74 Reg. III/21, — SOLAS 74 Reg. III/31, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) V, — IMO Res.MSC.97(73)-(2000 HSC Code) 8.				
MED/1.19 — Inflated rescue boats	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.81(70), as amended, — ISO 15372:2000.	B+D B+F G		
	Carriage and performance requirements — SOLAS 74 Reg. III/21, — SOLAS 74 Reg. III/31, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) V, — IMO Res.MSC.97(73)-(2000 HSC Code) 8.				

1	2	3	4	5	6
MED/1.20a — Fast rescue boats: (a) inflated.	Type approval requirements — SOLAS 74 Reg. III/4.	— IMO Res.MSC.81(70), as amended, — ISO 15372:2000.	B+D B+F G		
	Carriage and performance requirements — SOLAS 74 Reg. III/26, — SOLAS 74 Reg. III/34, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) V, — IMO MSC/Circ.1016, — IMO MSC/Circ.1094.				
MED/1.20b — Fast rescue boats: (b) rigid,	Type approval requirements — SOLAS 74 Reg. III/4.	— IMO Res.MSC.81(70), as amended, — IMO MSC/Circ.1006.	B+D B+F G		
	Carriage and performance requirements — SOLAS 74 Reg. III/26, — SOLAS 74 Reg. III/34, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) V, — IMO MSC/Circ.1016, — IMO MSC/Circ.1094.				
MED/1.20c — Fast rescue boats: (c) rigid-inflated.	Type approval requirements — SOLAS 74 Reg. III/4.	— IMO Res.MSC.81(70), as amended, — IMO MSC/Circ.1006, — ISO 15372:2000.	B+D B+F G		
	Carriage and performance requirements — SOLAS 74 Reg. III/26, — SOLAS 74 Reg. III/34, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) V, — IMO MSC/Circ.1016, — IMO MSC/Circ.1094.				

1	2	3	4	5	6
MED/1.21 — Launching appliances using falls (davits)	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.81(70), as amended.	B+D B+E B+F G		
	Carriage and performance requirements — SOLAS 74 Reg. III/23, — SOLAS 74 Reg. III/33, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) VI, — IMO Res.MSC.97(73)-(2000 HSC Code) 8.				

Item MED/1.22, Float-free launching appliances for survival craft, - moved to MED/9/1.3.

MED/1.23 — Launching appliances for free-fall lifeboats	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.81(70), as amended.	B+D B+E B+F G		
	Carriage and performance requirements — SOLAS 74 Reg. III/16, — SOLAS 74 Reg. III/23, — SOLAS 74 Reg. III/33, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) VI, — IMO Res.MSC.97(73)-(2000 HSC Code) 8.				

1	2	3	4	5	6
MED/1.24 — Liferaft launching appliances (Davits)	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.81(70), as amended.	B+D B+E B+F G		
	Carriage and performance requirements — SOLAS 74 Reg. III/12, — SOLAS 74 Reg. III/16, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) VI, — IMO Res.MSC.97(73)-(2000 HSC Code) 8.				
MED/1.25 — Fast rescue boat launching appliances (Davits)	Type approval requirements — SOLAS 74 Reg. III/4.	— IMO Res.MSC.81(70), as amended.	B+D B+E B+F G		
	Carriage and performance requirements — SOLAS 74 Reg. III/26, — SOLAS 74 Reg. III/34, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) VI.				
MED/1.26a — Release mechanism for (a) Lifeboats and rescue boats (Launched by a fall or falls),	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.81(70), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. III/16, — SOLAS 74 Reg. III/34,				

1	2	3	4	5	6
	— IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO MSC.1/Circ.1419.				
MED/1.26b — Release mechanism for (b) Liferafts (Launched by a fall or falls),	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.81(70), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. III/16, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.97(73)-(2000 HSC Code) 8,				
MED/1.26c — Release mechanism for (c) Free fall lifeboats.	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.81(70), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. III/16, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.97(73)-(2000 HSC Code) 8.				

1	2	3	4	5	6
MED/1.27 — Marine evacuation systems	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.81(70), as amended.	B+D B+F G		
	Carriage and performance requirements — SOLAS 74 Reg. III/15, — SOLAS 74 Reg. III/26, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) VI, — IMO Res.MSC.97(73)-(2000 HSC Code) 8.				
MED/1.28 — Means of rescue	Type approval requirements — SOLAS 74 Reg. III/4.	— IMO Res.MSC.81(70), as amended, — IMO MSC/Circ.810.	B+D B+F		
	Carriage and performance requirements — SOLAS 74 Reg. III/26, — SOLAS 74 Reg. III/34, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) VI.				
MED/1.29 — Embarkation ladders	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. III/11, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.81(70), as amended, — ISO 5489:2008.	B+D B+F		
	Carriage and performance requirements — SOLAS 74 Reg. III/11, — SOLAS 74 Reg. III/34,				

1	2	3	4	5	6
	— IMO Res.MSC.36(63)-(1994 HSC Code), — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) VI, — IMO Res.MSC.97(73)-(2000 HSC Code), — IMO MSC.1/Circ.1285.				
MED/1.30 — Retro-reflective materials	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res. A.658(16), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.97(73)-(2000 HSC Code) 8.				

Item MED/1.31, Survival craft two-way VHF radio telephone apparatus, — moved to MED/5.17 and MED/5.18.

Item MED/1.32, 9 GHz SAR transponder (SART), — moved to MED/4.18.

MED/1.33 — Radar reflector for lifeboats and rescue boats (passive)	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— EN ISO 8729:1998, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), Or, — EN ISO 8729:1998, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), Or, — ISO 8729-1:2010, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008),	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. III/34, — IMO Res.A.384(X), — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) IV,				

1	2	3	4	5	6
	— IMO Res.MSC.48(66)-(LSA Code) V, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO Res.MSC.164(78).	Or, — ISO 8729-1:2010, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008).			

Item MED/1.34, Magnetic compass Class B for lifeboats and rescue boats, - moved to MED/4.23.

Item MED/1.35, Portable fire-extinguishing equipment for lifeboats and rescue boats — moved to MED/3.38.

MED/1.36 — Lifeboat/rescue boat propulsion engine	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.81(70), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. III/34, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.48(66)-(LSA Code) V.				
MED/1.37 — Rescue boat propulsion engine — outboard motor	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.81(70), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. III/34, — IMO Res.MSC.48(66)-(LSA Code) V.				
MED/1.38 — Searchlights for use in lifeboats and rescue boats	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.81(70), as amended.	B+D B+E B+F		13.9.2022
	Carriage and performance requirements — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8,				

1	2	3	4	5	6
	— IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.48(66)-(LSA Code) V, — IMO Res.MSC.97(73)-(2000 HSC Code) 8.				
MED/1.38 — Searchlights for use in lifeboats and rescue boats (NEW ROW)	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.81(70), as amended, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008). Or — IMO Res.MSC.81(70), as amended, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008).	B+D B+E B+F	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.48(66)-(LSA Code) V, — IMO Res.MSC.97(73)-(2000 HSC Code) 8.				
MED/1.39 — Open reversible liferafts	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.36(63)-(1994 HSC Code) Annex 10, — IMO Res.MSC.97(73)-(2000 HSC Code) Annex 11, And for extended service intervals: — IMO MSC.1/Circ.1328.	B+D B+F		
	Carriage and performance requirements — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.36(63)-(1994 HSC Code) Annex 10, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO Res.MSC.97(73)-(2000 HSC Code) Annex 11, — IMO MSC.1/Circ.1328.				

1	2	3	4	5	6
Item MED/1.40, Mechanical pilot hoist, — moved to MED/4.48.					
MED/1.41a — Winches for survival craft and rescue boats: (a) davit launched lifeboats	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.81(70), as amended.	B+D B+E B+F G		
	Carriage and performance requirements — SOLAS 74 Reg. III/16, — SOLAS 74 Reg. III/23, — SOLAS 74 Reg. III/24, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) VI, — IMO Res.MSC.97(73)-(2000 HSC Code) 8.				
MED/1.41b — Winches for survival craft and rescue boats: (b) free-fall lifeboats,	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.81(70), as amended.	B+D B+E B+F G		
	Carriage and performance requirements — SOLAS 74 Reg. III/16, — SOLAS 74 Reg. III/23, — SOLAS 74 Reg. III/24, — SOLAS 74 Reg. III/34, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) VI.				

1	2	3	4	5	6
MED/1.41c — Winches for survival craft and rescue boats: (c) liferafts	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.81(70), as amended.	B+D B+E B+F G		
	Carriage and performance requirements — SOLAS 74 Reg. III/16, — SOLAS 74 Reg. III/17, — SOLAS 74 Reg. III/23, — SOLAS 74 Reg. III/24, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) VI, — IMO Res.MSC.97(73)-(2000 HSC Code) 8.				
MED/1.41d — Winches for survival craft and rescue boats: (d) rescue boats	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.81(70), as amended.	B+D B+E B+F G		
	Carriage and performance requirements — SOLAS 74 Reg. III/16, — SOLAS 74 Reg. III/17, — SOLAS 74 Reg. III/23, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) VI, — IMO Res.MSC.97(73)-(2000 HSC Code) 8.				

1	2	3	4	5	6
MED/1.41e — Winches for survival craft and rescue boats: (e) fast rescue boats.	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.81(70), as amended.	B+D B+E B+F G		
	Carriage and performance requirements — SOLAS 74 Reg. III/16, — SOLAS 74 Reg. III/17, — SOLAS 74 Reg. III/23, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) VI, — IMO Res.MSC.97(73)-(2000 HSC Code) 8.				

Item MED/1.42, Pilot ladder, — moved to MED/4.49.

MED/1.43 — Rigid/inflated rescue boats	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.81(70), as amended, — IMO MSC/Circ.1006, — ISO 15372:2000.	B+D B+F G		
	Carriage and performance requirements — SOLAS 74 Reg. III/21, — SOLAS 74 Reg. III/31, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) V, — IMO Res.MSC.97(73)-(2000 HSC Code) 8.				

2. Marine pollution prevention

Number and item designation	Regulations of Marpol 73/78, as amended, and the relevant resolutions and circulars of the IMO, as applicable	Testing standards	Modules for conformity assessment	First placing on the market	Last placing on board
1	2	3	4	5	6
MED/2.1 Oil-filtering equipment (for an oil content of the effluent not exceeding 15 p.p.m.)	Type approval requirements — MARPOL 73/78 Annex I, Reg. 14.	— IMO Res.MEPC.107(49), as amended, — IMO MEPC.1/Circ. 643.	B+D B+E B+F		
	Carriage and performance requirements — MARPOL 73/78 Annex I, Reg. 14. — IMO MEPC.1/Circ. 643.				
MED/2.2 Oil/water interface detectors	Type approval requirements — MARPOL 73/78 Annex I, Reg. 32.	— IMO Res.MEPC.5(XIII).	B+D B+E B+F		
MED/2.3 Oil-content meters	Type approval requirements — MARPOL 73/78 Annex I, Reg. 14.	— IMO Res.MEPC.107(49), as amended, — IMO MEPC.1/Circ. 643.	B+D B+E B+F		
	Carriage and performance requirements — MARPOL 73/78 Annex I, Reg. 14. — IMO MEPC.1/Circ. 643.				

Item MED/2.4, Process units intended for attachment to existing oil/water separating equipment (for an oil content of the effluent not exceeding 15p.p.m., - has been deliberately left blank.

MED/2.5 Oil discharge monitoring and control system for oil tankers	Type approval requirements — MARPOL 73/78 Annex I, Reg. 31, — IMO MEPC.1/Circ.858.	— IMO Res. MEPC.108(49), as amended.	B+D B+E B+F		
	Carriage and performance requirements — MARPOL 73/78 Annex I, Reg. 31.				

1	2	3	4	5	6
MED/2.6 Sewage systems	Type approval requirements — MARPOL 73/78 Annex IV, Reg. 9.	— IMO Res.MEPC.227(64).	B+D B+E B+F		1.1.2018 (III)
	Carriage and performance requirements — MARPOL 73/78 Annex IV, Reg. 9.				
MED/2.6 Sewage systems	Type approval requirements — MARPOL 73/78 Annex IV, Reg. 9.	— IMO Res.MEPC.227(64), as amended. a) including section 4.2 (for use by passenger ships in all areas, including a MARPOL Annex IV special area), b) not including section 4.2 (for use by ships, other than passenger ships, in all areas and by passenger ships outside MARPOL Annex IV special areas).	B+D B+E B+F G	16.3.2017	
	Carriage and performance requirements — MARPOL 73/78 Annex IV, Reg. 9.				
MED/2.7 Shipboard incinerators	Type approval requirements — MARPOL 73/78 Annex VI, Reg. 16.	— IMO Res.MEPC.76(40)	B+D B+E B+F G		1.1.2018 (III)
	Carriage and performance requirements — MARPOL 73/78 Annex VI, Reg. 16. — IMO MEPC.1/Circ.793.				
MED/2.7 Shipboard incinerators (Incinerator plants with capacities greater than 1,500 kW and up to 4,000 kW)	Type approval requirements — MARPOL 73/78 Annex VI, Reg. 16.	— IMO Res. MEPC.244(66).	B+D B+E B+F G	16.3.2017	
	Carriage and performance requirements — MARPOL 73/78 Annex VI, Reg. 16.				

1	2	3	4	5	6
MED/2.8 NOx analyzer for use on board as per NOx Technical Code 2008	Type approval requirements — IMO Res. MEPC.176(58) - (Revised MARPOL Annex VI, Reg. 13).	— IMO Res. MEPC.177(58) - (NOx Technical code 2008), as amended.	B+D B+E B+F G		
	Carriage and performance requirements — IMO Res. MEPC.176(58) - (Revised MARPOL Annex VI, Reg. 13). — IMO Res. MEPC.177(58) - (NOx Technical code 2008), — IMO Res. MEPC.198(62), — IMO MEPC.1/Circ. 638.				

Item MED/2.9, Equipment using technological methods to limit SOx emissions, - moved to MED/9/2.4.

MED/2.10 On board exhaust gas cleaning systems	Type approval requirements — IMO Res. MEPC.176(58) - (Revised MARPOL Annex VI, Reg. 4), — IMO Res. MEPC.184(59).	— IMO Res. MEPC.184(59).	B+D B+E B+F G		15.5.2018 (III)
	Carriage and performance requirements — IMO Res. MEPC.176(58) - (Revised MARPOL Annex VI, Reg. 4),				
MED/2.10 On board exhaust gas cleaning systems	Type approval requirements — IMO Res. MEPC.176(58) - (Revised MARPOL Annex VI, Reg. 4), — IMO Res. MEPC.259 (68).	— IMO Res. MEPC.259 (68).	Scheme A B+F G	19.6.2018	
	Carriage and performance requirements — IMO Res. MEPC.176(58) - (Revised MARPOL Annex VI, Reg. 4).		Scheme B G		

3. Fire protection equipment

Number and item designation	Regulation SOLAS 74 as amended, and the relevant resolutions and circulars of the IMO, as applicable	Testing standards	Modules for conformity assessment	First placing on the market	Last placing on board
1	2	3	4	5	6
MED/3.1 Primary decks covering	Type approval requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. II-2/6, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. II-2/6, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7.				
MED/3.2 Portable fire extinguishers	Type approval requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 4.	— EN 3-7:2004 incl. A1:2007, — EN 3-8:2006 incl. AC:2007, — EN 3-9:2006 incl. AC:2007, — EN 3-10:2009.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. II-2/18, — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20, — IMO Res.A.951(23), — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 4.				

1	2	3	4	5	6
	— IMO Res.MSC.391(95)-(IGF Code) 11, — IMO MSC/Circ.1239, — IMO MSC/Circ.1275.				
MED/3.3 a) Fire-fighter's outfit: protective clothing (close proximity clothing) — Protective non reflective clothing for fire fighting	Type approval requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 3.	— EN 469:2005 incl. A1:2006 and AC:2006.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 3.				
MED/3.3 b) Fire-fighter's outfit: protective clothing (close proximity clothing) — Protective clothing for fire fighting: Reflective clothing for specialised fire-fighting	Type approval requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 3.	— EN 1486:2007.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 3.				

1	2	3	4	5	6
MED/3.3 Fire-fighter's outfit: protective clothing (close proximity clothing) — Protective clothing for fire fighting: Protective clothing with a reflective outer surface	Type approval requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 3.	— ISO 15538:2001. Note: Level 2	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 3.				
MED/3.4 Fire-fighter's outfit: boots	Type approval requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 3.	— EN 15090:2012.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 3.				
MED/3.4 Fire-fighter's outfit: boots (NEW ROW)	Type approval requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 3.	— EN 15090:2012.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. II-2/15,				

1	2	3	4	5	6
	— IMO Res.MSC.4(48)-(IBC Code) 11, — IMO Res.MSC.5(48)-(IGC Code) 11 — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 3.				
MED/3.5 Fire-fighter's outfit: gloves	Type approval requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 3.	— EN 659:2003 incl. A1:2008 and AC:2009.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 3.				
MED/3.5 Fire-fighter's outfit: gloves (NEW ROW)	Type approval requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 3.	— EN 659:2003 incl. A1:2008 and AC:2009.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. II-2/15, — IMO Res.MSC.4(48)-(IBC Code) 11, — IMO Res.MSC.5(48)-(IGC Code) 11, — IMO Res.MSC.36(63)-(1994 HSC Code) 7,				

1	2	3	4	5	6
	— IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 3.				
MED/3.6 Fire-fighter's outfit: helmet	Type approval requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 3.	— EN 443:2008.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 3.				
MED/3.6 Fire-fighter's outfit: helmet (NEW ROW)	Type approval requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 3.	— EN 443:2008.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. II-2/15, — IMO Res.MSC.4(48)-(IBC Code) 11, — IMO Res.MSC.5(48)-(IGC Code) 11, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 3.				

1	2	3	4	5	6
MED/3.7 Self-contained compressed-air-operated breathing apparatus Note: For use in accidents involving dangerous goods a positive pressure type mask is required.	Type approval requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 3.	— EN 136:1998 incl. AC:2003, — EN 137:2006, And where the apparatus is for use in accidents with cargo; — ISO 23269-3:2011.	B+D B+E B+F		19.6.2018 (II)
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 3. And where the apparatus is for use in accidents with cargo; — IMO Res.MSC.4(48)-(IBC Code) 14, — IMO Res.MSC.5(48)-(IGC Code) 14, — IMO MSC.1/Circ.1499.				
MED/3.7 Self-contained compressed-air-operated breathing apparatus Note: For use in accidents involving dangerous goods a positive pressure type mask is required. (Refer to item 7.1)	Type approval requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 3.	ISO 23269-2:2011 (fire fighting — maritime use only) Type 1 mask shall not be used in either MED/3.7 or MED/7.1	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. II-2/15, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 3.				

1	2	3	4	5	6
MED/3.7 Self-contained compressed-air-operated breathing apparatus Note: For use in accidents involving dangerous goods a positive pressure type mask is required. (Refer to item 7.1) (NEW ROW)	Type approval requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 3.	ISO 23269-2:2011 (fire fighting — maritime use only) Type 1 mask shall not be used in either MED/3.7 or MED/7.1 Note: Associated fireproof lifeline requested by ISO 23269 § 4.28 shall be MED certified as item MED 3.44 and used in conjunction with the breathing apparatus and capable of being attached by means of a snap-hook to the harness of the apparatus or to a separate belt in order to prevent the breathing apparatus becoming detached when the lifeline is operated. Air breathing apparatus module B shall indicate the MED fireproof lifeline as mandatory combined component	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. II-2/15, — SOLAS 74 Reg. II-2/19, — IMO Res.MSC.4(48)-(IBC Code) 11, — IMO Res.MSC.5(48)-(IGC Code) 11, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 3, — IMO MSC.1/Circ.1499, — IMO MSC.1/Circ.1555.				
MED/3.8 Compressed air line breathing apparatus	Type approval requirements — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — Note: This equipment is only for high speed craft built under provisions of the 1994 HSC Code.	— EN 14593-1:2005, or: — EN 14594:2005 incl. AC:2005.	B+D B+E B+F		13.3.2021 (II)
	Carriage and performance requirements — IMO Res.MSC.36(63)-(1994 HSC Code) 7,				

1	2	3	4	5	6
MED/3.8 Compressed air line breathing apparatus (NEW ROW)	Type approval requirements — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — Note: This equipment is only for high speed craft built under provisions of the 1994 HSC Code.	— EN 14593-1:2018, - or: — EN 14594:2018.	B+D B+E B+F	13.9.2019	
	Carriage and performance requirements — IMO Res.MSC.36(63)-(1994 HSC Code) 7,				
MED/3.9 Sprinkler systems components for accommodation spaces, service spaces and control stations equivalent to that referred to in SOLAS 74 Reg. II-2/12 (limited to nozzles and their performance). (Nozzles for fixed sprinkler systems, for high speed craft (HSC) are included under this item) (Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board, can still be applied).	Type approval requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 8.	— IMO Res. A.800(19),as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. II-2/9, — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.44(65), — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 8. — IMO MSC/Circ.912, — IMO MSC/Circ. 1556.				

1	2	3	4	5	6
MED/3.10 — Nozzles for fixed pressure water spraying fire extinguishing systems for machinery spaces and cargo pump-rooms (Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board, can still be applied).	Type approval requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 7.	— IMO MSC/Circ.1165, as amended	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 7, — IMO Res.MSC.391(95)-(IGF Code) 11). — IMO MSC.1/Circ.1313.				
MED/3.11a ‘A’ & ‘B’ Class divisions fire integrity (a) ‘A’ class divisions,	Type approval requirements — SOLAS 74 Reg. II-2/3.2.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended, — IMO MSC.1/Circ.1435.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/3.2. — SOLAS 74 Reg. II-2/9, — IMO MSC/Circ.1120, — IMO MSC.1/Circ.1434.				
MED/3.11a ‘A’ & ‘B’ Class divisions fire integrity (a) ‘A’ class divisions, (NEW ROW)	Type approval requirements — SOLAS 74 Reg. II-2/3.2, — IMO MSC/Circ.1120.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended, — IMO MSC.1/Circ.1435.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/3.2. — SOLAS 74 Reg. II-2/9,				

1	2	3	4	5	6
	— IMO MSC/Circ.1120, — IMO MSC.1/Circ.1434.				
MED/3.11b 'A' & 'B' Class divisions fire integrity (b) 'B' class divisions.	Type approval requirements — SOLAS 74 Reg. II-2/3.4.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/3.4. — SOLAS 74 Reg. II-2/9.				
MED/3.11b 'A' & 'B' Class divisions fire integrity (b) 'B' class divisions. (NEW ROW) Note: Excludes restricted B-Class divisions/doors.	Type approval requirements — SOLAS 74 Reg. II-2/3.4. — IMO MSC/Circ.1120.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/3.4. — SOLAS 74 Reg. II-2/9, — IMO MSC/Circ.1120, — IMO MSC.1/Circ.1581.				
MED/3.12 Devices to prevent the passage of flame into the cargo tanks in tankers	Type approval requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. II-2/16.	a) P/V valves: — IMO MSC/Circ.677, as amended, — EN ISO 16852:2010, — ISO 15364:2016. b) Flame arresters: — IMO MSC/Circ.677, as amended, — EN ISO 16852:2010. c) Detonation flame arresters — IMO MSC/Circ.677, as amended. — EN ISO 16852:2010.	For equipment other than valves: B+D B+E B+F For valves B+F		23.5.2019 (III)
	Carriage and performance requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. II-2/16. — IMO Res.MSC.98(73)-(FSS Code) 15.				

1	2	3	4	5	6
		d) High velocity vent valves: — IMO MSC/Circ.677, as amended, — EN ISO 16852:2010, — ISO 15364:2016.			
MED/3.12 Devices to prevent the passage of flame into the cargo tanks in tankers	Type approval requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. II-2/16.	a) P/V valves: — IMO MSC/Circ.677, as amended, — EN ISO 16852:2016, — ISO 15364: 2016. b) Flame arresters: — IMO MSC/Circ.677, as amended, — EN ISO 16852:2016, c) Detonation flame arresters — IMO MSC/Circ.677, as amended, — EN ISO 16852:2016, d) High velocity vent valves: — IMO MSC/Circ.677, as amended, — EN ISO 16852:2016, — ISO 15364:2016.	For equip- ment other than valves: B+D B+E B+F For valves B+F	19.6.2018	
	Carriage and performance requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. II-2/16. — IMO Res.MSC.98(73)-(FSS Code) 15.				
MED/3.13 Non-combustible materials	Type approval requirements — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. II-2/9,				

1	2	3	4	5	6
	— IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7.				

MED/3.14, Materials other than steel for pipes penetrating 'A' and 'B' Class divisions – Item included in MED/3.26 and MED/3.27.

MED/3.15a Materials other than steel for pipes conveying oil or fuel oil — plastic pipes and fittings	Type approval requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. X/3.	— IMO Res.A.753(18), as amended, — IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/4, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.36(63)-(1994 HSC Code) 10, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 10, — IMO MSC/Circ.1120.				
MED/3.15b Materials other than steel for pipes conveying oil or fuel oil — valves	Type approval requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. X/3.	— EN ISO 10497:2010.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/4, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.36(63)-(1994 HSC Code) 10, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 10, — IMO MSC/Circ.1120.				

1	2	3	4	5	6
MED/3.15c Materials other than steel for pipes conveying oil or fuel oil (c) flexible pipe assemblies and compensators	Type approval requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. X/3.	Flexible pipe assemblies: — EN ISO 15540:2001, — EN ISO 15541:2001.	B+D B+E B+F		1.7.2019 (III)
	Carriage and performance requirements — SOLAS 74 Reg. II-2/4, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.36(63)-(1994 HSC Code) 10, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 10, — IMO MSC/Circ.1120.				
MED/3.15c Materials other than steel for pipes conveying oil or fuel oil — flexible pipe assemblies and compensators	Type approval requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. X/3.	— ISO 15540:2016, — ISO 15541:2016,	B+D B+E B+F	19.6.2018	
	Carriage and performance requirements — SOLAS 74 Reg. II-2/4, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.36(63)-(1994 HSC Code) 10, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 10, — IMO MSC/Circ.1120.				

1	2	3	4	5	6
MED/3.15d Materials other than steel for pipes conveying oil or fuel oil — metallic pipe components with resilient and elastomeric seals	Type approval requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. X/3.	— ISO 19921:2005, — ISO 19922:2005.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/4, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.36(63)-(1994 HSC Code) 10, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 10, — IMO MSC/Circ.1120, — IMO MSC/Circ.1527.				
MED/3.16 Fire Doors Note: Restricted B-Class divisions including door are not covered by the EU-USA Mutual Recognition Agreement. Refer to MarED Group of Notified Bodies' Approved Recommendation 071.	Type approval requirements — SOLAS 74 Reg. II-2/9.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended, — IMO MSC.1/Circ.1319	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/9, — IMO MSC.1/Circ.1511.				
MED/3.17 Fire door control systems components. Note: When the term 'system components' is used it may be that a single component, a group of components or a whole system needs to be tested to ensure that the international requirements are fulfilled.	Type approval requirements — SOLAS 74 Reg. II-2/9, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/9, — IMO Res.MSC.97(73)-(2000 HSC Code) 7.				

1	2	3	4	5	6
MED/3.18a Surface materials and floor coverings with low flame-spread characteristics — decorative veneers,	Type approval requirements — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. II-2/6, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. II-2/6, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO MSC/Circ.1120.				
MED/3.18b Surface materials and floor coverings with low flame-spread characteristics — paint systems,	Type approval requirements — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. II-2/6, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. II-2/6, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO MSC/Circ.1120.				

1	2	3	4	5	6
MED/3.18c Surface materials and floor coverings with low flame-spread characteristics — floor coverings.	Type approval requirements — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. II-2/6, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. II-2/6, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO MSC/Circ.1120.				
MED/3.18d Surface materials and floor coverings with low flame-spread characteristics — pipe insulation covers,	Type approval requirements — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO MSC/Circ.1120.				

1	2	3	4	5	6
MED/3.18e Surface materials and floor coverings with low flame-spread characteristics — adhesives used in the construction of 'A', 'B' & 'C' class divisions,	Type approval requirements — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. II-2/9, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. II-2/9, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO MSC/Circ.1120.				
MED/3.18f Surface materials and floor coverings with low flame-spread characteristics — combustible ducts membrane	Type approval requirements — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. II-2/9, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. II-2/9, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO MSC/Circ.1120.				

1	2	3	4	5	6
MED/3.19 Draperies, curtains and other suspended textile materials and films	Type approval requirements — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/9, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended, — IMO MSC.1/Circ.1456, as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/9, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7.				
MED/3.20 — Upholstered furniture	Type approval requirements — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. II-2/9, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/5, — SOLAS 74 Reg. II-2/9, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7.				
MED/3.21 Bedding components	Type approval requirements — SOLAS 74 Reg. II-2/3, — SOLAS 74 Reg. II-2/9, — SOLAS 74 Reg. X/3.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/3,				

1	2	3	4	5	6
	— SOLAS 74 Reg. II-2/9, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7.				
MED/3.22 — Fire dampers	Type approval requirements — SOLAS 74 Reg. II-2/9.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/9.				

Item MED/3.23, Non combustible duct penetrations through 'A' class divisions — Item deliberately left blank.

Item MED/3.24, Electric cable transits through 'A' class divisions — Item deliberately left blank.

MED/3.25 'A' and 'B' class fire proof windows and side scuttles	Type approval requirements — SOLAS 74 Reg. II-2/9.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/9. — IMO MSC/Circ.1120.				
MED/3.25 'A' and 'B' class fire proof windows and side scuttles (NEW ROW)	Type approval requirements — SOLAS 74 Reg. II-2/9.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/9, — IMO Res.MSC.5(48)-(IGC Code) 3, — IMO MSC/Circ.1120.				
MED/3.26a Penetrations through 'A' class divisions — electric cable transits	Type approval requirements — SOLAS 74 Reg. II-2/9.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended, — MSC.1/Circ. 1488.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/9.				

1	2	3	4	5	6
MED/3.26b Penetrations through 'A' class divisions — pipe, duct, trunk, etc. penetrations	Type approval requirements — SOLAS 74 Reg. II-2/9.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended, — IMO MSC.1/Circ. 1488.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/9, — IMO MSC.1/Circ. 1276.				
MED/3.27a Penetrations through 'B' class divisions — electric cable transits,	Type approval requirements — SOLAS 74 Reg. II-2/9.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/9.				
MED/3.27b Penetrations through 'B' class divisions — pipe, duct, trunk, etc. penetrations.	Type approval requirements — SOLAS 74 Reg. II-2/9.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/9.				
MED/3.28 Sprinkler systems (limited to sprinkler heads). (Nozzles for fixed sprinkler systems, for high speed craft (HSC) are included under this item) (Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board, can still be applied).	Type approval requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3.	— ISO 6182-1:2014. Or, — EN 12259-1:1999 incl. A1:2001, A2:2004 and A3:2006.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.44(65), — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 8, — IMO MSC/Circ.912, — MSC.1/Circ.1556.				

1	2	3	4	5	6
MED/3.29 Fire-fighting hoses (a) Non-percolating lay flat firefighting hoses (range of the inside diameter from 25 mm to 52 mm)	Type approval requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3.	— EN 14540:2014.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7.				
MED/3.30 Portable oxygen analysis and gas detection equipment	Type approval requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. VI/3, — SOLAS 74 Reg. XI-1/7.	— EN 60945:2002 incl. IEC 60945 Corr. 1:2008, or IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 60092-504:2001 incl. IEC 60092,-504 Corr.1:2011 — IEC 60533:1999, And as applicable to: a) Category 1: (safe area): — EN 50104:2010, — EN 60079-29-1:2007, b) Category 2: (explosive gas atmospheres);, — EN 50104:2010, — EN 60079-29-1:2007, — EN 60079-0:2012 incl. A11:2013, — EN 60079-1:2014, — EN 60079-10-1:2015, — EN 60079-11:2012, — EN 60079-15:2010, — EN 60079-26:2015.	B+D B+E B+F		1.6.2019 (II)
	Carriage and performance requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. VI/3, — SOLAS 74 Reg. XI-1/7. — IMO Res.MSC.98(73)-(FSS Code) 15, — IMO MSC.1/Circ.1477.				

1	2	3	4	5	6
MED/3.30 Portable oxygen analysis and gas detection equipment	Type approval requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. VI/3, — SOLAS 74 Reg. XI-1/7.	— EN 60945:2002 incl. IEC 60945 Corr. 1:2008, or IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 60092-504:2016, — IEC 60533:2015, And as applicable to: a) Category 1: (safe area): — EN 50104:2010, — EN 60079-29-1:2016, b) Category 2: (explosive gas atmospheres): — EN 50104:2010, — EN 60079-29-1:2007, — EN 60079-0:2012 incl. A11:2013, — EN 60079-1:2014, — EN 60079-10-1:2015, — EN 60079-11:2012, — EN 60079-15:2010, — EN 60079-26:2015.	B+D B+E B+F	16.3.2017	28.2.2020 (II)
	Carriage and performance requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. VI/3, — SOLAS 74 Reg. XI-1/7. — IMO Res.MSC.98(73)-(FSS Code) 15, — IMO MSC.1/Circ.1477.				
MED/3.30 Portable oxygen analysis and gas detection equipment	Type approval requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. VI/3, — SOLAS 74 Reg. XI-1/7.	— EN 60945:2002 incl. IEC 60945 Corr. 1:2008, or IEC 60945:2002 incl. IEC 60945 Corr. 1:2008, — IEC 60092-504:2016, — IEC 60533:2015, And as applicable to: a) Category 1: (safe area): — EN 50104:2010, — EN 60079-29-1:2016,	B+D B+E B+F	19.6.2018	
	Carriage and performance requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. VI/3, — SOLAS 74 Reg. XI-1/7.				

1	2	3	4	5	6
	— IMO Res.MSC.98(73)-(FSS Code) 15, — IMO MSC.1/Circ.1477.	b) Category 2: (explosive gas atmospheres);, — EN 50104:2010, — EN 60079-29-1:2016, — EN 60079-0:2012 incl. A11:2013, — EN 60079-1:2014, — EN 60079-10-1:2015, — EN 60079-11:2012, — EN 60079-15:2010, — EN 60079-26:2015.			
MED/3.30 Portable oxygen analysis and gas detection equipment (NEW ROW)	Type approval requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. VI/3, — SOLAS 74 Reg. XI-1/7.	— EN 60945:2002 incl. IEC 60945 Corr. 1:2008, or IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 60092-504:2016, — IEC 60533:2015, And as applicable to:	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. VI/3, — SOLAS 74 Reg. XI-1/7. — IMO Res.MSC.98(73)-(FSS Code) 15, — IMO MSC.1/Circ.1477, — IMO MSC.1/Circ.1581.	a) Category 1: (safe area): — EN 50104:2010, — EN 60079-29-1:2016, b) Category 2: (explosive gas atmospheres);, — EN 50104:2010, — EN 60079-29-1:2016, — EN 60079-0:2012 incl. A11:2013, — EN 60079-1:2014, — EN 60079-10-1:2015, — EN 60079-11:2012, — EN 60079-15:2010, — EN 60079-26:2015.			

1	2	3	4	5	6
Item MED/3.31, Nozzles for fixed sprinkler systems for high speed craft (HSC), deleted as it is covered by MED/3.9 and MED/3.28.					
MED/3.32 Fire restricting materials (except furniture) for high speed craft	Type approval requirements — SOLAS 74 Reg. X/3.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		
	Carriage and performance requirements — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO MSC.1/Circ.1457.				
MED/3.33 Fire restricting materials for furniture for high speed craft	Type approval requirements — SOLAS 74 Reg. X/3.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		
	Carriage and performance requirements — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7.				
MED/3.34 Fire resisting divisions for high speed craft	Type approval requirements — SOLAS 74 Reg. X/3.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		
	Carriage and performance requirements — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO MSC.1/Circ.1457.				
MED/3.35 Fire doors on high speed craft	Type approval requirements — SOLAS 74 Reg. X/3.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		
	Carriage and performance requirements — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7.				

1	2	3	4	5	6
MED/3.36 Fire dampers on high speed craft	Type approval requirements — SOLAS 74 Reg. X/3.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		
	Carriage and performance requirements — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7.				
MED/3.37a Penetrations through fire resisting divisions on high speed craft — electric cable transits,	Type approval requirements — SOLAS 74 Reg. X/3.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		
	Carriage and performance requirements — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7.				
MED/3.37b Penetrations through fire resisting divisions on high speed craft — pipe, duct, trunk etc. penetrations.	Type approval requirements — SOLAS 74 Reg. X/3.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		
	Carriage and performance requirements — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7.				
MED/3.38 — Portable fire-extinguishing equipment for lifeboats and rescue boats	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	— EN 3-7:2004 incl. A1:2007, — EN 3-8:2006 incl. AC:2007, — EN 3-9:2006 incl. AC:2007, — EN 3-10:2009.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. III/34, — IMO Res.A.951(23), — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I,				

1	2	3	4	5	6
	— IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.48(66)-(LSA Code) V, — IMO Res.MSC.97(73)-(2000 HSC Code) 8.				
MED/3.39 Nozzles for equivalent water-mist fire extinguishing systems for machinery spaces and cargo pump rooms	Type approval requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 7.	— IMO MSC/Circ.1165, as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 7. — IMO MSC.1/Circ.1313, — IMO MSC.1/Circ.1458.				
MED/3.40 Low-location lighting systems (components only)	Type approval requirements — SOLAS 74 Reg. II-2/13, — IMO Res.MSC.98(73)-(FSS Code) 11.	— IMO Res.A.752(18), — ISO 15370:2010.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/13, — IMO Res.A.752(18), — IMO Res.MSC.98(73)-(FSS Code) 11.				

1	2	3	4	5	6
MED/3.41 Emergency escape breathing devices (EEBD)	Type approval requirements — SOLAS 74 Reg. II-2/13.	— ISO 23269-1:2008, and alternatively: — For self-contained: open-circuit compressed air breathing apparatus with full mask or mouthed piece assembly for escape: — EN 402:2003; — For self-contained open-circuit compressed air breathing apparatus with a hood for escape: — EN 1146:2005; — For self-contained: closed-circuit compressed air breathing apparatus: — EN 13794:2002.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/13. — IMO Res.MSC.98(73)-(FSS Code) 3, — IMO MSC/Circ.849.				
MED/3.42 Inert gas systems components	Type approval requirements — SOLAS 74 Reg. II-2/4.	— IMO MSC/Circ.353, as amended.	B+D B+E B+F G		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/4. — IMO Res.A.567(14), — IMO Res.MSC.98(73)-(FSS Code) 15, — IMO MSC/Circ.353, — IMO MSC/Circ.485, — IMO MSC/Circ.731, — IMO MSC/Circ.1120.				

1	2	3	4	5	6
MED/3.42 Inert gas system components (NEW ROW) Note: Equipment regarded as Inert gas system components under MED/3.42 are in general: — Inert gas fans/blowers — Inert gas generator — Scrubber — Sea water pumps for scrubber — Nitrogen generator (being equivalent to IGG) — Nitrogen air compressor (equivalent to blowers) — Inert gas control and monitoring system (to include DBB-arrangement, if fitted) — Pressure vessels — Double block and bleed valve arrangement (being equivalent to deck water seal) — Pressure/Vacuum-breaker — Deck water seal — Sea water pumps for deck water seal — Dryer-absorber (if pressure vessel, e.g. swing type) — Membrane separation vessels (pressure vessels for N2) — Cooling water pumps for compressors (normally air cooled) — Non-return valves — Gas regulating valve	Type approval requirements — SOLAS 74 Reg. II-2/4. Carriage and performance requirements — SOLAS 74 Reg. II-2/4. — IMO Res.A.567(14), — IMO Res.MSC.98(73)-(FSS Code) 15, — IMO MSC/Circ.353, — IMO MSC/Circ.485, — IMO MSC/Circ.731, — IMO MSC/Circ.1120.	— IMO MSC/Circ.353, as amended.	B+D B+E B+F G		

1	2	3	4	5	6
MED/3.43 Nozzles for deep fat cooking equipment fire extinguishing systems (automatic or manual type). (Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board, can still be applied).	Type approval requirements — SOLAS 74 Reg. II-2/1, — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3.	— ISO 15371:2009.	B+D B+E B+F		15.11.2018 (III)
	Carriage and performance requirements — SOLAS 74 Reg. II-2/1, — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO MSC.1/Circ.1433.				
MED/3.43 Nozzles for deep fat cooking equipment fire extinguishing systems (automatic or manual type). (Note: For products used as spare parts of existing installations the relevant standards at the time of placing on board, can still be applied).	Type approval requirements — SOLAS 74 Reg. II-2/1, — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3.	— ISO 15371:2015.	B+D B+E B+F	16.3.2017	
	Carriage and performance requirements — SOLAS 74 Reg. II-2/1, — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO MSC.1/Circ.1433.				
MED/3.44 Fire-fighters outfit - lifeline	Type approval requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 3.	— IMO Res.MSC.98(73)-(FSS Code) 3, as amended, — IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		3.10.2022 (II)
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7,				

1	2	3	4	5	6
	— IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 3.				
MED/3.44 Fire-fighters outfit – lifeline Lifelines for breathing apparatus approved under item MED/3.7 and item MED/7.1 (NEW ROW)	Type approval requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 3.	— IMO Res.MSC.98(73)-(FSS Code) 3, as amended, — IMO Res.MSC.307(88)-(2010 FTP Code), as amended, — ISO 23269-2:2011	B+D B+E B+F	3.10.2019	
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 3.				
MED/3.45 Equivalent fixed gas fire extinguishing systems components (extinguishing MEDium, head valves and nozzles) for machinery spaces and cargo pump rooms	Type approval requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 5.	— IMO MSC/Circ.848, as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 5. — IMO MSC/Circ.848, — IMO MSC.1/Circ.1313.				

1	2	3	4	5	6
MED/3.46 Equivalent fixed gas fire extinguishing systems for machinery spaces (aerosol systems)	Type approval requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 5.	— IMO MSC/Circ.1270 incl. Corr.1, as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 5. — IMO MSC/Circ.1270 incl. Corr.1, — IMO MSC.1/Circ.1313.				
MED/3.47 Concentrate for fixed high expansion foam fire extinguishing systems for machinery spaces and cargo pump rooms. Note: The fixed high expansion foam fire extinguishing system (including those systems which use inside air from their working spaces for their intended performance), for machinery spaces and cargo pump rooms must still be tested with the approved concentrate to the satisfaction of the Administration.	Type approval requirements — SOLAS 74 Reg. II-2/10.	— IMO MSC/Circ.670.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10. — IMO Res.MSC.98(73)-(FSS Code) 6.				
MED/3.48 Fixed water based local application fire-fighting systems components for use in category A machinery spaces (Nozzles and performance tests).	Type approval requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3.	— IMO MSC.1/Circ.1387.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10,				

1	2	3	4	5	6
	— IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7.				
MED/3.49a Fixed water-based fire-fighting systems for ro-ro spaces, vehicle spaces and special category spaces — Prescriptive-based systems as per Circ.1430 Clause 4.	Type approval requirements — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 7.	— IMO MSC.1/Circ.1430.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 7.				
MED/3.49b Fixed waterbased firefighting systems for ro-ro spaces, vehicle spaces and special category spaces — Performance-based systems as per Circ. 1430 Clause 5.	Type approval requirements — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 7.	— IMO MSC.1/Circ.1430.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 7.				

1	2	3	4	5	6
MED/3.50, Protective clothing resistant to chemical attack, - item moved to MED/9/3.9.					
MED/3.51a Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces: — Control and indicating equipment	Type approval requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9.	Electrical installations in ships: — EN 54-2:1997 incl. AC:1999 and A1:2006. And, as applicable, electrical and electronic installations in ships: — IEC 60092-504:2001 incl. IEC 60092-504 Corr.1: 2011, — IEC 60533:1999.	B+D B+E B+F		1.6.2019 (III)
	Carriage and performance requirements — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9. — IMO MSC.1/Circ.1242.				
MED/3.51a Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces: — Control and indicating equipment	Type approval requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9.	Electrical installations in ships: — EN 54-2:1997 incl. AC:1999 and A1:2006. And, as applicable, electrical and electronic installations in ships: — IEC 60092-504:2016, — IEC 60533:2015.	B+D B+E B+F	16.3.2017	1.1.2020 (III)
	Carriage and performance requirements — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9, — IMO MSC.1/Circ.1242, — IMO MSC.1/Circ.1487,				

1	2	3	4	5	6
MED/3.51a Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces: — Control and indicating equipment	Type approval requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9.	Electrical installations in ships: — EN 54-2:1997 incl. AC:1999 and A1:2006. And, as applicable, electrical and electronic installations in ships: — IEC 60092-504:2016, — IEC 60533:2015.	B+D B+E B+F	19.6.2018	
	Carriage and performance requirements — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9, — IMO Res.MSC.391(95)-(IGF Code) 11, — IMO MSC.1/Circ.1242, — IMO MSC.1/Circ.1487, — MSC.1/Circ.1528.				
MED/3.51b Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces: — Power supply equipment,	Type approval requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9.	— EN 54-4:1997 incl. AC:1999, A1:2002 and A2:2006. And, as applicable, electrical and electronic installations in ships: — IEC 60092-504:2001 incl. IEC 60092-504 Corr.1: 2011, — IEC 60533:1999.	B+D B+E B+F		1.6.2019 (III)
	Carriage and performance requirements — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9. — IMO MSC.1/Circ.1242.				

1	2	3	4	5	6
MED/3.51b Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces: — Power supply equipment,	Type approval requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9.	— EN 54-4:1997 incl. AC:1999, A1:2002 and A2:2006. And, as applicable, electrical and electronic installations in ships: — IEC 60092-504:2016, — IEC 60533:2015.	B+D B+E B+F	16.3.2017	1.1.2020 (III)
	Carriage and performance requirements — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9. — IMO MSC.1/Circ.1242.				
MED/3.51b Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces: — Power supply equipment,	Type approval requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9.	— EN 54-4:1997 incl. AC:1999, A1:2002 and A2:2006. And, as applicable, electrical and electronic installations in ships: — IEC 60092-504:2016, — IEC 60533:2015.	B+D B+E B+F	19.6.2018	
	Carriage and performance requirements — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9. — IMO Res.MSC.391(95)-(IGF Code) 11, — IMO MSC.1/Circ.1242, — MSC.1/Circ.1554.				

1	2	3	4	5	6
MED/3.51c Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces: — Heat detectors — Point detectors,	Type approval requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9.	— EN 54-5:2000 incl. A1:2002. And, as applicable, electrical and electronic installations in ships: — IEC 60092-504:2001 incl. IEC 60092-504 Corr.1: 2011, — IEC 60533:1999.	B+D B+E B+F		1.6.2019 (III)
	Carriage and performance requirements — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9. — IMO MSC.1/Circ.1242.				
MED/3.51c Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces: — Heat detectors — Point detectors,	Type approval requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9.	— EN 54-5:2000 incl. A1:2002. And, as applicable, electrical and electronic installations in ships: — IEC 60092-504:2016, — IEC 60533:2015.	B+D B+E B+F	16.3.2017	28.2.2020 (III)
	Carriage and performance requirements — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9. — IMO MSC.1/Circ.1242.				

1	2	3	4	5	6
MED/3.51c Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces: — Heat detectors — Point detectors,	Type approval requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9.	— EN 54-5:2000 incl. A1:2002. — EN 54-5:2017, And, as applicable, electrical and electronic installations in ships: — IEC 60092-504:2016, — IEC 60533:2015.	B+D B+E B+F	19.6.2018	
	Carriage and performance requirements — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9. — IMO MSC.1/Circ.1242.				
MED/3.51d Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces: — Smoke detectors: Point detectors using scattered light, transmitted light or ionization,	Type approval requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9.	— EN 54-7:2000 incl. A1:2002 and A2:2006. And, as applicable, electrical and electronic installations in ships: — IEC 60092-504:2001 incl. IEC 60092-504 Corr.1: 2011, — IEC 60533:1999.	B+D B+E B+F		31.8.2022 (III)
	Carriage and performance requirements — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9. — IMO MSC.1/Circ.1242.				

1	2	3	4	5	6
MED/3.51d Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces: — Smoke detectors: Point detectors using scattered light, transmitted light or ionization, (NEW ROW)	Type approval requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9.	— EN 54-7:2018. And, as applicable, electrical and electronic installations in ships: — IEC 60092-504:2016, — IEC 60533:2015.	B+D B+E B+F	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9, — IMO Res.MSC.391(95)-(IGF Code) 11, — IMO MSC.1/Circ.1242.				
MED/3.51e Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces: — Flame detectors: Point detectors,	Type approval requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9.	— EN 54-10:2002 incl. A1:2005. And, as applicable, electrical and electronic installations in ships: — IEC 60092-504:2001 incl. IEC 60092-504 Corr.1: 2011, — IEC 60533:1999.	B+D B+E B+F		1.6.2019 (III)
	Carriage and performance requirements — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9. — IMO MSC.1/Circ.1242.				

1	2	3	4	5	6
MED/3.51e Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces: — Flame detectors: Point detectors,	Type approval requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9.	— EN 54-10:2002 incl. A1:2005, And, as applicable, electrical and electronic installations in ships: — IEC 60092-504:2016, — IEC 60533:2015.	B+D B+E B+F	16.3.2017	1.1.2020 (III)
	Carriage and performance requirements — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9. — IMO MSC.1/Circ.1242.				
MED/3.51e Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces: — Flame detectors: Point detectors,	Type approval requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9.	— EN 54-10:2002 incl. A1:2005, And, as applicable, electrical and electronic installations in ships: — IEC 60092-504:2016, — IEC 60533:2015.	B+D B+E B+F	19.6.2018	
	Carriage and performance requirements — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9, — IMO Res.MSC.391(95)-(IGF Code) 11, — IMO MSC.1/Circ.1242.				

1	2	3	4	5	6
MED/3.51f Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces: — Manual call points,	Type approval requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9.	— EN 54-11:2001 incl. A1:2005. And, as applicable, electrical and electronic installations in ships: — IEC 60092-504:2001 incl. IEC 60092-504 Corr.1: 2011, — IEC 60533:1999.	B+D B+E B+F		1.6.2019 (III)
	Carriage and performance requirements — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9. — IMO MSC.1/Circ.1242.				
MED/3.51f Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces: — Manual call points,	Type approval requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9.	— EN 54-11:2001 incl. A1:2005. And, as applicable, electrical and electronic installations in ships: — IEC 60092-504:2016, — IEC 60533:2015.	B+D B+E B+F	16.3.2017	1.1.2020 (III)
	Carriage and performance requirements — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9. — IMO MSC.1/Circ.1242.				

1	2	3	4	5	6
MED/3.51f Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces: — Manual call points,	Type approval requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9.	— EN 54-11:2001 incl. A1:2005. And, as applicable, electrical and electronic installations in ships: — IEC 60092-504:2016, — IEC 60533:2015.	B+D B+E B+F	19.6.2018	
	Carriage and performance requirements — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9, — IMO Res.MSC.391(95)-(IGF Code) 11, — IMO MSC.1/Circ.1242.				
MED/3.51 g Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces: — Short circuit isolators	Type approval requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9.	— EN 54-17:2005 incl. AC:2007. And, as applicable, electrical and electronic installations in ships: — IEC 60092-504:2001 incl. IEC 60092-504 Corr.1: 2011, — IEC 60533:1999.	B+D B+E B+F		1.6.2019 (III)
	Carriage and performance requirements — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9. — IMO MSC.1/Circ.1242.				

1	2	3	4	5	6
MED/3.51 g Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces: — Short circuit isolators	Type approval requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9.	— EN 54-17:2005 incl. AC:2007. And, as applicable, electrical and electronic installations in ships: — IEC 60092-504:2016, — IEC 60533:2015.	B+D B+E B+F	16.3.2017	1.1.2020 (III)
	Carriage and performance requirements — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9, — IMO MSC.1/Circ.1242.				
MED/3.51 g Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces: — Short circuit isolators,	Type approval requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9.	— EN 54-17:2005 incl. AC:2007. And, as applicable, electrical and electronic installations in ships: — IEC 60092-504:2016, — IEC 60533:2015.	B+D B+E B+F	19.6.2018	
	Carriage and performance requirements — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9, — IMO Res.MSC.391(95)-(IGF Code) 11, — IMO MSC.1/Circ.1242.				

1	2	3	4	5	6
MED/3.51 h Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces: — Input/output devices,	Type approval requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9.	— EN 54-18 (2005) including AC (2007). And, as applicable, electrical and electronic installations in ships: — IEC 60092-504:2001 incl. IEC 60092-504 Corr.1: 2011, — IEC 60533:1999.	B+D B+E B+F		1.6.2019 (III)
	Carriage and performance requirements — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9. — IMO MSC.1/Circ.1242.				
MED/3.51 h Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces: — Input/output devices,	Type approval requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9.	— EN 54-18:2005 incl. AC:2007. And, as applicable, electrical and electronic installations in ships: — IEC 60092-504:2016, — IEC 60533:2015.	B+D B+E B+F	16.3.2017	1.1.2020 (III)
	Carriage and performance requirements — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9. — IMO MSC.1/Circ.1242.				

1	2	3	4	5	6
MED/3.51 h Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces: — Input/output devices,	Type approval requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9.	— EN 54-18:2005 incl. AC:2007. And, as applicable, electrical and electronic installations in ships: — IEC 60092-504:2016, — IEC 60533:2015.	B+D B+E B+F	19.6.2018	
	Carriage and performance requirements — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9, — IMO Res.MSC.391(95)-(IGF Code) 11, — IMO MSC.1/Circ.1242.				
MED/3.51i Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces: Cables.	Type approval requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9.	— EN 60332-1-2:2004, — IEC 60092-376:2003, And, as applicable, electrical and electronic installations in ships; — IEC 60092-504:2001 incl. IEC 60092-504 Corr.1: 2011, — IEC 60533:1999.	B+D B+E B+F		1.6.2019 (III)
	Carriage and performance requirements — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9. — IMO MSC.1/Circ.1242.				

1	2	3	4	5	6
MED/3.51i Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces: — Cables.	Type approval requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9.	— EN 60332-1-2:2004, — IEC 60092-376:2003. And, as applicable, electrical and electronic installations in ships: — IEC 60092-504:2016, — IEC 60533:2015,	B+D B+E B+F	16.3.2017	22.5.2020 (III)
	Carriage and performance requirements — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9. — IMO MSC.1/Circ.1242.				
MED/3.51i Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces: — Cables.	Type approval requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9.	— EN 60332-1-2:2004+A1:2015, — IEC 60092-376:2017. And, as applicable, electrical and electronic installations in ships: — IEC 60092-504:2016, — IEC 60533:2015. — IEC 60332-1-2:2004 + A1:2015. And/or: Fire Resistant Cables: — IEC 60092-376:2017, — IEC 60331-1:2009 or IEC 60331-2:2009. And, as applicable, electrical and electronic installations in ships: — IEC 60092-504:2016, — IEC 60533:2015, — IEC 60332-1-2:2004 + A1:2015.	B+D B+E B+F	19.6.2018	28.3.2021 (III)
	Carriage and performance requirements — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9, — IMO Res.MSC.391(95)-(IGF Code) 11, — IMO MSC.1/Circ.1242.				

1	2	3	4	5	6
MED/3.51i Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, cabin balconies, machinery spaces and unattended machinery spaces: — Cables. (NEW ROW)	Type approval requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9.	— EN 60332-1-2:2004+A1:2015 and A11:2016 — IEC 60092-376:2017. And, as applicable, electrical and electronic installations in ships: — IEC 60092-504:2016, — IEC 60533:2015. — IEC 60332-1-2:2004 + A1:2015. And/or: Fire Resistant Cables: — IEC 60092-376:2017, — IEC 60331-1:2018 or IEC 60331-2:2018. And, as applicable, electrical and electronic installations in ships: — IEC 60092-504:2016, — IEC 60533:2015, — IEC 60332-1-2:2004 + A1:2015.	B+D B+E B+F	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9, — IMO Res.MSC.391(95)-(IGF Code) 11, — IMO MSC.1/Circ.1242.				
MED/3.52 Non-portable and transportable fire extinguishers	Type approval requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3.	— EN 1866-1:2007, — EN 1866-2:2014. Or, — EN 1866-1:2007, — EN 1866-3:2013. Or, — ISO 11601:2008.	B+D B+E B+F		1.7.2020 (III)
	Carriage and performance requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7.				

1	2	3	4	5	6
MED/3.52 Non-portable and transportable fire extinguishers (NEW ROW)	Type approval requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3.	— EN 1866-1:2007, — EN 1866-2:2014. Or, — EN 1866-1:2007, — EN 1866-3:2013. Or, — ISO 11601:2017.	B+D B+E B+F	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7.				
MED/3.53 Fire alarm devices — Sounders	Type approval requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9.	— EN 54-3:2001 incl. A1:2002 and A2:2006, — IEC 60092-504:2001 incl. IEC 60092-504 Corr.1: 2011, — IEC 60533:1999.	B+D B+E B+F		1.6.2019 (III)
	Carriage and performance requirements — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9. — IMO MSC.1/Circ.1242.				
MED/3.53 Fire alarm devices — Sounders	Type approval requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. X/3, — IMO Res.MSC.98(73)-(FSS Code) 9.	— EN 54-3:2014, — IEC 60092-504:2016, — IEC 60533:2015.	B+D B+E B+F	16.3.2017	
	Carriage and performance requirements — SOLAS 74 Reg. II-2/7, — IMO Res.MSC.36(63)-(1994 HSC Code) 7,				

1	2	3	4	5	6
	— IMO Res.MSC.97(73)-(2000 HSC Code) 7, — IMO Res.MSC.98(73)-(FSS Code) 9. — IMO MSC.1/Circ.1242, — IMO MSC.1/Circ.1487.				
MED/3.54 Fixed oxygen analysis and gas detection equipment	Type approval requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. VI/3.	— IEC 60092-504:2001 incl. IEC 60092-504 Corr.1: 2011, — IEC 60533:1999. And, as applicable, to: — a) Category 4: (safe area), — EN 50104:2010; — b) Category 3: (explosive gas atmospheres), — EN 50104:2010, — EN 60079-0:2012 incl. A11:2013, — EN 60079-29-1:2007. For combined O2/HC systems, additionally: — IMO MSC.1/Circ.1370.	B+D B+E B+F		1.6.2019 (III)
	Carriage and performance requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. VI/3. — IMO Res.MSC.98(73)-(FSS Code) 15, — for combined O2/HC systems additionally: — IMO MSC.1/Circ.1370.				
MED/3.54 Fixed oxygen analysis and gas detection equipment	Type approval requirements — SOLAS 74Reg. II-2/4, — SOLAS 74 Reg. VI/3.	— IEC 60092-504:2016, — IEC 60533:2015. And as applicable to: — a) Category 4: (safe area), — EN 50104:2010, — b) Category 3: (explosive gas atmospheres), — EN 50104:2010, — EN 60079-0:2012 incl. A11:2013, — EN 60079-29-1:2007.	B+D B+E B+F	16.3.2017	3.6.2020 (III)
	Carriage and performance requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. VI/3. — IMO Res.MSC.98(73)-(FSS Code) 15, — for combined O2/HC systems additionally: — IMO MSC.1/Circ.1370.				

1	2	3	4	5	6
		For combined O ₂ /HC systems, additionally: — IMO MSC.1/Circ.1370.			
MED/3.54 Fixed oxygen analysis and gas detection equipment	Type approval requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. VI/3.	— IEC 60092-504:2016, — IEC 60533:2015. And as applicable to: — a) Category 4: (safe area), — EN 50104:2010, — b) Category 3: (explosive gas atmospheres), — EN 50104:2010, — EN 60079-0:2012 incl. A11:2013, — EN 60079-29-1:2016. For combined O ₂ /HC systems, additionally: — IMO MSC.1/Circ.1370.	B+D B+E B+F	19.6.2018	
	Carriage and performance requirements — SOLAS 74 Reg. II-2/4, — SOLAS 74 Reg. VI/3. — IMO Res.MSC.98(73)-(FSS Code) 15, — for combined O ₂ /HC systems additionally: — IMO MSC.1/Circ.1370.				
MED/3.55 Dual purpose type nozzles (spray/jet type)	Type approval requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3.	— Hand-held branchpipes for fire service use — Combination branchpipes PN 16: — EN 15182-1:2007 incl. A1:2009, — EN 15182-2:2007 incl. A1:2009, — Hand-held branchpipes for fire service use — Smooth bore jet and/or one fixed spray jet angle branchpipes PN 16;, — EN 15182-1:2007 incl. A1:2009, — EN 15182-3:2007 incl. A1:2009.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7.				

1	2	3	4	5	6
MED/3.56 Fixed firefighting hose systems Hose reels with semi-rigid hose	Type approval requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3.	— EN 671-1:2012	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7.				
MED/3.57 MEDium Expansion Foam Fire Extinguishing Systems components — Fixed Deck Foam for Tankers	Type approval requirements — SOLAS 74 Reg. II-2/10.	— IMO MSC/Circ.798.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10.8.1, — IMO Res.MSC.98(73)-(FSS Code) 14, — IMO MSC/Circ.1239, — IMO MSC.1/Circ.1276.				
MED/3.58 Fixed Low Expansion Foam Fire Extinguishing Systems Components for Machinery Spaces and Tanker Deck Protection.	Type approval requirements — SOLAS 74 Reg. II-2/10.	— IMO MSC.1/Circ.1312, — IMO MSC.1/Circ.1312/Corr.1.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10. — IMO Res.MSC.98(73)-(FSS Code) 6, — IMO Res.MSC.98(73)-(FSS Code) 14, — IMO MSC/Circ.1239, — IMO MSC.1/Circ.1276.				

1	2	3	4	5	6
MED/3.59 Expansion Foam for Fixed Fire Extinguishing Systems for Chemical Tankers	Type approval requirements — SOLAS 74 Reg. II-2/1, — IMO Res.MSC.4(48)-(IBC Code) 11.	— IMO MSC.1/Circ.1312, — IMO MSC.1/Circ.1312/Corr.1.	B+D B+E B+F		
	Carriage and performance requirements — IMO Res.MSC.4(48)-(IBC Code) 11. — IMO MSC/Circ.553.				
MED/3.60 — Nozzles for fixed pressure water-spraying fire-extinguishing systems for cabin balconies	Type approval requirements — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.98(73)-(FSS Code) 7.	— IMO MSC.1/Circ.1268.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.98(73)-(FSS Code) 7. — IMO MSC.1/Circ.1313.				
MED/3.61a — Inside air high expansion foam systems for the protection of machinery spaces, cargo pump rooms, vehicle and ro-ro spaces, special category spaces and cargo spaces. Note: Inside/Outside air high expansion foam systems for the protection of machinery spaces, cargo pump rooms, vehicle and ro-ro spaces, special category spaces and cargo spaces shall be tested with the approved concentrate to the satisfaction of the Administration	Type approval requirements — SOLAS 74 Reg. II-2/10.	— IMO MSC.1/Circ.1384.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10. — IMO Res.MSC.98(73)-(FSS Code) 6.				

1	2	3	4	5	6
MED/3.61a — Inside air high expansion foam systems for the protection of machinery spaces, cargo pump rooms, vehicle and ro-ro spaces, special category spaces and cargo spaces. Note: Inside/Outside air high expansion foam systems for the protection of machinery spaces, cargo pump rooms, vehicle and ro-ro spaces, special category spaces and cargo spaces shall be tested with the approved concentrate to the satisfaction of the Administration	Type approval requirements — SOLAS 74 Reg. II-2/10.	— IMO MSC.1/Circ.1384.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10. — IMO Res.MSC.98(73)-(FSS Code) 6, — IMO MSC.1/Circ.1528.				
MED/3.61b — Outside air high expansion foam systems for the protection of machinery spaces, cargo pump rooms, vehicle and ro-ro spaces, special category spaces and cargo spaces. Note: Inside/Outside air high expansion foam systems for the protection of machinery spaces, cargo pump rooms, vehicle and ro-ro spaces, special category spaces and cargo spaces shall be tested with the approved concentrate to the satisfaction of the Administration	Type approval requirements — SOLAS 74 Reg. II-2/10.	— IMO MSC.1/Circ.1384.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10. — IMO Res.MSC.98(73)-(FSS Code) 6,				

1	2	3	4	5	6
MED/3.61b — Outside air high expansion foam systems for the protection of machinery spaces, cargo pump rooms, vehicle and ro-ro spaces, special category spaces and cargo spaces. Note: Inside/Outside air high expansion foam systems for the protection of machinery spaces, cargo pump rooms, vehicle and ro-ro spaces, special category spaces and cargo spaces shall be tested with the approved concentrate to the satisfaction of the Administration	Type approval requirements — SOLAS 74 Reg. II-2/10.	— IMO MSC.1/Circ.1384.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10. — IMO Res.MSC.98(73)-(FSS Code) 6, — IMO MSC.1/Circ.1528.				
MED/3.62 Dry chemical powder extinguishing systems	Type approval requirements — SOLAS 74 Reg. II-2/1.	— IMO MSC.1/Circ.1315.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/1. — IMO Res.MSC.5(48)-(IGC Code) 11,				
MED/3.62 Dry chemical powder extinguishing systems	Type approval requirements — SOLAS 74 Reg. II-2/1.	— IMO MSC.1/Circ.1315.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/1. — IMO Res.MSC.5(48)-(IGC Code) 11, — IMO Res.MSC.391(95)-(IGF Code) 11.				

1	2	3	4	5	6
MED/3.63 Sample extraction smoke detection systems components	Type approval requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20.	— IMO Res.MSC.98(73)-(FSS Code) 10. And for: — Control and indicating equipment. Electrical installations in ships: — EN 54-2:1997 incl. AC:1999 and A1:2006; — Power supply equipment: — EN 54-4:1997 incl. AC:1999, A1:2002 and A2:2006; — Aspiring smoke detectors: — EN 54-20:2006 incl. AC:2008. And, as applicable, electrical and electronic installations in ships: — IEC 60092-504:2001 incl. IEC 60092-504 Corr.1: 2011, — IEC 60533:1999. And, as applicable for explosive atmospheres: — EN 60079-0:2012 incl. A11:2013.	B+D B+E B+F		1.6.2019 (III)
	Carriage and performance requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20. — IMO Res.MSC.98(73)-(FSS Code) 10.				
MED/3.63 Sample extraction smoke detection systems components	Type approval requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. II-2/19, — SOLAS 74 Reg. II-2/20.	— IMO Res.MSC.98(73)-(FSS Code) 10. And for: — Control and indicating equipment. Electrical installations in ships: — EN 54-2:1997 incl. AC:1999 and A1:2006; — Power supply equipment: — EN 54-4:1997 incl. AC:1999, A1:2002 and A2:2006;	B+D B+E B+F	19.6.2018	
	Carriage and performance requirements — SOLAS 74 Reg. II-2/7, — SOLAS 74 Reg. II-2/19,				

1	2	3	4	5	6
	— SOLAS 74 Reg. II-2/20. — IMO Res.MSC.98(73)-(FSS Code) 10.	— Aspiring smoke detectors: — EN 54-20:2006 incl. AC:2008. And, as applicable, electrical and electronic installations in ships: — IEC 60092-504:2016 — IEC 60533:2015 And, as applicable for explosive atmospheres: — EN 60079-0:2012 incl. A11:2013.			
MED/3.64 C class divisions	Type approval requirements — SOLAS 74 Reg. II-2/3.10.	— IMO Res.MSC.307(88)-(2010 FTP Code), as amended.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/3.10, — SOLAS 74 Reg. II-2/3.33 — SOLAS 74 Reg. II-2/9, — IMO Res. MSC/Circ.1120				
MED/3.65 Fixed hydrocarbon gas detection system	Type approval requirements — SOLAS 74 Reg. II-2/4.	— IMO MSC.1/Circ.1370, — EN 60079-0:2012 incl. A11:2013, — EN 60079-29-1:2007, — IEC 60092-504:2001 incl. IEC 60092-504 Corr.1: 2011, — IEC 60533:1999.	B+D B+E B+F		1.6.2019 (III)
	Carriage and performance requirements — SOLAS 74 Reg. II-2/4. — IMO Res.MSC.98(73)-(FSS Code) 16, — IMO MSC.1/Circ.1370.				

1	2	3	4	5	6
MED/3.65 Fixed hydrocarbon gas detection system	Type approval requirements — SOLAS 74 Reg. II-2/4.	— IMO MSC.1/Circ.1370, — EN 60079-0:2012 incl. A11:2013, — EN 60079-29-1:2007, — IEC 60092-504:2016, — IEC 60533:2015.	B+D B+E B+F	16.3.2017	21.7.2019 (III)
	Carriage and performance requirements — SOLAS 74 Reg. II-2/4. — IMO Res.MSC.98(73)-(FSS Code) 16, — IMO MSC.1/Circ.1370.				
MED/3.65 Fixed hydrocarbon gas detection system	Type approval requirements — SOLAS 74 Reg. II-2/4.	— IMO MSC.1/Circ.1370, — EN 60079-0:2012 incl. A11:2013, — EN 60079-29-1:2016, — IEC 60092-504:2016, — IEC 60533:2015.	B+D B+E B+F	19.6.2018	
	Carriage and performance requirements — SOLAS 74 Reg. II-2/4. — IMO Res.MSC.98(73)-(FSS Code) 16, — IMO MSC.1/Circ.1370, — Circular MSC.1/Circ.1527.				
MED/3.66 Evacuation guidance systems used as an alternative to low-location lighting systems	Type approval requirements — SOLAS 74 Reg. II-2/13.	— IMO MSC.1/Circ.1168.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/13. — IMO MSC.1/Circ.1168.				
MED/3.67 Helicopter facility foam fire-fighting appliances	Type approval requirements — SOLAS 74 Reg. II-2/18.	— EN 13565-1:2003 incl. A1:2007.	B+D B+E B+F	16.3.2017	
	Carriage and performance requirements — SOLAS 74 Reg. II-2/18. — IMO MSC.1/Circ.1431.				

1	2	3	4	5	6
MED/3.68 Galley Exhaust Duct Fixed Fire Extinguishing Systems components	Type approval requirements — SOLAS 74 Reg. II-2/9.	— ISO 15371:2009.	B+D B+E B+F		30.4.2018 (III)
	Carriage and performance requirements — SOLAS 74 Reg. II-2/9.				
MED/3.68 Galley Exhaust Duct Fixed Fire Extinguishing Systems components	Type approval requirements — SOLAS 74 Reg. II-2/9.	— ISO 15371:2015.	B+D B+E B+F	16.3.2017	
	Carriage and performance requirements — SOLAS 74 Reg. II-2/9.				
MED/3.69 Mobile water monitor for ships constructed on or after 1 January 2016 designed to carry five or more tiers of containers on or above the weather deck (new item inserted by Implementing Regulation (EU) 2017/306)	Type approval requirements — SOLAS 74 Reg.II-2/10.	— IMO MSC.1/Circ.1472.	B+D B+E B+F	16.3.2017	
	Carriage and performance requirements — SOLAS 74 Reg.II-2/10. — IMO MSC.1/Circ.1472.				
MED/3.69 Mobile water monitor for ships constructed on or after 1 January 2016 designed to carry five or more tiers of containers on or above the weather deck (new item inserted by Implementing Regulation (EU) 2017/306)	Type approval requirements — SOLAS 74 Reg.II-2/10.	— IMO MSC.1/Circ.1472.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg.II-2/10, — SOLAS 74 Reg.II-2/19.				

1	2	3	4	5	6
	— IMO MSC.1/Circ.1472, — IMO MSC.1/Circ.1550.				
MED/3.70 Fire-fighting hoses (Semi-rigid hoses for fixed systems) (new item inserted by Implementing Regulation (EU) 2017/306)	Type approval requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3.	— EN 694 (2014).	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7.				
MED/3.71 Fixed firefighting hose systems — Hose systems with lay-flat hose (new item inserted by Implementing Regulation (EU) 2017/306)	Type approval requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. X/3.	— EN 671-2:2012.	B+D B+E B+F	16.3.2017	
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10, — IMO Res.MSC.36(63)-(1994 HSC Code) 7, — IMO Res.MSC.97(73)-(2000 HSC Code) 7.				

4. Navigation equipment

Number and item designation	Regulation SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO, as applicable	Testing standards	Modules for conformity assessment	First placing on the market	Last placing on board
1	2	3	4	5	6
MED/4.1 Magnetic compass Class A for ships	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3,	— ISO 1069:1973, — ISO 25862:2009, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008). Or: — ISO 1069:1973, — ISO 25862:2009, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008).	B+D B+E B+F G		29.8.2021
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.382(X), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.302(87).				
MED/4.1 Magnetic compass Class A for ships Note: IMO Res.MSC.302(87) only applies when the equipment can raise and electronically send (an) alert(s) to a third piece of equipment. (NEW ROW)	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3,	— ISO 1069:1973, — ISO 25862:2009, — EN 60945:2002 incl. IEC 60945 Corr. 1: 2008. Or: — ISO 1069:1973, — ISO 25862:2009, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008). Note And where IMO Res.MSC.302(87): — EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998	B+D B+E B+F G	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.382(X), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13, — IMO Res.MSC.302(87).				

1	2	3	4	5	6
		EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62923-1:2018, — IEC 62923-2:2018. End of Note on IMO Res.MSC.302(87)			
MED/4.2 Transmitting heading device THD (magnetic method)	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. V/19, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13,	— ISO 22090-2:2014, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — EN 62288:2014. Or — ISO 22090-2:2014, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008),	B+D B+E B+F G		31.8.2019 (I)

1	2	3	4	5	6
	— IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.116(73), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).	— IEC 61162 series: IEC 61162-1 ed4.0 (2010-11) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06), — IEC 62288 Ed. 2.0 (2014-07).			
MED/4.2 Transmitting heading device THD (magnetic method)	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. V/19, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.116(73), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).	— ISO 22090-2:2014, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011) +A1(2016), — EN 62288:2014. Or: — ISO 22090-2:2014, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016), — IEC 62288 Ed. 2.0 (2014-07).	B+D B+E B+F G	19.6.2018	29.8.2021 (I)

1	2	3	4	5	6
MED/4.2 Transmitting heading device THD (magnetic method) (NEW ROW)	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. V/19, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— ISO 22090-2:2014, — EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — EN 62288:2014, — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — ISO 22090-2:2014, — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0: 2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018.	B+D B+E B+F G	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.116(73), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).				
MED/4.3 Gyro compass	Type approval requirements — SOLAS 74 Reg. V/18.	— ISO 8728:2014, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998)	B+D B+E B+F G	16.3.2017	31.8.2019 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.424(XI),				

1	2	3	4	5	6
	— IMO Res.A.694(17), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).	- EN 61162-3 (2008) - EN 61162-450 (2011) — EN 62288:2014. Or, — ISO 8728:2014, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 ed4.0 (2010-11) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06), — IEC 62288 Ed. 2.0 (2014-07).			
MED/4.3 Gyro compass	Type approval requirements — SOLAS 74 Reg. V/18.	— ISO 8728:2014, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011)+A1(2016), — EN 62288:2014. Or: — ISO 8728:2014, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09)	B+D B+E B+F G	19.6.2018	29.8.2021 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.424(XI), — IMO Res.A.694(17), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).				

1	2	3	4	5	6
		IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016), — IEC 62288 Ed. 2.0 (2014-07).			
MED/4.3 Gyro compass (NEW ROW)	Type approval requirements — SOLAS 74 Reg. V/18.	— ISO 8728:2014, — EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — EN 62288:2014, — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — ISO 8728:2014, — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0: 2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018.	B+D B+E B+F G	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.424(XI), — IMO Res.A.694(17), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).				

1	2	3	4	5	6
MED/4.6 Echo-sounding equipment	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN ISO 9875:2001 incl. ISO Technical Corr. 1:2006, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — EN 62288:2014. Or, — ISO 9875:2000 incl. ISO Technical Corr. 1:2006, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 ed4.0 (2010-11) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06), — IEC 62288 Ed. 2.0 (2014-07).	B+D B+E B+F G		31.8.2019 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.224(VII), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.74(69) Annex 4, — IMO Res.MSC.302(87).				
MED/4.6 Echo-sounding equipment	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN ISO 9875:2001 incl. ISO Technical Corr. 1:2006, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998)	B+D B+E B+F G	19.6.2018	29.8.2021 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/19,				

1	2	3	4	5	6
	— IMO Res.A.224(VII), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.74(69) Annex 4, — IMO Res.MSC.302(87).	EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011)+A1(2016), — EN 62288:2014. Or, — ISO 9875:2000 incl. ISO Technical Corr. 1:2006, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016), — IEC 62288 Ed. 2.0 (2014-07).			
MED/4.6 Echo-sounding equipment (NEW ROW)	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.224(VII), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN ISO 9875:2001 incl. ISO Techni- cal Corr. 1:2006, — EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: - EN 61162-1: 2016 - EN 61162-2: 1998 - EN 61162-3: 2008 +A1: 2010 +A2:2014 - IEC 61162-450:2018, — EN 62288:2014, — IEC 62923-1:2018, — IEC 62923-2:2018.	B+D B+E B+F G	13.9.2019	

1	2	3	4	5	6
	— IMO Res.MSC.191(79), — IMO Res.MSC.74(69) Annex 4, — IMO Res.MSC.302(87).	Or, — ISO 9875:2000 incl. ISO Technical Corr. 1:2006, — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0: 2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018.			
MED/4.7 Speed and distance measuring equipment (SDME)	Type approval requirements — SOLAS 74Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. Carriage and performance requirements — SOLAS 74Reg. V/19, — IMO Res.A.694(17), — IMO Res.A.824(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61023:2007, — EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — EN 62288:2014, Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61023 (2007), — IEC 61162 series: IEC 61162-1 ed4.0 (2010-11) IEC 61162-2 ed1.0 (1998-09)	B+D B+E B+F G		31.8.2019 (I)

1	2	3	4	5	6
		IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06), — IEC 62288 Ed. 2.0 (2014-07).			
MED/4.7 Speed and distance measuring equipment (SDME)	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61023:2007, — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011)+A1(2016), — EN 62288:2014. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61023 (2007), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016), — IEC 62288 Ed. 2.0 (2014-07).	B+D B+E B+F G	19.6.2018	29.8.2021 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.A.824(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).				

1	2	3	4	5	6
MED/4.7 Speed and distance measuring equipment (SDME) (NEW ROW)	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61023:2007, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — EN 62288:2014, — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61023 (2007), — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0: 2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018.	B+D B+E B+F G	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.A.824(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).				

MED/4.8 Rudder angle, rpm, pitch indicator – item moved to MED/4.20, MED/4.21 and MED/4.22.

1	2	3	4	5	6
MED/4.9 Rate-of-turn indicator	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — ISO 20672:2007 incl Corr 1 (2008), — EN 62288:2014, Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 ed4.0 (2010-11) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06), — ISO 20672:2007 incl Corr 1 (2008), — IEC 62288 Ed. 2.0 (2014-07).	B+D B+E B+F G		31.8.2019 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.526(13), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).				
MED/4.9 Rate-of-turn indicator	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011)+A1(2016),	B+D B+E B+F G	19.6.2018	29.8.2021 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/19,				

1	2	3	4	5	6
	— IMO Res.A.526(13), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).	— ISO 20672:2007 incl Corr 1 (2008), — EN 62288:2014. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016), — ISO 20672:2007 incl Corr 1 (2008), — IEC 62288 Ed. 2.0 (2014-07).			
MED/4.9 Rate-of-turn indicator (NEW ROW)	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — ISO 20672:2007 incl Corr 1: 2008, — EN 62288:2014, — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008,	B+D B+E B+F G	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.526(13), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).				

1	2	3	4	5	6
		— IEC 61162 series: - IEC 61162-1:2016 - IEC 61162-2 ed1.0: 1998-09 - IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 - IEC 61162-450:2018, — ISO 20672:2007 incl Corr 1: 2008, — IEC 62288 Ed. 2.0: 2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018.			

Item MED/4.10 Direction finder, - Item deliberately left blank.

Item MED/4.11. Loran equipment, – Item deliberately left blank.

Item MED/4.12, Chaika equipment, – Item deliberately left blank.

Item MED/4.13 Decca navigator equipment, - Item deliberately left blank.

MED/4.14 GPS equipment	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.112(73), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61108-1:2003, — EN 61162 series: - EN 61162-1 (2011) - EN 61162-2 (1998) - EN 61162-3 (2008) - EN 61162-450 (2011), — EN 62288:2014. - Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61108-1 Ed. 2.0 (2003),	B+D B+E B+F G		31.8.2019 (I)
---------------------------	--	--	---	--	------------------

1	2	3	4	5	6
		— IEC 61162 series: IEC 61162-1 ed4.0 (2010-11) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06), — IEC 62288 Ed. 2.0 (2014-07).			
MED/4.14 GPS equipment	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61108-1:2003, — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011)+A1(2016), — EN 62288:2014. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61108-1 Ed. 2.0 (2003), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016), — IEC 62288 Ed. 2.0 (2014-07).	B+D B+E B+F G	19.6.2018	29.8.2021 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.112(73), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).				

1	2	3	4	5	6
MED/4.14 GPS equipment (NEW ROW)	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61108-1:2003, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 — IEC 61162-450:2018, — EN 62288:2014, — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61108-1 Ed. 2.0: 2003, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0: 2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018.	B+D B+E B+F G	13.9.2019	
MED/4.15 GLONASS equipment	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3,	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61108-2:1998,	B+D B+E B+F G		31.8.2019 (I)

1	2	3	4	5	6
	— IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13 — IMO Res.MSC.113(73), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).	— EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — EN 62288:2014, Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61108-2 Ed. 1.0 (1998), — IEC 61162 series: IEC 61162-1 ed4.0 (2010-11) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06), — IEC 62288 Ed. 2.0 (2014-07).			
MED/4.15 GLONASS equipment	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61108-2:1998, — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011)+A1(2016), — EN 62288:2014.	B+D B+E B+F G	19.6.2018	29.8.2021 (I)

1	2	3	4	5	6
	— IMO Res.MSC.113(73), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).	Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61108-2 Ed. 1.0 (1998), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016), — IEC 62288 Ed. 2.0 (2014-07).			
MED/4.15 GLONASS equipment (NEW ROW)	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13 — IMO Res.MSC.113(73), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61108-2:1998, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — EN 62288:2014, — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61108-2 Ed. 1.0: 1998, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09	B+D B+E B+F G	13.9.2019	

1	2	3	4	5	6
		IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0: 2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018.			
MED/4.16 Heading control system (HCS)	Type approval requirements — SOLAS 74 Reg. V/18.	— ISO 11674:2006, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — EN 62288:2014. Or, — ISO 11674:2006, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 ed4.0 (2010-11) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06), — IEC 62288 Ed. 2.0 (2014-07).	B+D B+E B+F G		31.8.2019 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/18. — SOLAS 74 Reg. V/19, — IMO Res.A.342(IX), — IMO Res.A.694(17), — IMO Res.MSC.191(79), — IMO Res.MSC.64(67) Annex 3, — IMO Res.MSC.302(87).				

1	2	3	4	5	6
MED/4.16 Heading control system (HCS)	Type approval requirements — SOLAS 74 Reg. V/18.	— ISO 11674:2006, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011)+A1(2016), — EN 62288:2014. Or: — ISO 11674:2006, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016), — IEC 62288 Ed. 2.0 (2014-07).	B+D B+E B+F G	19.6.2018	29.8.2021 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/18. — SOLAS 74 Reg. V/19, — IMO Res.A.342(IX), — IMO Res.A.694(17), — IMO Res.MSC.191(79), — IMO Res.MSC.64(67) Annex 3, — IMO Res.MSC.302(87).				
MED/4.16 Heading control system (HCS) (NEW ROW)	Type approval requirements — SOLAS 74 Reg. V/18.	— ISO 11674:2006, — EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018,	B+D B+E B+F G	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. V/18. — SOLAS 74 Reg. V/19, — IMO Res.A.342(IX), — IMO Res.A.694(17),				

1	2	3	4	5	6
	— IMO Res.MSC.191(79), — IMO Res.MSC.64(67) Annex 3, — IMO Res.MSC.302(87).	— EN 62288:2014, — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — ISO 11674:2006, — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0: 2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018.			

Item MED/4.17, Mechanical pilot hoist, - moved to MED/1.40.

MED/4.18 Search and rescue locating devices (SRLD): 9 GHz SAR transponder (SART)	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61097-1:2007. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61097-1: 2007.	B+D B+E B+F G		
	Carriage and performance requirements — SOLAS 74 Reg. III/6, — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. III/26,				

1	2	3	4	5	6
	— IMO Res.A.530(13), — IMO Res.A.802(19), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — ITU-R M.628-5 (03/2012).				

Item MED/4.19, Radar equipment for high speed craft, - moved to MED/4.37.

MED/4.20 Rudder angle indicator	Type approval requirements	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — EN 62288:2014, — ISO 20673:2007. Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 ed4.0 (2010-11) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06), — IEC 62288 Ed. 2.0 (2014-07), — ISO 20673:2007.	B+D B+E B+F G		31.8.2019 (I)
	Carriage and performance requirements				
	— SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.				
	— SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).				

1	2	3	4	5	6
MED/4.20 Rudder angle indicator	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011)+A1(2016), — EN 62288:2014, — ISO 20673:2007. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016), — IEC 62288 Ed. 2.0 (2014-07), — ISO 20673:2007.	B+D B+E B+F G	19.6.2018	29.8.2021 (I)
MED/4.20 Rudder angle indicator (NEW ROW)	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17),	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — EN 62288:2014, — IEC 62923-1:2018,	B+D B+E B+F G	13.9.2019	

1	2	3	4	5	6
	— IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).	— IEC 62923-2:2018, — ISO 20673:2007. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0: 2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018, — ISO 20673:2007.			
MED/4.21 Propeller revolution indicator	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series, — IEC 62288 Ed. 2.0 (2014-07), — ISO 22554:2007. Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series, — IEC 62288 Ed. 2.0 (2014-07), — ISO 22554:2007.	B+D B+E B+F G		15.3.2018 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79).				

1	2	3	4	5	6
MED/4.21 Propeller revolution indicator	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — EN 62288:2014, — ISO 22554:2015. Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 ed4.0 (2010-11) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06), — IEC 62288 Ed. 2.0 (2014-07), — ISO 22554:2015.	B+D B+E B+F G	16.3.2017	31.8.2019 (I)
MED/4.21 Propeller revolution indicator	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17),	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011)+A1(2016), — EN 62288:2014, — ISO 22554:2015.	B+D B+E B+F G	19.6.2018	29.8.2021 (I)

1	2	3	4	5	6
	— IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).	Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016), — IEC 62288 Ed. 2.0 (2014-07), — ISO 22554:2015.			
MED/4.21 Propeller revolution indicator (NEW ROW)	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — EN 62288:2014, — IEC 62923-1:2018, — IEC 62923-2:2018, — ISO 22554:2015. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09	B+D B+E B+F G	13.9.2019	

1	2	3	4	5	6
		IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0: 2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018, — ISO 22554:2015.			
MED/4.22 Pitch indicator	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — EN 62288:2014, — ISO 22555:2007. Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: — IEC 61162-1 ed4.0 (2010-11) — IEC 61162-2 ed1.0 (1998-09) — IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) — IEC 61162-450 ed1.0 (2011-06), — ISO 22555:2007, — IEC 62288 Ed. 2.0 (2014-07).	B+D B+E B+F G		31.8.2019 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).				

1	2	3	4	5	6
MED/4.22 Pitch indicator	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010)+A2(2014) EN 61162-450 (2011)+A1(2016), — EN 62288:2014, — ISO 22555:2007. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: — IEC 61162-1 (2016) — IEC 61162-2 ed1.0 (1998-09) — IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) — IEC 61162-450 ed1.0 (2011-06) with am1(2016), — ISO 22555:2007, — IEC 62288 Ed. 2.0 (2014-07).	B+D B+E B+F G	19.6.2018	29.8.2021 (I)
MED/4.22 Pitch indicator (NEW ROW)	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17),	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — EN 62288:2014, — IEC 62923-1:2018,	B+D B+E B+F G	13.9.2019	

1	2	3	4	5	6
	— IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).	— IEC 62923-2:2018, — ISO 22555:2007. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61162 series: — IEC 61162-1:2016 — IEC 61162-2 ed1.0: 1998-09 — IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 — IEC 61162-450:2018, — IEC 62288 Ed. 2.0: 2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018, — ISO 22555:2007.			
MED/4.23 Magnetic compass Class B for lifeboats and rescue boats	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— ISO 1069:1973, — ISO 25862:2009, — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008.	B+D B+E B+F G		
	Carriage and performance requirements — SOLAS 74 Reg. III/34, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.48(66)-(LSA Code) V, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.				

1	2	3	4	5	6
Item MED/4.24, Automatic radar plotting aid (ARPA) for high speed craft, - moved to MED/4.37.					
Item MED/4.25, Automatic tracking aid (ATA), - moved to MED/4.35.					
Item MED/4.26, Automatic tracking aid (ATA) for high speed craft, - moved to MED/4.38.					
Item MED/4.27, Electronic plotting aid, - moved to MED/4.36.					
Item MED/4.28, Integrated bridge system, - moved to MED/4.30.					
MED/4.29 Voyage data recorder (VDR)	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. V/20, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. Carriage and performance requirements — SOLAS 74 Reg. V/20, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.302(87), — IMO Res.MSC.333(90).	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — EN 61996-1:2013 incl. IEC 61996-1 Corr.1 (2014), — EN 62288:2014. Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: — IEC 61162-1 ed4.0 (2010-11) — IEC 61162-2 ed1.0 (1998-09) — IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) — IEC 61162-450 ed1.0 (2011-06), — IEC 61996-1 Ed. 2.0 (2013-05) incl. IEC 61996-1 Corr.1 (2014), — IEC 62288 Ed. 2.0 (2014-07).	B+D B+E B+F G		31.8.2019 (I)

1	2	3	4	5	6
MED/4.29 Voyage data recorder (VDR)	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: - EN 61162-1 (2016) - EN 61162-2 (1998) - EN 61162-3 (2008) +A1(2010) +A2(2014) - EN 61162-450 (2011)+A1(2016), — EN 61996-1:2013 incl. IEC 61996-1 Corr.1 (2014), — EN 62288:2014. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: — IEC 61162-1 (2016) — IEC 61162-2 ed1.0 (1998-09) — IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) — IEC 61162-450 ed1.0 (2011-06) with am1(2016), — IEC 61996-1 Ed. 2.0 (2013-05) incl. IEC 61996-1 Corr.1 (2014), — IEC 62288 Ed. 2.0 (2014-07).	B+D B+E B+F G	19.6.2018	29.8.2021 (I)
MED/4.29 Voyage data recorder (VDR) (NEW ROW)	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3,	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: - EN 61162-1: 2016	B+D B+E B+F G	13.9.2019	

1	2	3	4	5	6
	— IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — EN 61996-1:2013 incl. IEC 61996-1 Corr.1: 2014, — EN 62288:2014, — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61162 series: — IEC 61162-1:2016 — IEC 61162-2 ed1.0: 1998-09 — IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 — IEC 61162-450:2018, — IEC 61996-1 Ed. 2.0: 2013-05 incl. IEC 61996-1 Corr.1: 2014, — IEC 62288 Ed. 2.0: 2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018.			
	Carriage and performance requirements — SOLAS 74 Reg. V/20, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.302(87), — IMO Res.MSC.333(90).				
MED/4.30 Electronic chart display and information system (ECDIS) with backup, and raster chart display system (RCDS)	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3,	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2011)	B+D B+E B+F G	16.3.2017	31.8.2019 (I)

1	2	3	4	5	6
	— IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	- EN 61162-2 (1998) - EN 61162-3 (2008) - EN 61162-450 (2011), — EN 61174:2015, — EN 62288:2014.			
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.232(82), — IMO Res.MSC.302(87), — IMO SN.1/Circ.266. [ECDIS back-up and RCDS are only applicable when this functionality is included in the ECDIS. The module B certificate shall indicate whether these options were tested].	Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: — IEC 61162-1 ed4.0 (2010-11) — IEC 61162-2 ed1.0 (1998-09) — IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) — IEC 61162-450 ed1.0 (2011-06), — IEC 61174 Ed. 4.0 (2015), — IEC 62288 Ed. 2.0 (2014-07).			
MED/4.30 Electronic chart display and information system (ECDIS) with backup, and raster chart display system (RCDS)	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. V/27, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: - EN 61162-1 (2016) - EN 61162-2 (1998) - EN 61162-3 (2008) +A1(2010) +A2(2014) - EN 61162-450 (2011)+A1(2016), — EN 61174:2015, — EN 62288:2014.	B+D B+E B+F G	19.6.2018	29.8.2021 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13,	Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008),			

1	2	3	4	5	6
	— IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.232(82), — IMO Res.MSC.302(87), — IMO MSC.1/Circ.1503. Rev.1 [ECDIS back-up and RCDS are only applicable when this functionality is included in the ECDIS. The module B certificate shall indicate whether these options were tested].	— IEC 61162 series: — IEC 61162-1 (2016) — IEC 61162-2 ed1.0 (1998-09) — IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) — IEC 61162-450 ed1.0 (2011-06) with am1(2016), — IEC 61174 Ed. 4.0 (2015), — IEC 62288 Ed. 2.0 (2014-07).			
MED/4.30 Electronic chart display and information system (ECDIS) with backup, and raster chart display system (RCDS) (NEW ROW)	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. V/27, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.232(82), — IMO Res.MSC.302(87), — IMO MSC.1/Circ.1503. Rev.1 [ECDIS back-up and RCDS are only applicable when this functionality is included in the ECDIS. The module B certificate shall indicate whether these options were tested].	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: - EN 61162-1: 2016 - EN 61162-2: 1998 - EN 61162-3: 2008 +A1: 2010 +A2:2014 - IEC 61162-450:2018, — EN 61174:2015, — EN 62288:2014, — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61162 series: - IEC 61162-1:2016 - IEC 61162-2 ed1.0: 1998-09 - IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 - IEC 61162-450:2018,	B+D B+E B+F G	13.9.2019	

1	2	3	4	5	6
		— IEC 61174 Ed. 4.0: 2015, — IEC 62288 Ed. 2.0: 2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018.			
MED/4.31 Gyro compass for high-speed craft	Type approval requirements — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— ISO 16328:2014, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — EN 62288:2014. Or, — ISO 16328:2014, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 ed4.0 (2010-11) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06), — IEC 62288 Ed. 2.0 (2014-07).	B+D B+E B+F G		31.8.2019 (I)
	Carriage and performance requirements — IMO Res.A.694(17), — IMO Res.A.821(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.302(87), — IMO MSC.1/Circ.1349.				
MED/4.31 Gyro compass for high-speed craft	Type approval requirements — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— ISO 16328:2014, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998)	B+D B+E B+F G	19.6.2018	29.8.2021 (I)
	Carriage and performance requirements — IMO Res.A.694(17),				

1	2	3	4	5	6
	— IMO Res.A.821(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.302(87), — IMO MSC.1/Circ.1349.	EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011)+A1(2016), — EN 62288:2014. Or: — ISO 16328:2014, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016), — IEC 62288 Ed. 2.0 (2014-07).			
MED/4.31 Gyro compass for high-speed craft (NEW ROW)	Type approval requirements — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. Carriage and performance requirements — IMO Res.A.694(17), — IMO Res.A.821(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.302(87), — IMO MSC.1/Circ.1349.	— ISO 16328:2014, — EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: - EN 61162-1: 2016 - EN 61162-2: 1998 - EN 61162-3: 2008 +A1: 2010 +A2:2014 - IEC 61162-450:2018, — EN 62288:2014, — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — ISO 16328:2014, — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008,	B+D B+E B+F G	13.9.2019	

1	2	3	4	5	6
		— IEC 61162 series: - IEC 61162-1:2016 - IEC 61162-2 ed1.0: 1998-09 - IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 - IEC 61162-450:2018, — IEC 62288 Ed. 2.0: 2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018.			
MED/4.32 Universal automatic identification system equipment (AIS)	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: - EN 61162-1 (2011) - EN 61162-2 (1998) - EN 61162-3 (2008) - EN 61162-450 (2011), — EN 61993-2:2013, — EN 62288:2014. Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: - IEC 61162-1 ed4.0 (2010-11) - IEC 61162-2 ed1.0 (1998-09) - IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) - IEC 61162-450 ed1.0 (2011-06), — IEC 61993-2 (2012), — IEC 62288 Ed. 2.0 (2014-07).	B+D B+E B+F G		31.8.2019 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. IMO Res.MSC.74(69), — IMO Res.MSC.191(79), — ITU-RM-1371-5 (02-2014) Note: ITU-RM 1371-5 (02-2014) shall only be applicable in accordance with requirements of IMO Res.MSC.74(69).				

1	2	3	4	5	6
MED/4.32 Universal automatic identification system equipment (AIS)	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011)+A1(2016), — EN 61993-2:2013, — EN 62288:2014. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016), — IEC 61993-2 (2012), — IEC 62288 Ed. 2.0 (2014-07).	B+D B+E B+F G	19.6.2018	29.8.2021 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.74(69), — IMO Res.MSC.191(79), — ITU-RM-1371-5 (02-2014) Note: ITU-RM 1371-5 (02-2014) shall only be applicable in accordance with requirements of IMO Res.MSC.74(69).				
MED/4.32 Universal automatic identification system equipment (AIS) (NEW ROW)	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018,	B+D B+E B+F G	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17),				

1	2	3	4	5	6
	— IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.74(69), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87), — ITU-RM-1371-5 (02-2014) Note: ITU-RM 1371-5 (02-2014) shall only be applicable in accordance with requirements of IMO Res.MSC.74(69).	— IEC 61993-2:2018, — EN 62288:2014, — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 61993-2:2018, — IEC 62288 Ed. 2.0: 2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018.			
MED/4.33 Track control system (working at ship's speed from minimum manoeuvring speed up to 30 knots)	Type approval requirements — SOLAS 74 Reg. V/18. Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.74(69), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).	— EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 62065 (2014), — EN 62288:2014. Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008),	B+D B+E B+F G		31.8.2019 (I)

1	2	3	4	5	6
		— IEC 61162 series: IEC 61162-1 ed4.0 (2010-11) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06), — IEC 62065 Ed. 2.0 (2014-02), — IEC 62288 Ed. 2.0 (2014-07).			
MED/4.33 Track control system (working at ship's speed from minimum manoeuvring speed up to 30 knots)	Type approval requirements — SOLAS 74 Reg. V/18.	— EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011))+A1(2016), — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 62065 (2014), — EN 62288:2014. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016), — IEC 62065 Ed. 2.0 (2014-02), — IEC 62288 Ed. 2.0 (2014-07).	B+D B+E B+F G	19.6.2018	29.8.2021 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.74(69), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).				

1	2	3	4	5	6
MED/4.33 Track control system (working at ship's speed from minimum manoeuvring speed up to 30 knots) (NEW ROW)	Type approval requirements — SOLAS 74 Reg. V/18.	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — EN 62065: 2014, — EN 62288:2014, — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62065 Ed. 2.0: 2014-02, — IEC 62288 Ed. 2.0: 2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018.	B+D B+E B+F G	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.74(69), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).				
MED/4.34 Radar equipment CAT 1	Type approval requirements — SOLAS 74 Reg. V/18.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998)	B+D B+E B+F G		31.8.2019 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.278(VIII),				

1	2	3	4	5	6
	— IMO Res.A.694(17), — IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — IMO Res.MSC.302(87), — ITU-R M.1177-4 (04/11).	EN 61162-3 (2008) EN 61162-450 (2011), — EN 62288:2014, — EN 62388:2013. Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 ed4.0 (2010-11) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06), — IEC 62288 Ed. 2.0 (2014-07), — IEC 62388 Ed. 2.0 (2013-06).			
MED/4.34 Radar equipment CAT 1	Type approval requirements — SOLAS 74 Reg. V/18.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011))+A1(2016), — EN 62288:2014, — EN 62388:2013. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008),	B+D B+E B+F G	19.6.2018	29.8.2021 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.278(VIII), — IMO Res.A.694(17), — IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — IMO Res.MSC.302(87), — ITU-R M.1177-4 (04/11).				

1	2	3	4	5	6
		— IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09), IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016), — IEC 62288 Ed. 2.0 (2014-07), — IEC 62388 Ed. 2.0 (2013-06).			
MED/4.34 Radar equipment CAT 1 (NEW ROW)	Type approval requirements — SOLAS 74 Reg. V/18.	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — EN 62288:2014, — EN 62388:2013, — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09	B+D B+E B+F G	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.278(VIII), — IMO Res.A.694(17), — IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — IMO Res.MSC.302(87), — ITU-R M.1177-4 (04/11).				

1	2	3	4	5	6
		IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0: 2014-07, — IEC 62388 Ed. 2.0: 2013-06, — IEC 62923-1:2018, — IEC 62923-2:2018.			
MED/4.35 Radar equipment CAT 2	Type approval requirements — SOLAS 74 Reg. V/18.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — EN 62388:2013, — EN 62288:2014. Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 ed4.0 (2010-11) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06), — IEC 62388 Ed. 2.0 (2013-06), — IEC 62288 Ed. 2.0 (2014-07).	B+D B+E B+F G		31.8.2019 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.278(VIII), — IMO Res.A.694(17), — IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — IMO Res.MSC.302(87), — ITU-R M.1177-4 (04/11).				

1	2	3	4	5	6
MED/4.35 Radar equipment CAT 2	Type approval requirements — SOLAS 74 Reg. V/18.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011))+A1(2016), — EN 62388:2013, — EN 62288:2014. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016), — IEC 62388 Ed. 2.0 (2013-06), — IEC 62288 Ed. 2.0 (2014-07).	B+D B+E B+F G	19.6.2018	29.8.2021 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.278(VIII), — IMO Res.A.694(17), — IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — IMO Res.MSC.302(87), — ITU-R M.1177-4 (04/11).				
MED/4.35 Radar equipment CAT 2 (NEW ROW)	Type approval requirements — SOLAS 74 Reg. V/18.	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — EN 62388:2013, — EN 62288:2014,	B+D B+E B+F G	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.278(VIII), — IMO Res.A.694(17), — IMO Res.MSC.191(79), — IMO Res.MSC.192(79),				

1	2	3	4	5	6
	— IMO Res.MSC.302(87), — ITU-R M.1177-4 (04/11).	— IEC 62923-1:2018, — IEC 62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62388 Ed. 2.0: 2013-06, — IEC 62288 Ed. 2.0: 2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018.			
MED/4.36 Radar equipment CAT 3	Type approval requirements — SOLAS 74 Reg. V/18.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — EN 62288:2014, — EN 62388:2013, Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 ed4.0 (2010-11) IEC 61162-2 ed1.0 (1998-09)	B+D B+E B+F G		31.8.2019 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.278(VIII), — IMO Res.A.694(17), — IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — IMO Res.MSC.302(87), — ITU-R M.1177-4 (04/11).				

1	2	3	4	5	6
		IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06), — IEC 62288 Ed. 2.0 (2014-07), — IEC 62388 Ed. 2.0 (2013-06).			
MED/4.36 Radar equipment CAT 3	Type approval requirements — SOLAS 74 Reg. V/18.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011))+A1(2016) — EN 62288:2014, — EN 62388:2013. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016), — IEC 62288 Ed. 2.0 (2014-07), — IEC 62388 Ed. 2.0 (2013-06).	B+D B+E B+F G	19.6.2018	29.8.2021 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.278(VIII), — IMO Res.A.694(17), — IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — IMO Res.MSC.302(87), — ITU-R M.1177-4 (04/11).				

1	2	3	4	5	6
MED/4.36 Radar equipment CAT 3 (NEW ROW)	Type approval requirements — SOLAS 74 Reg. V/18.	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — EN 62288:2014, — EN 62388:2013, — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0: 2014-07, — IEC 62388 Ed. 2.0: 2013-06, — IEC 62923-1:2018, — IEC 62923-2:2018.	B+D B+E B+F G	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.278(VIII), — IMO Res.A.694(17), — IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — IMO Res.MSC.302(87), — ITU-R M.1177-4 (04/11).				
MED/4.37 Radar equipment for high speed craft applications (CAT 1H and CAT 2H)	Type approval requirements — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13,	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2011)	B+D B+E B+F G		31.8.2019 (I)

1	2	3	4	5	6
	— IMO Res.MSC.97(73)-(2000 HSC Code) 13. Carriage and performance requirements — IMO Res.A.278(VIII), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — IMO Res.MSC.302(87), — MSC.1/Circ.1349, — ITU-R M.1177-4 (04/11).	EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — EN 62288:2014, — EN 62388:2013, Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 ed4.0 (2010-11) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06), — IEC 62288 Ed. 2.0 (2014-07), — IEC 62388 Ed. 2.0 (2013-06).			
MED/4.37 Radar equipment for high speed craft applications (CAT 1H and CAT 2H)	Type approval requirements — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. Carriage and performance requirements — IMO Res.A.278(VIII), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — IMO Res.MSC.302(87),	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011))+A1(2016), — EN 62288:2014, — EN 62388:2013, Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008),	B+D B+E B+F G	19.6.2018	29.8.2021 (I)

1	2	3	4	5	6
	— MSC.1/Circ.1349, — ITU-R M.1177-4 (04/11).	— IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016), — IEC 62288 Ed. 2.0 (2014-07), — IEC 62388 Ed. 2.0 (2013-06).			
MED/4.37 Radar equipment for high speed craft applications (CAT 1H and CAT 2H) (NEW ROW)	Type approval requirements — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. Carriage and performance requirements — IMO Res.A.278(VIII), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. - IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — IMO Res.MSC.302(87), — MSC.1/Circ.1349, — ITU-R M.1177-4 (04/11).	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — EN 62288:2014, — EN 62388:2013, — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018,	B+D B+E B+F G	13.9.2019	

1	2	3	4	5	6
		— IEC 62288 Ed. 2.0: 2014-07, — IEC 62388 Ed. 2.0: 2013-06, — IEC 62923-1:2018, — IEC 62923-2:2018.			
MED/4.38a Radar equipment approved with a chart option, namely: CAT 1C,	Type approval requirements — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — EN 62288:2014, — EN 62388:2013.	B+D B+E B+F G		31.8.2019 (I)
	Carriage and performance requirements — IMO Res.A.278(VIII), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — IMO Res.MSC.302(87), — ITU-R M.1177-4 (04/11).	Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 ed4.0 (2010-11) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06), — IEC 62288 Ed. 2.0 (2014-07), — IEC 62388 Ed. 2.0 (2013-06).			

1	2	3	4	5	6
MED/4.38a Radar equipment approved with a chart option, namely: CAT 1C,	Type approval requirements — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011))+A1(2016), — EN 62288:2014, — EN 62388:2013. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016), — IEC 62288 Ed. 2.0 (2014-07), — IEC 62388 Ed. 2.0 (2013-06).	B+D B+E B+F G	19.6.2018	29.8.2021 (I)
	Carriage and performance requirements — IMO Res.A.278(VIII), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — IMO Res.MSC.302(87), — ITU-R M.1177-4 (04/11).				
MED/4.38a Radar equipment approved with a chart option, namely: CAT 1C, (NEW ROW)	Type approval requirements — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018,	B+D B+E B+F G	13.9.2019	
	Carriage and performance requirements — IMO Res.A.278(VIII), — IMO Res.A.694(17),				

1	2	3	4	5	6
	— IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — IMO Res.MSC.302(87), — ITU-R M.1177-4 (04/11).	— EN 62288:2014, — EN 62388:2013, — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0: 2014-07, — IEC 62388 Ed. 2.0: 2013-06, — IEC 62923-1:2018, — IEC 62923-2:2018.			
MED/4.38b Radar equipment approved with a chart option, namely: CAT 2C,	Type approval requirements — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. Carriage and performance requirements — IMO Res.A.278(VIII), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.192(79),	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — EN 62288:2014, — EN 62388:2013. Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008),	B+D B+E B+F G		31.8.2019 (I)

1	2	3	4	5	6
	— IMO Res.MSC.302(87), — ITU-R M.1177-4 (04/11).	— IEC 61162 series: IEC 61162-1 ed4.0 (2010-11) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06), — IEC 62288 Ed. 2.0 (2014-07), — IEC 62388 Ed. 2.0 (2013-06).			
MED/4.38b Radar equipment approved with a chart option, namely: CAT 2C,	Type approval requirements — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. Carriage and performance requirements — IMO Res.A.278(VIII), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — IMO Res.MSC.302(87), — ITU-R M.1177-4 (04/11).	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011))+A1(2016), — EN 62288:2014, — EN 62388:2013. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016), — IEC 62288 Ed. 2.0 (2014-07), — IEC 62388 Ed. 2.0 (2013-06).	B+D B+E B+F G	19.6.2018	29.8.2021 (I)

1	2	3	4	5	6
MED/4.38b Radar equipment approved with a chart option, namely: CAT 2C, (NEW ROW)	Type approval requirements — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — EN 62288:2014, — EN 62388:2013, — IEC 62923-1:2018, — IEC 62923-2:2018.	B+D B+E B+F G	13.9.2019	
	Carriage and performance requirements — IMO Res.A.278(VIII), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — IMO Res.MSC.302(87), — ITU-R M.1177-4 (04/11).	Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0: 2014-07, — IEC 62388 Ed. 2.0: 2013-06, — IEC 62923-1:2018, — IEC 62923-2:2018.			

1	2	3	4	5	6
MED/4.38c Radar equipment for high speed craft applications approved with a chart option, namely: CAT 1HC	Type approval requirements — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — EN 62288:2014, — EN 62388:2013. Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 ed4.0 (2010-11) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06), — IEC 62288 Ed. 2.0 (2014-07), — IEC 62388 Ed. 2.0 (2013-06).	B+D B+E B+F G		31.8.2019 (I)
	Carriage and performance requirements — IMO Res.A.278(VIII), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — ITU-R M.1177-4 (04/11), — IMO Res.MSC.302(87), — IMO MSC.1/Circ.1349.				
MED/4.38c Radar equipment for high speed craft applications approved with a chart option, namely: CAT 1HC	Type approval requirements — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011))+A1(2016),	B+D B+E B+F G	19.6.2018	29.8.2021 (I)
	Carriage and performance requirements — IMO Res.A.278(VIII), — IMO Res.A.694(17),				

1	2	3	4	5	6
	— IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — ITU-R M.1177-4 (04/11), — IMO Res.MSC.302(87), — IMO MSC.1/Circ.1349.	— EN 62288:2014, — EN 62388:2013. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016), — IEC 62288 Ed. 2.0 (2014-07), — IEC 62388 Ed. 2.0 (2013-06).			
MED/4.38c Radar equipment for high speed craft applications approved with a chart option, namely: CAT 1HC (NEW ROW)	Type approval requirements — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. Carriage and performance requirements — IMO Res.A.278(VIII), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — ITU-R M.1177-4 (04/11), — IMO Res.MSC.302(87), — IMO MSC.1/Circ.1349.	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — EN 62288:2014, — EN 62388:2013, — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61162 series: IEC 61162-1:2016	B+D B+E B+F G	13.9.2019	

1	2	3	4	5	6
		IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0: 2014-07, — IEC 62388 Ed. 2.0: 2013-06, — IEC 62923-1:2018, — IEC 62923-2:2018.			
MED/4.38d Radar equipment for high speed craft applications approved with a chart option, namely: CAT 2HC	Type approval requirements — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — EN 62288:2014, — IEC 62388 Ed. 2.0 (2013-06). Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 ed4.0 (2010-11) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06), — IEC 62288 Ed. 2.0 (2014-07), — EN 62388:2013.	B+D B+E B+F G		31.8.2019 (I)
	Carriage and performance requirements — IMO Res.A.278(VIII), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — IMO Res.MSC.302(87), — IMO MSC.1/Circ.1349, — ITU-R M.1177-4 (04/11).				

1	2	3	4	5	6
MED/4.38d Radar equipment for high speed craft applications approved with a chart option, namely: CAT 2HC	Type approval requirements — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011))+A1(2016), — EN 62288:2014, — IEC 62388 Ed. 2.0 (2013-06). Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016), — IEC 62288 Ed. 2.0 (2014-07), — EN 62388:2013.	B+D B+E B+F G	19.6.2018	29.8.2021 (I)
	Carriage and performance requirements — IMO Res.A.278(VIII), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — IMO Res.MSC.302(87), — IMO MSC.1/Circ.1349, — ITU-R M.1177-4 (04/11).				
MED/4.38d Radar equipment for high speed craft applications approved with a chart option, namely: CAT 2HC (NEW ROW)	Type approval requirements — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018,	B+D B+E B+F G	13.9.2019	
	Carriage and performance requirements — IMO Res.A.278(VIII), — IMO Res.A.694(17),				

1	2	3	4	5	6
	— IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.192(79), — IMO Res.MSC.302(87), — IMO MSC.1/Circ.1349, — ITU-R M.1177-4 (04/11).	— EN 62288:2014, — EN 62388:2013, — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0: 2014-07, — IEC 62388 Ed. 2.0: 2013-06, — IEC 62923-1:2018, — IEC 62923-2:2018.			
MED/4.39 Radar reflector — passive type	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.164(78).	— ISO 8729-1:2010, — EN 60945:2002 incl. IEC 60945 Corr. 1: 2008. Or: — ISO 8729-1:2010, — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008.	B+D B+E B+F G		

1	2	3	4	5	6
MED/4.40 Heading control system for high speed craft	Type approval requirements — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— ISO 16329:2003, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — EN 62288:2014. Or, — ISO 16329:2003, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 ed4.0 (2010-11) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06), — IEC 62288 Ed. 2.0 (2014-07).	B+D B+E B+F G		31.8.2019 (I)
	Carriage and performance requirements — IMO Res.A.694(17), — IMO Res.A.822(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.302(87), — IMO MSC.1/Circ.1349.				
MED/4.40 Heading control system for high speed craft	Type approval requirements — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— ISO 16329:2003, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011))+A1(2016), — EN 62288:2014.	B+D B+E B+F G	19.6.2018	29.8.2021 (I)
	Carriage and performance requirements — IMO Res.A.694(17), — IMO Res.A.822(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 13,				

1	2	3	4	5	6
	— IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.302(87), — IMO MSC.1/Circ.1349.	Or: — ISO 16329:2003, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016), — IEC 62288 Ed. 2.0 (2014-07).			
MED/4.40 Heading control system for high speed craft (NEW ROW)	Type approval requirements — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. Carriage and performance requirements — IMO Res.A.694(17), — IMO Res.A.822(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.302(87), — IMO MSC.1/Circ.1349.	— ISO 16329:2003, — EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — EN 62288:2014, — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — ISO 16329:2003, — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09	B+D B+E B+F G	13.9.2019	

1	2	3	4	5	6
		IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0: 2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018.			
MED/4.41 Transmitting heading device THD (GNSS method)	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— ISO 22090-3:2014, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — EN 62288:2014. Or, — ISO 22090-3:2014, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 ed4.0 (2010-11) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06), — IEC 62288 Ed. 2.0 (2014-07).	B+D B+E B+F G		31.8.2019 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.116(73), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).				

1	2	3	4	5	6
MED/4.41 Transmitting heading device THD (GNSS method)	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— ISO 22090-3:2014, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) — EN 62288:2014. Or: — ISO 22090-3:2014, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) — IEC 62288 Ed. 2.0 (2014-07). And as applicable EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011)+A1(2016), Or, IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016).	B+D B+E B+F G	19.6.2018	29.8.2021 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.116(73), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).				

1	2	3	4	5	6
MED/4.41 Transmitting heading device THD (GNSS method) (NEW ROW)	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— ISO 22090-3:2014, — EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 — EN 62288:2014, — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — ISO 22090-3:2014, — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 — IEC 62288 Ed. 2.0: 2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018. And as applicable — EN 61162 series: EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018. Or: — IEC 61162 series: IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018.	B+D B+E B+F G	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.116(73), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).				

1	2	3	4	5	6
MED/4.42 Searchlight for high speed craft	Type approval requirements — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— ISO 17884:2004, — EN 60945:2002 incl. IEC 60945 Corr. 1: 2008. Or: — ISO 17884:2004, — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008.	B+D B+E B+F G		
	Carriage and performance requirements — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.				
MED/4.43 Night vision equipment for high speed craft	Type approval requirements — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— ISO 16273:2003, — EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 62288:2014. Or: — ISO 16273:2003, — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 62288 Ed. 2.0: 2014-07.	B+D B+E B+F G		
	Carriage and performance requirements — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.94(72), — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79).				
MED/4.44 Differential beacon receiver for DGPS and DGLONASS Equipment	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3,	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61108-4 (2004),	B+D B+E B+F G		31.8.2019 (I)

1	2	3	4	5	6
	— IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011).			
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.114(73).	Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61108-4 (2004), — IEC 61162 series: IEC 61162-1 ed4.0 (2010-11) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06).			
MED/4.44 Differential beacon receiver for DGPS and DGLONASS Equipment	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61108-4 (2004), — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011))+A1(2016).	B+D B+E B+F G	19.6.2018	7.5.2021 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.114(73).	Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61108-4 (2004), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09)			

1	2	3	4	5	6
		IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016).			
MED/4.44 Differential beacon receiver for DGPS and DGLONASS Equipment (NEW ROW)	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61108-4: 2004, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61108-4: 2004, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018.	B+D B+E B+F G	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.114(73).				

Item MED/4.45, Chart facilities for shipborne radar, - item intentionally left blank deleted, as it is covered by MED/4.38.

1	2	3	4	5	6
MED/4.46 Transmitting heading device THD (Gyroscopic method)	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— ISO 22090-1:2014, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — EN 62288:2014, Or, — ISO 22090-1:2014, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 ed4.0 (2010-11) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06), — IEC 62288 Ed. 2.0 (2014-07).	B+D B+E B+F G		31.8.2019 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.116(73), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).				
MED/4.46 Transmitting heading device THD (Gyroscopic method)	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— ISO 22090-1:2014, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011))+A1(2016), — EN 62288:2014,	B+D B+E B+F G	19.6.2018	29.8.2021 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17),				

1	2	3	4	5	6
	— IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.116(73), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).	Or: — ISO 22090-1:2014, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016), — IEC 62288 Ed. 2.0 (2014-07).			
MED/4.46 Transmitting heading device THD (Gyroscopic method) (NEW ROW)	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— ISO 22090-1:2014, — EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — EN 62288:2014, — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — ISO 22090-1:2014, — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008,	B+D B+E B+F G	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.116(73), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).				

1	2	3	4	5	6
		— IEC 61162 series: - IEC 61162-1:2016 - IEC 61162-2 ed1.0: 1998-09 - IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 - IEC 61162-450:2018, — IEC 62288 Ed. 2.0: 2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018.			
MED/4.47 Simplified voyage data recorder (S-VDR)	Type approval requirements — SOLAS 74 Reg. V/20.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: - EN 61162-1 (2011) - EN 61162-2 (1998) - EN 61162-3 (2008) - EN 61162-450 (2011), — EN 61996-2:2008, — EN 62288:2014.	B+D B+E B+F G		31.8.2019 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/20. — IMO Res.A.694(17), — IMO Res.MSC.163(78), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).	Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: - IEC 61162-1 ed4.0 (2010-11) - IEC 61162-2 ed1.0 (1998-09) - IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) - IEC 61162-450 ed1.0 (2011-06), — IEC 61996-2 (2007), — IEC 62288 Ed. 2.0 (2014-07).			

1	2	3	4	5	6
MED/4.47 Simplified voyage data recorder (S-VDR)	Type approval requirements — SOLAS 74 Reg. V/20.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011))+A1(2016), — EN 61996-2:2008, — EN 62288:2014. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016), — IEC 61996-2 (2007), — IEC 62288 Ed. 2.0 (2014-07).	B+D B+E B+F G	19.6.2018	29.8.2021 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/20. — IMO Res.A.694(17), — IMO Res.MSC.163(78), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).				
MED/4.47 Simplified voyage data recorder (S-VDR) (NEW ROW)	Type approval requirements — SOLAS 74 Reg. V/20.	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — EN 61996-2:2008,	B+D B+E B+F G	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. V/20. — IMO Res.A.694(17), — IMO Res.MSC.163(78), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).				

1	2	3	4	5	6
		— EN 62288:2014, — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 61996-2: 2007, — IEC 62288 Ed. 2.0: 2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018.			

Item MED/4.48 'Mechanical pilot hoist' is deliberately left blank (as IMO Res.MSC.308(88), in force on 1 July 2012, quotes: 'Mechanical pilot hoists shall not be used')

MED/4.49 Pilot ladder	Type approval requirements — SOLAS 74 Reg. V/23, — SOLAS 74 Reg. X/3.	— IMO Res. A.1045(27), as amended, — ISO 799:2004.	B+D B+E B+F G		
	Carriage and performance requirements — SOLAS 74 Reg. V/23, — IMO Res. A.1045(27), — IMO MSC/Circ.1428.				
MED/4.50 DGPS Equipment	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3,	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61108-1:2003, — EN 61108-4:2004,	B+D B+E B+F G		31.8.2019 (I)

1	2	3	4	5	6
	— IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — EN 62288:2014. - Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61108-1 (2003), — IEC 61108-4 (2004), — IEC 61162 series: IEC 61162-1 ed4.0 (2010-11) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06), — IEC 62288 Ed. 2.0 (2014-07).			
MED/4.50 DGPS Equipment	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13,	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61108-1:2003, — EN 61108-4:2004, — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011))+A1(2016), — EN 62288:2014.	B+D B+E B+F G	19.6.2018	29.8.2021 (I)

1	2	3	4	5	6
	— IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.112(73), — IMO Res.MSC.114(73), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).	Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61108-1 (2003), — IEC 61108-4 (2004), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016), — IEC 62288 Ed. 2.0 (2014-07).			
MED/4.50 DGPS Equipment (NEW ROW)	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.112(73), — IMO Res.MSC.114(73), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61108-1:2003, — EN 61108-4:2004, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — EN 62288:2014, — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61108-1: 2003, — IEC 61108-4: 2004,	B+D B+E B+F G	13.9.2019	

1	2	3	4	5	6
		— IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0: 2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018.			
MED/4.51 DGLONASS Equipment	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61108-2:1998, — EN 61108-4:2004, — EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — EN 62288:2014. Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61108-2 Ed. 1.0 (1998), — IEC 61108-4 (2004), — IEC 61162 series: IEC 61162-1 ed4.0 (2010-11) IEC 61162-2 ed1.0 (1998-09)	B+D B+E B+F G		31.8.2019 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.113(73), — IMO Res.MSC.114(73), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).				

1	2	3	4	5	6
		IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06), — IEC 62288 Ed. 2.0 (2014-07).			
MED/4.51 DGLONASS Equipment	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61108-2:1998, — EN 61108-4:2004, — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011))+A1(2016), — EN 62288:2014. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61108-2 Ed. 1.0 (1998), — IEC 61108-4 (2004), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016), — IEC 62288 Ed. 2.0 (2014-07).	B+D B+E B+F G	19.6.2018	29.8.2021 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.113(73), — IMO Res.MSC.114(73), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).				

1	2	3	4	5	6
MED/4.51 DGLONASS Equipment (NEW ROW)	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61108-2:1998, — EN 61108-4:2004, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — EN 62288:2014, — IEC 62923-1:2018, — IEC 62923-2:2018.	B+D B+E B+F G	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.113(73), — IMO Res.MSC.114(73), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).	Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61108-2 Ed. 1.0: 1998, — IEC 61108-4: 2004, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0: 2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018.			

1	2	3	4	5	6
MED/4.52 Daylight signalling lamp	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code), — IMO Res.MSC.97(73)-(2000 HSC Code).	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — ISO 25861:2007. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — ISO 25861:2007.	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code), — IMO Res.MSC.95(72), — IMO Res.MSC.97(73)-(2000 HSC Code).				
MED/4.53 Radar target enhancer	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— ISO 8729-2:2009, — EN 60945:2002 incl. IEC 60945 Corr. 1: 2008. Or: — ISO 8729-2:2009, — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008.	B+D B+E B+F G		
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.164(78), — ITU-R M.1176-1 (02/13).				

1	2	3	4	5	6
MED/4.54 Compass Bearing Device	Type approval requirements — SOLAS 74 Reg. V/18.	— ISO 25862:2009, — EN 60945:2002 incl. IEC 60945 Corr. 1: 2008. Or: — ISO 25862:2009, — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008.	B+D B+E B+F G		
	Carriage and performance requirements — SOLAS 74 Reg. V/19.				
MED/4.55 Search and rescue locating devices (SRLD): AIS SART equipment	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. IV/14.	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61097-14:2010. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61097-14: 2010.	B+D B+E B+F G		
	Carriage and performance requirements — SOLAS 74 Reg. III/6, — SOLAS 74 Reg. III/26, — SOLAS 74 Reg. IV/7, — IMO Res.MSC.246(83), — ITU-R M.1371-5: 2014, — IMO Res.MSC.302(87).				
MED/4.55 Search and rescue locating devices (SRLD): AIS SART equipment	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. IV/14.	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61097-14:2010. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61097-14: 2010.	B+D B+E B+F G		
	Carriage and performance requirements — SOLAS 74 Reg. III/6, — SOLAS 74 Reg. III/26, — SOLAS 74 Reg. IV/7,				

1	2	3	4	5	6
	— IMO Res.MSC.246(83), — ITU-R M.1371-5: 2014,				
MED/4.56 Galileo Equipment	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61108-3:2010, — EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — EN 62288:2014. Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61108-3 (2010), — IEC 61162 series: IEC 61162-1 ed4.0 (2010-11) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06), — IEC 62288 Ed. 2.0 (2014-07).	B+D B+E B+F G		31.8.2019 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.A.813(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.233(82), — IMO Res.MSC.302(87).				
MED/4.56 Galileo Equipment	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3,	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61108-3:2010,	B+D B+E B+F G	19.6.2018	29.8.2021 (I)

1	2	3	4	5	6
	— IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011))+A1(2016), — EN 62288:2014. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61108-3 (2010), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016), — IEC 62288 Ed. 2.0 (2014-07).			
MED/4.56 Galileo Equipment (NEW ROW)	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61108-3:2010, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — EN 62288:2014, — IEC 62923-1:2018, — IEC 62923-2:2018.	B+D B+E B+F G	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.A.813(19),				

1	2	3	4	5	6
	— IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.233(82), — IMO Res.MSC.302(87).	Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61108-3: 2010, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0: 2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018.			
MED/4.57 Bridge Navigational Watch Alarm System (BNWAS)	Type approval requirements — SOLAS 74 Reg. V/18.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — EN 62288:2014, — IEC 62616(2010) incl. IEC 62616 Corr. 1 (2012).	B+D B+E B+F G		31.8.2019 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.128(75), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87), — MSC.1/Circ.1474.	Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 ed4.0 (2010-11) IEC 61162-2 ed1.0 (1998-09)			

1	2	3	4	5	6
		IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06), — IEC 62288 Ed. 2.0 (2014-07), — IEC 62616(2010) incl. IEC 62616 Corr. 1 (2012).			
MED/4.57 Bridge Navigational Watch Alarm System (BNWAS)	Type approval requirements — SOLAS 74 Reg. V/18.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011))+A1(2016), — EN 62288:2014, — IEC 62616(2010) incl. IEC 62616 Corr. 1 (2012). Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016), — IEC 62288 Ed. 2.0 (2014-07), — IEC 62616(2010) incl. IEC 62616 Corr. 1 (2012).	B+D B+E B+F G	19.6.2018	29.8.2021 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.128(75), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87), — MSC.1/Circ.1474.				

1	2	3	4	5	6
MED/4.57 Bridge Navigational Watch Alarm System (BNWAS) (NEW ROW)	Type approval requirements — SOLAS 74 Reg. V/18.	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — EN 62288:2014, — IEC 62616: 2010 incl. IEC 62616 Corr. 1: 2012, — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0: 2014-07, — IEC 62616: 2010 incl. IEC 62616 Corr. 1: 2012, — IEC 62923-1:2018, — IEC 62923-2:2018.	B+D B+E B+F G	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.128(75), — IMO Res.MSC.191(79), — IMO Res.MSC.302(87), — MSC.1/Circ.1474.				

1	2	3	4	5	6
MED/4.58 Sound reception system	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code), — IMO Res.MSC.97(73)-(2000 HSC Code).	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: - EN 61162-1 (2011) - EN 61162-2 (1998) - EN 61162-3 (2008) - EN 61162-450 (2011), — EN 62288:2014, — ISO 14859:2012. Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: - IEC 61162-1 ed4.0 (2010-11) - IEC 61162-2 ed1.0 (1998-09) - IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) - IEC 61162-450 ed1.0 (2011-06), — IEC 62288 Ed. 2.0 (2014-07), — ISO 14859:2012.	B+D B+E B+F G		31.8.2019 (I)
MED/4.58 Sound reception system	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code), — IMO Res.MSC.86(70), — IMO Res.MSC.97(73)-(2000 HSC Code). — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).		B+D B+E B+F G	19.6.2018	29.8.2021 (I)

1	2	3	4	5	6
	— IMO Res.MSC.36(63)-(1994 HSC Code), — IMO Res.MSC.86(70), — IMO Res.MSC.97(73)-(2000 HSC Code). — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).	Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016), — IEC 62288 Ed. 2.0 (2014-07), — ISO 14859:2012.			
MED/4.58 Sound reception system (NEW ROW)	Type approval requirements — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code), — IMO Res.MSC.97(73)-(2000 HSC Code).	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — EN 62288:2014, — IEC 62923-1:2018, — IEC 62923-2:2018, — ISO 14859:2012. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09	B+D B+E B+F G	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code), — IMO Res.MSC.86(70), — IMO Res.MSC.97(73)-(2000 HSC Code). — IMO Res.MSC.191(79), — IMO Res.MSC.302(87).				

1	2	3	4	5	6
		IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0: 2014-07, — IEC 62923-1:2018, — IEC 62923-2:2018, — ISO 14859:2012.			
MED/4.59 Integrated navigation system	Type approval requirements — SOLAS 74 Reg. V/15, — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — EN 62288:2014, — IEC 61924-2 Ed. 1.0 (2012-12). Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 ed4.0 (2010-11) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06), — IEC 62288 Ed. 2.0 (2014-07), — IEC 61924-2 Ed. 1.0 (2012-12).	B+D B+E B+F G		31.8.2019 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.252(83), — IMO Res. MSC.302(87).				

1	2	3	4	5	6
MED/4.59 Integrated navigation system	Type approval requirements — SOLAS 74 Reg. V/15, — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010)+A2(2014) EN 61162-450 (2011))+A1(2016), — EN 62288:2014, — IEC 61924-2 Ed. 1.0 (2012-12). Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016), — IEC 62288 Ed. 2.0 (2014-07), — IEC 61924-2 Ed. 1.0 (2012-12).	B+D B+E B+F G	19.6.2018	29.8.2021 (I)
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.252(83), — IMO Res. MSC.302(87).				
MED/4.59 Integrated navigation system (NEW ROW)	Type approval requirements — SOLAS 74 Reg. V/15, — SOLAS 74 Reg. V/18, — SOLAS 74 Reg. X/3,	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016	B+D B+E B+F G	13.9.2019	

1	2	3	4	5	6
	— IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13.	EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — EN 62288:2014, — IEC 61924-2 Ed. 1.0: 2012-12, — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62288 Ed. 2.0: 2014-07, — IEC 61924-2 Ed. 1.0: 2012-12, — IEC 62923-1:2018, — IEC 62923-2:2018.			
	Carriage and performance requirements — SOLAS 74 Reg. V/19, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 13, — IMO Res.MSC.97(73)-(2000 HSC Code) 13. — IMO Res.MSC.191(79), — IMO Res.MSC.252(83), — IMO Res. MSC.302(87).				

5. Radio-communication equipment

Notes applicable to section 5: Radio-communication equipment.

Column 3: In case of conflicting requirements between IMO MSC/Circ.862 and the product testing standards, the IMO MSC/Circ.862 requirements shall take precedence.

Column 3: In case of conflicting conditions, requirements and tests between Table 5 and Table 6 of IEC 60945 and other listed standards (i.e. ETSI standards), the IEC 60945 conditions, requirements and tests shall take precedence.

Number and item designation	Regulation SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO, as applicable	Testing standards	Modules for conformity assessment	First placing on the market	Last placing on board
1	2	3	4	5	6
MED/5.1 VHF radio capable of transmitting and receiving DSC and radiotelephony	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	— IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series, — ETSI EN 300 338-1 V1.3.1 (2010-02), — ETSI EN 300 338-2 V1.3.1 (2010-02), — ETSI EN 301 843-2 V1.2.1 (2004-06), — ETSI EN 301 925 V1.4.1 (2013-05).	B+D B+E B+F		21.3.2019 (III)
	Carriage and performance requirements — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.385(X), — IMO Res.A.524(13), — IMO Res.A.694(17), — IMO Res.A.803(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. — IMO MSC/Circ.862, — IMO MSC.1/Circ.1460, — IMO COMSAR Circ.32, — ITU-R M.489-2 (10/95), — ITU-R M.493-13 (10/09), — ITU-R M.541-9 (05/04), — ITU-R M.689-3 (03/12).				
MED/5.1 VHF radio capable of transmitting and receiving DSC and radiotelephony	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3,	— IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008),	B+D B+E B+F	16.3.2017	1.2.2020 (III)

1	2	3	4	5	6
	— IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	— EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — ETSI EN 300 338-1 V1.3.1 (2010-02), — ETSI EN 300 338-2 V1.3.1 (2010-02), — ETSI EN 301 843-2 V2.1. 1 (2016-03), — ETSI EN 301 925 V1.4.1 (2013-05).			
	Carriage and performance requirements — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.385(X), — IMO Res.A.524(13), — IMO Res.A.694(17), — IMO Res.A.803(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. — IMO MSC/Circ.862, — IMO MSC.1/Circ.1460, — IMO COMSAR Circ.32, — ITU-R M.489-2 (10/95), — ITU-R M.493-14 (09/15), — ITU-R M.541-10 (10/15).				
MED/5.1 VHF radio capable of transmitting and receiving DSC and radiotelephony	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	— IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010)+A2(2014) EN 61162-450 (2011))+A1(2016), — ETSI EN 300 338-1 V1.4.1 (2017-02),	B+D B+E B+F	19.6.2018	29.8.2021 (III)
	Carriage and performance requirements — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.385(X),				

1	2	3	4	5	6
	— IMO Res.A.524(13), — IMO Res.A.694(17), — IMO Res.A.803(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO MSC/Circ.862, — IMO MSC.1/Circ.1460, — IMO COMSAR Circ.32, — ITU-R M.489-2 (10/95), — ITU-R M.493-14 (09/15), — ITU-R M.541-10 (10/15).	— ETSI EN 300 338-2 V1.4.1 (2017-02), — ETSI EN 301 843-2 V2.1. 1 (2016-03), — ETSI EN 301 925 V1.5.1 (2017-10).			
MED/5.1 VHF radio capable of transmitting and receiving DSC and radiotelephony (NEW ROW)	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	— IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — ETSI EN 300 338-1 V1.4.1 (2017-02), — ETSI EN 300 338-2 V1.4.1 (2017-02), — ETSI EN 301 843-2 V2.2. 1 (2017-11), — ETSI EN 301 925 V1.5.1 (2017-10), — IEC 62923-1:2018, — IEC 62923-2:2018.	B+D B+E B+F	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.385(X), — IMO Res.A.524(13), — IMO Res.A.694(17), — IMO Res.A.803(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14,				

1	2	3	4	5	6
	— IMO Res. MSC.302(87), — IMO MSC/Circ.862, — IMO MSC.1/Circ.1460, — IMO COMSAR Circ.32, — ITU-R M.489-2 (10/95), — ITU-R M.493-14 (09/15), — ITU-R M.541-10 (10/15).	Or: — IMO MSC/Circ.862, — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61097-3: 2017, — IEC 61097-7: 1996 with Am1: 2018, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62923-1:2018, — IEC 62923-2:2018.			
MED/5.2 VHF DSC watch-keeping receiver	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series, — ETSI EN 300 338-1 V1.3.1 (2010-02), — ETSI EN 300 338-2 V1.3.1 (2010-02), — ETSI EN 301 033 V1.4.1 (2013-09), — ETSI EN 301 843-2 V1.2.1 (2004-06).	B+D B+E B+F		21.3.2019 (III)
	Carriage and performance requirements — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.803(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.				

1	2	3	4	5	6
	— IMO COMSAR Circ.32, — ITU-R M.489-2 (10/95), — ITU-R M.493-13 (10/09), — ITU-R M.541-9 (05/04)				
MED/5.2 VHF DSC watch-keeping receiver	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — ETSI EN 300 338-1 V1.3.1 (2010-02), — ETSI EN 300 338-2 V1.3.1 (2010-02), — ETSI EN 301 033 V1.4.1 (2013-09), — ETSI EN 301 843-2 V2.1.1 (2016-03).	B+D B+E B+F	16.3.2017	1.2.2020 (III)
	Carriage and performance requirements — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.803(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. — IMO COMSAR Circ.32, — ITU-R M.489-2 (10/95), — ITU-R M.493-14 (09/15), — ITU-R M.541-10 (10/15).				
MED/5.2 VHF DSC watch-keeping receiver	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3,	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2016)	B+D B+E B+F	19.6.2018	29.8.2021 (III)

1	2	3	4	5	6
	— IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	- EN 61162-2 (1998) - EN 61162-3 (2008) +A1(2010) +A2(2014) - EN 61162-450 (2011))+A1(2016), — ETSI EN 300 338-1 V1.4.1 (2017-02), — ETSI EN 300 338-2 V1.4.1 (2017-02), — ETSI EN 301 033 V1.4.1 (2013-09), — ETSI EN 301 843-2 V2.1.1 (2016-03).			
	Carriage and performance requirements — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.803(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. — IMO COMSAR Circ.32, — ITU-R M.489-2 (10/95), — ITU-R M.493-14 (09/15), — ITU-R M.541-10 (10/15).				
MED/5.2 VHF DSC watch-keeping receiver, (NEW ROW)	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: - EN 61162-1: 2016 - EN 61162-2: 1998 - EN 61162-3: 2008 +A1: 2010 +A2:2014 - IEC 61162-450:2018, — ETSI EN 300 338-1 V1.4.2 (2017-11), — ETSI EN 300 338-2 V1.4.1 (2017-02), — ETSI EN 301 033 V1.4.1 (2013-09), — ETSI EN 301 843-2 V2.2.1 (2017-11),	B+D B+E B+F	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.803(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.				

1	2	3	4	5	6
	— IMO Res. MSC.302(87), — IMO COMSAR Circ.32, — ITU-R M.489-2 (10/95), — ITU-R M.493-14 (09/15), — ITU-R M.541-10 (10/15).	— IEC 62923-1:2018, — IEC 62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61097-3: 2017, — IEC 61097-8: 1998, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62923-1:2018, — IEC 62923-2:2018.			
MED/5.3 NAVTEX receiver	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. Carriage and performance requirements — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. — IMO Res.MSC.148(77),	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — ETSI EN 300 065-1 V1.2.1 (2009-01), — ETSI EN 301 843-4 V1.2.1 (2004-06), Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61097-6 (2012-01).	B+D B+E B+F		21.3.2019 (III)

1	2	3	4	5	6
	— IMO COMSAR Circ.32, — ITU-R M.540-2 (06/90), — ITU-R M.625-4 (03/12).				
MED/5.3 NAVTEX receiver	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. Carriage and performance requirements — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. — IMO Res.MSC.148(77), — IMO COMSAR Circ.32, — ITU-R M.540-2 (06/90), — ITU-R M.625-4 (03/12).	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — ETSI EN 300 065-1 V1.2.1 (2009-01), — ETSI EN 301 843-4 V2.1.1 (2016-03). Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61097-6 (2012-01).	B+D B+E B+F	16.3.2017	1.9.2020 (III)
MED/5.3 NAVTEX receiver	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. Carriage and performance requirements — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3,	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011))+A1(2016), — ETSI EN 300 065-1 V1.2.1 (2016-06),	B+D B+E B+F	19.6.2018	29.8.2021 (III)

1	2	3	4	5	6
	— IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. — IMO Res.MSC.148(77), — IMO COMSAR Circ.32, — ITU-R M.540-2 (06/90), — ITU-R M.625-4 (03/12).	— ETSI EN 301 843-4 V2.1.1 (2016-03). Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016), — IEC 61097-6 (2012-01).			
MED/5.3 NAVTEX receiver (NEW ROW)	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. Carriage and performance requirements — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. — IMO Res.MSC.148(77), — IMO Res. MSC.302(87), — IMO COMSAR Circ.32, — ITU-R M.540-2 (06/90), — ITU-R M.625-4 (03/12).	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — ETSI EN 300 065-1 V1.2.1 (2016-06), — ETSI EN 301 843-2 V2.2.1 (2017-11), — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61162 series: IEC 61162-1:2016	B+D B+E B+F	13.9.2019	

1	2	3	4	5	6
		IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 61097-6 (2012-01), — IEC 62923-1:2018, — IEC 62923-2:2018.			
MED/5.4 EGC receiver	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — ETSI ETS 300 460 ed.1 (1996-05), — ETSI ETS 300 460/A1 (1997-11), — ETSI EN 300 829 V1.1.1 (1998-03), — ETSI EN 301 843-1 V1.3.1 (2012-08), Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61097-4 (2012).	B+D B+E B+F		21.3.2019 (III)
	Carriage and performance requirements — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.570(14), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. — IMO Res.MSC.306(87), — IMO COMSAR Circ.32.				
MED/5.4 EGC receiver	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3,	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — ETSI ETS 300 460 ed.1 (1996-05),	B+D B+E B+F	16.3.2017	1.9.2020 (III)

1	2	3	4	5	6
	— IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	— ETSI ETS 300 460/A1 (1997-11), — ETSI EN 301 843-1 V2.1.1 (2016-03).			
	Carriage and performance requirements — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.570(14), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. — IMO Res.MSC.306(87), — IMO COMSAR Circ.32.	Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61097-4 (2012).			
MED/5.4 EGC receiver	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011))+A1(2016), — ETSI ETS 300 460 ed.1 (1996-05), — ETSI ETS 300 460/A1 (1997-11), — ETSI EN 301 843-1 V2.1.1 (2016-03).	B+D B+E B+F	19.6.2018	29.8.2021 (III)
	Carriage and performance requirements — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.570(14), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. — IMO Res.MSC.306(87), — IMO COMSAR Circ.32.	Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61097-4 (2016),			

1	2	3	4	5	6
		— IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016).			
MED/5.4 EGC receiver (NEW ROW)	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — ETSI ETS 300 460 ed.1 (1996-05), — ETSI ETS 300 460/A1 (1997-11), — ETSI EN 301 843-2 V2.2.1 (2017- 11), — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61097-4: 2016, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09	B+D B+E B+F	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.570(14), — IMO Res.A.694(17), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO Res.MSC.306(87), — IMO COMSAR Circ.32.				

1	2	3	4	5	6
		IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62923-1:2018, — IEC 62923-2:2018.			
MED/5.5 HF marine safety information (MSI) equipment (HF NBDP receiver)	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — ETSI ETS 300 067 ed.1 (1990-11), — ETSI ETS 300 067/A1 ed.1 (1993-10), Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 ed4.0 (2010-11) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06), — ETSI ETS 300 067 ed.1 (1990-11), — ETSI ETS 300 067/A1 ed.1 (1993-10).	B+D B+E B+F		1.9.2020 (III)
	Carriage and performance requirements — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.699(17), — IMO Res.A.700(17), — IMO Res.A.806(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. — IMO MSC.1/Circ.1460, — IMO COMSAR Circ.32, — ITU-R M.492-6 (10/95), — ITU-R M.540-2 (06/90), — ITU-R M.625-4 (03/12), — ITU-R M.688 (06/90).				

1	2	3	4	5	6
MED/5.5 HF marine safety information (MSI) equipment (HF NBDP receiver)	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011))+A1(2016), — ETSI ETS 300 067 ed.1 (1990-11), — ETSI ETS 300 067/A1 ed.1 (1993-10), Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016), — ETSI ETS 300 067 ed.1 (1990-11), — ETSI ETS 300 067/A1 ed.1 (1993-10).	B+D B+E B+F	19.6.2018	29.8.2021 (III)
	Carriage and performance requirements — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.699(17), — IMO Res.A.700(17), — IMO Res.A.806(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. — IMO MSC.1/Circ.1460, — IMO COMSAR Circ.32, — ITU-R M.492-6 (10/95), — ITU-R M.540-2 (06/90), — ITU-R M.625-4 (03/12), — ITU-R M.688 (06/90).				
MED/5.5 HF marine safety information (MSI) equipment (HF NBDP receiver) (NEW ROW)	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3,	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016	B+D B+E B+F	13.9.2019	

1	2	3	4	5	6
	— IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — ETSI ETS 300 067 ed.1 (1990-11), — ETSI ETS 300 067/A1 ed.1 (1993-10), — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — ETSI ETS 300 067 ed.1 (1990-11), — ETSI ETS 300 067/A1 ed.1 (1993-10), — IEC 62923-1:2018, — IEC 62923-2:2018.			
	Carriage and performance requirements — SOLAS 74 Reg. IV/7, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.699(17), — IMO Res.A.700(17), — IMO Res.A.806(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO MSC.1/Circ.1460, — IMO COMSAR Circ.32, — ITU-R M.492-6 (10/95), — ITU-R M.540-2 (06/90), — ITU-R M.625-4 (03/12), — ITU-R M.688 (06/90).				
MED/5.6 406 MHz EPIRB (COSPAS-SARSAT)	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3,	— IMO MSC/Circ.862, Note: IMO MSC/Circ.862 is applicable only to the optional remote activation device, not to the EPIRB itself.	B+D B+E B+F		

1	2	3	4	5	6
	— IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — ETSI EN 300 066 V1.3.1 (2001-01).			
	Carriage and performance requirements — SOLAS 74 Reg. IV/7, — IMO Res.A.662(16), — IMO Res.A.694(17), — IMO Res.A.696(17), — IMO Res.A.810(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO MSC/Circ.862, — IMO COMSAR Circ.32, — ITU-R M.633-4 (12/10), — ITU-R M.690-3 (03/15).	Or: — IMO MSC/Circ.862, Note: IMO MSC/Circ.862 is applicable only to the optional remote activation device, not to the EPIRB itself. — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61097-2 ed3.0: 2008.			

Item MED/5.7 'Lband EPIRB (INMARSAT)', - deliberately left blank.

Item MED/5.8 'MF DSC Reciver', - deliberately left blank.

Item MED/5.9 'Two-tone alarm generator', - deliberately left blank.

MED/5.10 MF radio capable of transmitting and receiving DSC and radiotelephony Note: In line with IMO and ITU decisions, the requirements for Two Tone Alarm generator and transmission on H3E are no longer applicable in the testing standards	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	— IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series, — ETSI EN 300 338-1 V1.3.1 (2010-02), — ETSI EN 300 338-2 V1.3.1 (2010-02), — ETSI EN 300 373-1 V1.4.1 (2013-09), — ETSI EN 301 843-5 V1.1.1(2004-06).	B+D B+E B+F		21.3.2019 (III)
	Carriage and performance requirements — SOLAS 74 Reg. IV/9, — SOLAS 74 Reg. IV/10,				

1	2	3	4	5	6
	— IMO Res.A.694(17), — IMO Res.A.804(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. — IMO MSC.1/Circ.1460, — IMO COMSAR Circ.32, — ITU-R M.493-13 (10/09), — ITU-R M.541-9 (05/04).				
MED/5.10 MF radio capable of transmitting and receiving DSC and radiotelephony Note: In line with IMO and ITU decisions, the requirements for Two Tone Alarm generator and transmission on H3E are no longer applicable in the testing standards	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	— IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — ETSI EN 300 338-1 V1.3.1 (2010-02), — ETSI EN 300 338-2 V1.3.1 (2010-02), — ETSI EN 300 373-1 V1.4.1 (2013-09), — ETSI EN 301 843-5 V2.1.1 (2016-03).	B+D B+E B+F	16.3.2017	1.9.2020 (III)
	Carriage and performance requirements — SOLAS 74 Reg. IV/9, — SOLAS 74 Reg. IV/10, — IMO Res.A.694(17), — IMO Res.A.804(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. — IMO MSC.1/Circ.1460, — IMO COMSAR Circ.32, — ITU-R M.493-14 (09/15), — ITU-R M.541-10 (10/15), — ITU-R M.1173-1 (03/12).				

1	2	3	4	5	6
MED/5.10 MF radio capable of transmitting and receiving DSC and radiotelephony Note: In line with IMO and ITU decisions, the requirements for Two Tone Alarm generator and transmission on H3E are no longer applicable in the testing standards	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	— IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011))+A1(2016), — ETSI EN 300 338-1 V1.4.1 (2017-02), — ETSI EN 300 338-2 V1.4.1 (2017-02), — ETSI EN 300 373-1 V1.4.1 (2013-09), — ETSI EN 301 843-5 V2.1.1 (2016-03).	B+D B+E B+F	19.6.2018	29.8.2021 (III)
	Carriage and performance requirements — SOLAS 74 Reg. IV/9, — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.804(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. — IMO MSC.1/Circ.1460, — IMO COMSAR Circ.32, — ITU-R M.493-14 (09/15), — ITU-R M.541-10 (10/15), — ITU-R M.1173-1 (03/12).				
MED/5.10 MF radio capable of transmitting and receiving DSC and radiotelephony Note: In line with IMO and ITU decisions, the requirements for Two Tone Alarm generator and transmission on H3E are no longer applicable in the testing standards (NEW ROW)	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	— IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018,	B+D B+E B+F	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. IV/9, — SOLAS 74 Reg. IV/10,				

1	2	3	4	5	6
	— SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.804(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO MSC.1/Circ.1460, — IMO COMSAR Circ.32, — ITU-R M.493-14 (09/15), — ITU-R M.541-10 (10/15), — ITU-R M.1173-1 (03/12).	— ETSI EN 300 338-1 V1.4.2 (2017-11), — ETSI EN 300 338-2 V1.4.1 (2017-02), — ETSI EN 300 373-1 V1.4.1 (2013-09), — ETSI EN 301 843-2 V2.2.1 (2017-11), — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61097-3: 2017, — IEC 61097-9: 1997, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62923-1:2018, — IEC 62923-2:2018.			
MED/5.11 MF DSC watch-keeping receiver	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. Carriage and performance requirements — SOLAS 74 Reg. IV/9,	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series, — ETSI EN 300 338-1 V1.3.1 (2010-02), — ETSI EN 300 338-2 V1.3.1 (2010-02), — ETSI EN 301 033 V1.4.1 (2013-09), — ETSI EN 301 843-5 V1.1.1(2004-06).	B+D B+E B+F		21.3.2019 (III)

1	2	3	4	5	6
	— SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.804(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. — IMO COMSAR Circ.32, — ITU-R M.493-13 (10/09), — ITU-R M.541-9 (05/04), — ITU-R M.1173-1 (03/12).				
MED/5.11 MF DSC watch-keeping receiver	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — ETSI EN 300 338-1 V1.3.1 (2010-02), — ETSI EN 300 338-2 V1.3.1 (2010-02), — ETSI EN 301 033 V1.4.1 (2013-09), — ETSI EN 301 843-5 V2.1.1 (2016-03).	B+D B+E B+F	16.3.2017	1.9.2020 (III)
	Carriage and performance requirements — SOLAS 74 Reg. IV/9, — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.804(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. — IMO COMSAR Circ.32, — ITU-R M.493-14 (09/15), — ITU-R M.541-10 (10/15), — ITU-R M.1173-1 (03/12).				

1	2	3	4	5	6
MED/5.11 MF DSC watch-keeping receiver	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. Carriage and performance requirements — SOLAS 74 Reg. IV/9, — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.804(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. — IMO COMSAR Circ.32, — ITU-R M.493-14 (09/15), — ITU-R M.541-10 (10/15), — ITU-R M.1173-1 (03/12).	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 2016, EN 61162-2 (1998), EN 61162-3 (2008) +A1(2010) +A2(2014), EN 61162-450 (2011))+A1(2016), — ETSI EN 300 338-1 V1.4.1 (2017-02), — ETSI EN 300 338-2 V1.4.1 (2017-02), — ETSI EN 301 033 V1.4.1 (2013-09), — ETSI EN 301 843-5 V2.1.1 (2016-03).	B+D B+E B+F	19.6.2018	29.8.2021 (III)
MED/5.11 MF DSC watch-keeping receiver (NEW ROW)	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. Carriage and performance requirements — SOLAS 74 Reg. IV/9, — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.804(19),	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — ETSI EN 300 338-1 V1.4.2 (2017-11), — ETSI EN 300 338-2 V1.4.1 (2017-02), — ETSI EN 301 033 V1.4.1 (2013-09),	B+D B+E B+F	13.9.2019	

1	2	3	4	5	6
	— IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO COMSAR Circ.32, — ITU-R M.493-14 (09/15), — ITU-R M.541-10 (10/15), — ITU-R M.1173-1 (03/12).	— ETSI EN 301 843-5 V2.2.1 (2017-11), — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61097-3: 2017, — IEC 61097-8: 1998, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62923-1:2018, — IEC 62923-2:2018.			

MED/5.12 Inmarsat-B SES this item has been deleted as Inmarsat-B SES Service has been discontinued on 31 December 2016.

MED/5.13 Inmarsat-C SES	Type approval requirements	— IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series, — ETSI ETS 300 460 ed.1 (1996-05), — ETSI ETS 300 460/A1 (1997-11), — ETSI EN 300 829 V1.1.1 (1998-03), — ETSI EN 301 843-1 V1.3.1 (2012-08).	B+D B+E B+F		21.3.2019 (III)
	Carriage and performance requirements — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.570(14), — IMO Res.A.664(16), Note for Res. A.644(16): applicable only if the Inmarsat C SES supports EGC functions	Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61097-4 (2012), — IEC 61162 Series.			

1	2	3	4	5	6
	— IMO Res.A.694(17), — IMO Res.A.807(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. — IMO Res.MSC.306(87), — IMO MSC/Circ.862, — IMO COMSAR Circ.32.				
MED/5.13 Inmarsat-C SES	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. Carriage and performance requirements — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.570(14), — IMO Res.A.664(16), Note for Res. A.664(16): applicable only if the Inmarsat C SES supports EGC functions — IMO Res.A.694(17), — IMO Res.A.807(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. — IMO Res.MSC.306(87), — IMO MSC/Circ.862, — IMO COMSAR Circ.32.	— IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — ETSI ETS 300 460 ed.1 (1996-05), — ETSI ETS 300 460/A1 (1997-11), — ETSI EN 301 843-1 V2.1.1 (2016-03). Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61097-4 (2012), — IEC 61162 series: IEC 61162-1 ed4.0 (2010-11) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06).	B+D B+E B+F	16.3.2017	1.9.2020 (III)

1	2	3	4	5	6
MED/5.13 Inmarsat-C SES	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. Carriage and performance requirements — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.570(14), — IMO Res.A.664(16), Note for Res. A.664(16): applicable only if the Inmarsat C SES supports EGC functions — IMO Res.A.694(17), — IMO Res.A.807(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. — IMO Res.MSC.306(87), — IMO MSC/Circ.862, — IMO COMSAR Circ.32.	— IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011))+A1(2016), — ETSI ETS 300 460 ed.1 (1996-05), — ETSI ETS 300 460/A1 (1997-11), — ETSI EN 301 843-1 V2.1.1 (2016-03). Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61097-4 (2012), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016).	B+D B+E B+F	19.6.2018	29.8.2021 (III)
MED/5.13 Inmarsat-C SES (NEW ROW)	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3,	— IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1: 2008,	B+D B+E B+F	13.9.2019	

1	2	3	4	5	6
	— IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. Carriage and performance requirements — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.570(14), — IMO Res.A.664(16), Note for Res. A.664(16): applicable only if the Inmarsat C SES supports EGC functions — IMO Res.A.694(17), — IMO Res.A.807(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO Res.MSC.306(87), — IMO MSC/Circ.862, — IMO COMSAR Circ.32.	— EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — ETSI ETS 300 460 ed.1 (1996-05), — ETSI ETS 300 460/A1 (1997-11), — ETSI EN 301 843-1 V2.2.1 (2017-11), — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61097-4: 2012, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62923-1:2018, — IEC 62923-2:2018.			
MED/5.14 MF/HF radio capable of transmitting and receiving DSC, NBDP and radiotelephony	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3,	— IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008),	B+D B+E B+F		21.3.2019 (III)

1	2	3	4	5	6
Note: In line with IMO and ITU decisions, the requirements for Two Tone Alarm generator and transmission on A3H are no longer applicable in testing standards.	— IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	— EN 61162 series, — ETSI ETS 300 067 ed.1 (1990-11), — ETSI ETS 300 067/A1 ed.1 (1993-10), — ETSI EN 300 338-1 V1.3.1 (2010-02), — ETSI EN 300 338-2 V1.3.1 (2010-02), — ETSI EN 300 373-1 V1.4.1 (2013-09), — ETSI EN 301 843-5 V1.1.1(2004-06).			
	Carriage and performance requirements — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.806(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. — IMO MSC/Circ.862, — IMO MSC.1/Circ.1460, — IMO COMSAR Circ.32, — ITU-R M.476-5 (10/95), — ITU-R M.492-6 (10/95), — ITU-R M.493-13 (10/09), — ITU-R M.541-9 (05/04), — ITU-R M.625-4 (03/12), — ITU-R M.1173-1 (03/12).				
MED/5.14 MF/HF radio capable of transmitting and receiving DSC, NBDP and radiotelephony Note: In line with IMO and ITU decisions, the requirements for Two Tone Alarm generator and transmission on A3H are no longer applicable in testing standards.	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	— IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: - EN 61162-1 (2011) - EN 61162-2 (1998) - EN 61162-3 (2008) - EN 61162-450 (2011), — ETSI ETS 300 067 ed.1 (1990-11), — ETSI ETS 300 067/A1 ed.1 (1993-10),	B+D B+E B+F	16.3.2017	1.9.2020 (III)
Carriage and performance requirements — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17),					

1	2	3	4	5	6
	— IMO Res.A.806(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. — IMO MSC/Circ.862, — IMO MSC.1/Circ.1460, — IMO COMSAR Circ.32, — ITU-R M.476-5 (10/95), — ITU-R M.492-6 (10/95), — ITU-R M.493-14 (09/15), — ITU-R M.541-10 (10/15) — ITU-R M.625-4 (03/12), — ITU-R M.1173-1 (03/12).	— ETSI EN 300 338-1 V1.3.1 (2010-02), — ETSI EN 300 338-2 V1.3.1 (2010-02), — ETSI EN 300 373-1 V1.4.1 (2013-09), — ETSI EN 301 843-5 V2.1.1 (2016-03).			
MED/5.14 MF/HF radio capable of transmitting and receiving DSC, NBDP and radiotelephony Note: In line with IMO and ITU decisions, the requirements for Two Tone Alarm generator and transmission on A3H are no longer applicable in testing standards.	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. Carriage and performance requirements — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.806(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO MSC/Circ.862, — IMO MSC.1/Circ.1460, — IMO COMSAR Circ.32,	— IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011))+A1(2016), — ETSI ETS 300 067 ed.1 (1990-11), — ETSI ETS 300 067/A1 ed.1 (1993-10), — ETSI EN 300 338-1 V1.4.1 (2017-02), — ETSI EN 300 338-2 V1.4.1 (2017-02), — ETSI EN 300 373-1 V1.4.1 (2013-09), — ETSI EN 301 843-5 V2.1.1 (2016-03).	B+D B+E B+F	19.6.2018	29.8.2021 (III)

1	2	3	4	5	6
	— ITU-R M.476-5 (10/95), — ITU-R M.492-6 (10/95), — ITU-R M.493-14 (09/15), — ITU-R M.541-10 (10/15) — ITU-R M.625-4 (03/12), — ITU-R M.1173-1 (03/12).				
MED/5.14 MF/HF radio capable of transmitting and receiving DSC, NBDP and radiotelephony Note: In line with IMO and ITU decisions, the requirements for Two Tone Alarm generator and transmission on A3H are no longer applicable in testing standards. (NEW ROW)	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. Carriage and performance requirements — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.806(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO MSC/Circ.862, — IMO MSC.1/Circ.1460, — IMO COMSAR Circ.32, — ITU-R M.476-5 (10/95), — ITU-R M.492-6 (10/95), — ITU-R M.493-14 (09/15), — ITU-R M.541-10 (10/15) — ITU-R M.625-4 (03/12), — ITU-R M.1173-1 (03/12).	— IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — ETSI ETS 300 067 ed.1 (1990-11), — ETSI ETS 300 067/A1 ed.1 (1993-10), — ETSI EN 300 338-1 V1.4.2 (2017-11), — ETSI EN 300 338-2 V1.4.1 (2017-02), — ETSI EN 300 373-1 V1.4.1 (2013-09), — ETSI EN 301 843-5 V2.2.1 (2017-11), — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — IMO MSC/Circ.862, — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008,	B+D B+E B+F	13.9.2019	

1	2	3	4	5	6
		— IEC 61097-3: 2017, — IEC 61097-9: 1997, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62923-1:2018, — IEC 62923-2:2018.			
MED/5.15 MF/HF DSC scanning watch keeping receiver	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series, — ETSI EN 300 338-1 V1.3.1 (2010-02), — ETSI EN 300 338-2 V1.3.1 (2010-02), — ETSI EN 301 033 V1.4.1 (2013-09), — ETSI EN 301 843-5 V1.1.1(2004-06), Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61097-3 (1994), — IEC 61097-8 (1998), — IEC 61162 Series.	B+D B+E B+F		21.3.2019 (III)
	Carriage and performance requirements — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.806(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. — IMO COMSAR Circ.32, — ITU-R M.493-13 (10/09), — ITU-R M.541-9 (05/04)				

1	2	3	4	5	6
MED/5.15 MF/HF DSC scanning watch keeping receiver	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — EN 61162 series: EN 61162-1 (2011) EN 61162-2 (1998) EN 61162-3 (2008) EN 61162-450 (2011), — ETSI EN 300 338-1 V1.3.1 (2010-02), — ETSI EN 300 338-2 V1.3.1 (2010-02), — ETSI EN 301 033 V1.4.1 (2013-09), — ETSI EN 301 843-5 V2.1.1 (2016-03). Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61097-3 (1994), — IEC 61097-8 (1998), — IEC 61162 series: IEC 61162-1 ed4.0 (2010-11) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06).	B+D B+E B+F	16.3.2017	1.9.2020 (III)
	Carriage and performance requirements — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.806(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. — IMO COMSAR Circ.32, — ITU-R M.493-14 (09/15), — ITU-R M.541-10 (10/15), — ITU-R M.1173-1 (03/12).				
MED/5.15 MF/HF DSC scanning watch keeping receiver	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3,	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008),	B+D B+E B+F	19.6.2018	29.8.2021 (III)

1	2	3	4	5	6
	— IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	— EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011))+A1(2016), — ETSI EN 300 338-1 V1.4.1 (2017-02), — ETSI EN 300 338-2 V1.4.1 (2017-02), — ETSI EN 301 033 V1.4.1 (2013-09), — ETSI EN 301 843-5 V2.1.1 (2016-03). Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61097-3 (1994), — IEC 61097-8 (1998), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09) IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016).			
MED/5.15 MF/HF DSC scanning watch keeping receiver (NEW ROW)	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3,	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016	B+D B+E B+F	13.9.2019	

1	2	3	4	5	6
	— IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — ETSI EN 300 338-1 V1.4.2 (2017-11), — ETSI EN 300 338-2 V1.4.1 (2017-02), — ETSI EN 301 033 V1.4.1 (2013-09), — ETSI EN 301 843-5 V2.2.1 (2017-11), — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61097-3: 2017, — IEC 61097-8: 1998, — IEC 61097-9: 1997, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62923-1:2018, — IEC 62923-2:2018.			
	Carriage and performance requirements — SOLAS 74 Reg. IV/10, — SOLAS 74 Reg. X/3, — IMO Res.A.694(17), — IMO Res.A.806(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO COMSAR Circ.32, — ITU-R M.493-14 (09/15), — ITU-R M.541-10 (10/15), — ITU-R M.1173-1 (03/12).				

Item MED/5.16 'Aeronautical two way VHF radio telephone apparatus',– no longer listed in the implementing regulation of Directive 2014/90/EU.

1	2	3	4	5	6
MED/5.17 Portable survival craft two-way VHF radiotelephone apparatus	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — ETSI EN 300 225 V1.4.1 (2004-12), — ETSI EN 301 843-2 V1.2.1 (2004-06), Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61097-12 (1996).	B+D B+E B+F		7.12.2018 (III)
	Carriage and performance requirements — SOLAS 74 Reg. III/6, — IMO Res.A.694(17), — IMO Res.A.809(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. — IMO Res.MSC.149(77), — ITU-R M.489-2 (10/95).				
MED/5.17 Portable survival craft two-way VHF radiotelephone apparatus	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — ETSI EN 300 225 V1.5.1 (2015-12), — ETSI EN 301 843-2 V2.1.0 (2015-12). Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61097-12 (1996).	B+D B+E B+F	16.3.2017	1.3.2019 (III)
	Carriage and performance requirements — SOLAS 74 Reg. III/6, — IMO Res.A.694(17), — IMO Res.A.809(19),				

1	2	3	4	5	6
	— IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. — IMO Res.MSC.149(77), — ITU-R M.489-2 (10/95).				
MED/5.17 Portable survival craft two-way VHF radiotelephone apparatus	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	— EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — ETSI EN 300 225 V1.5.1 (2015-12), — ETSI EN 301 843-2 V2.1.1 (2016-03). Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61097-12 (1996) + Amend 1:2017.	B+D B+E B+F	19.6.2018	1.11.2020 (III)
	Carriage and performance requirements — SOLAS 74 Reg. III/6, — IMO Res.A.694(17), — IMO Res.A.809(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res.MSC.149(77), — ITU-R M.489-2 (10/95).				

1	2	3	4	5	6
MED/5.17 Portable survival craft two-way VHF radiotelephone apparatus (NEW ROW)	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — ETSI EN 300 225 V1.5.1 (2015-12), — ETSI EN 301 843-2 V2.2.1 (2017-11). Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61097-12: 1996 + Am1:2017.	B+D B+E B+F	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. III/6, — IMO Res.A.694(17), — IMO Res.A.809(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res.MSC.149(77), — ITU-R M.489-2 (10/95).				
MED/5.18 Fixed survival craft two-way VHF radiotelephone apparatus	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — ETSI EN 301 466 V1.1.1 (2000-10), Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61097-12: 1996.	B+D B+E B+F		7.12.2018 (III)
	Carriage and performance requirements — SOLAS 74 Reg. III/6, — IMO Res.A.694(17), — IMO Res.A.809(19),				

1	2	3	4	5	6
	— IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. — ITU-R M.489-2 (10/95).				
MED/5.18 Fixed survival craft two-way VHF radiotelephone apparatus	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. Carriage and performance requirements — SOLAS 74 Reg. III/6, — IMO Res.A.694(17), — IMO Res.A.809(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 8, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. — ITU-R M.489-2 (10/95).	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — ETSI EN 301 466 V1.2.1 (2015-12). Or, — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61097-12: 1996 + Am1:2017..	B+D B+E B+F	19.6.2018	
MED/5.19 Inmarsat-F77	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3,	— IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008),	B+D B+E B+F		31.8.2019 (I)

1	2	3	4	5	6
	— IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	— IEC 61097-13 (2003). Or, — IMO MSC/Circ.862, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61097-13 (2003).			
	Carriage and performance requirements — SOLAS 74 Reg. IV/10, — IMO Res.A.570(14), — IMO Res.A.694(17), — IMO Res.A.808(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. — IMO MSC/Circ.862, — IMO COMSAR Circ.32.				
MED/5.19 Inmarsat-F77	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	— IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61097-13 (2003), — EN 61162 series: EN 61162-1 (2016) EN 61162-2 (1998) EN 61162-3 (2008) +A1(2010) +A2(2014) EN 61162-450 (2011))+A1(2016), Or: — IMO MSC/Circ.862, — IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008), — IEC 61097-13 (2003), — IEC 61162 series: IEC 61162-1 (2016) IEC 61162-2 ed1.0 (1998-09)	B+D B+E B+F	19.6.2018	29.8.2021 (I)
	Carriage and performance requirements — SOLAS 74 Reg. IV/10, — IMO Res.A.570(14), — IMO Res.A.694(17), — IMO Res.A.808(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14. — IMO MSC/Circ.862, — IMO COMSAR Circ.32.				

1	2	3	4	5	6
		IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-450 ed1.0 (2011-06) with am1(2016).			
MED/5.19 Inmarsat-F77 (NEW ROW)	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3, — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14.	— IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61097-13: 2003, — EN 61162 series: EN 61162-1: 2016 EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — IMO MSC/Circ.862, — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61097-13: 2003, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — IEC 62923-1:2018, — IEC 62923-2:2018.	B+D B+E B+F	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. IV/10, — IMO Res.A.570(14), — IMO Res.A.694(17), — IMO Res.A.808(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res. MSC.302(87), — IMO MSC/Circ.862, — IMO COMSAR Circ.32.				

1	2	3	4	5	6
MED/5.20 Fire-fighter's two-way radiotelephone apparatus New item inserted by Implementing Regulation 2019/1397	Type approval requirements — SOLAS 74/2014 Reg. II-2/10.10.4.	— EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — ETSI EN 301 843-1 V2.2.1 (2017-11), — ETSI EN 301 843-2 V2.2. 1 (2017-11), — ATEX Directive 2014/34/EU, — a) UHF portable radios: — ETSI EN 300 720 V2.1.1 (2017-01), — b) VHF portable radios: — ETSI EN 301 178-1 v.2.2.2 (2017-04), Or — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008, — ETSI EN 301 843-1 V2.2.1 (2017-11), — ETSI EN 301 843-2 V2.2. 1 (2017-11), — ATEX Directive 2014/34/EU, — a) UHF portable radios: — ETSI EN 300 720 V2.1.1 (2017-01), — b) VHF portable radios: — ETSI EN 301 178-1 v.2.2.2 (2017-04).	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74/2014 Reg. II-2/10.10.4, — IMO Res.A.694(17), — ITU-R M.489-2 (10/95), — ITU-R M.1174-3 (03/15).				
MED/5.21 Integrated communication system (ICS) New item inserted by Implementing Regulation 2019/1397	Type approval requirements — SOLAS 74 Reg. IV/14, — SOLAS 74 Reg. X/3.	— IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — EN 61162 series: EN 61162-1: 2016	B+D B+E B+F		
	Carriage and performance requirements — SOLAS 74 Reg. IV/14,				

1	2	3	4	5	6
	— SOLAS 74 Reg. X/3, — IMO Res.A694(17), — IMO Res. A.811(19), — IMO Res.MSC.36(63)-(1994 HSC Code) 14, — IMO Res.MSC.97(73)-(2000 HSC Code) 14, — IMO Res.MSC.191(79), — IMO Res.MSC.302(87), — IMO MSC.1/Circ.1389, — IMO COMSAR Circ.32, — For GMDSS functions and units included in the ICS, the performance requirements for those functions and units apply.	EN 61162-2: 1998 EN 61162-3: 2008 +A1: 2010 +A2:2014 IEC 61162-450:2018, — EN 62940:2017, — EN 61924-2:2013 incl. IEC 61924-2: Corr. 1:2013, — EN 62288:2014, — IEC 62923-1:2018, — IEC 62923-2:2018. Or: — IMO MSC/Circ.862, — EN 60945:2002 incl. IEC 60945 Corr. 1: 2008, — IEC 61162 series: IEC 61162-1:2016 IEC 61162-2 ed1.0: 1998-09 IEC 61162-3 ed1.2 Consol. with A1 Ed. 1.0: 2010-11 and A2 Ed. 1.0: 2014-07 IEC 61162-450:2018, — EN 62940:2017, — IEC 61924-2:2012 incl. IEC 61924-2 Corr. 1:2013, — IEC 62288:2014, — IEC 62923-1:2018, — IEC 62923-2:2018. — For GMDSS functions and units included in the ICS, the test requirements for those functions and units apply.			

6. Equipment required under COLREG 72

Number and item designation	Regulation SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO, as applicable	Testing standards	Modules for conformity assessment	First placing on the market	Last placing on board
1	2	3	4	5	6
MED/6.1 Navigation lights	Type approval requirements — COLREG 72 Annex I/14.	— EN 14744:2005 incl. AC:2006, — EN 60945:2002 incl. IEC 60945 Corr. 1: 2008. Or: — EN 14744:2005 incl. AC:2006, — IEC 60945:2002 incl. IEC 60945 Corr. 1: 2008.	B+D B+E B+F G		
	Carriage and performance requirements — COLREG 72 Annex I/14, — IMO Res.A.694(17), — IMO Res.MSC.253(83).				

7. Other safety equipment

Number and item designation	Regulation SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO, as applicable	Testing standards	Modules for conformity assessment	First placing on the market	Last placing on board
1	2	3	4	5	6
MED/7.1 Self-contained compressed-air-operated breathing apparatus for entry and work in gasfilled space (New item inserted by Implementing Regulation (EU) 2018/773, refer to item 3.7)	Type approval requirements — SOLAS 74 Reg.II-2/10, — IMO Res.MSC.98(73)-(FSS Code) 3.	— ISO 23269-3:2011. Note: Associated fireproof lifeline (MED 3.44):The lifeline shall be used in conjunction with the breathing apparatus and capable of being attached by means of a snap-hook to the harness of the apparatus or to a separate belt in order to prevent the breathing apparatus becoming detached when the lifeline is operated. Air breathing apparatus module B shall indicate the MED fireproof lifeline as mandatory combined component.	B+D B+E B+F G	19.6.2018	
	Carriage and performance requirements — SOLAS 74 Reg. II-2/10, — SOLAS 74 Reg. II-2/15, — IMO Res.MSC.98(73)-(FSS Code) 3, — IMO Res.MSC.4(48)-(IBC Code) 14, — IMO Res.MSC.5(48)-(IGC Code) 14, — IMO MSC.1/Circ.1499.				

8. Equipment under SOLAS Chapter II-1

Number and item designation	Regulation SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO, as applicable	Testing standards	Modules for conformity assessment	First placing on the market	Last placing on board
1	2	3	4	5	6
MED/8.1 — Water level detectors	Type approval requirements — SOLAS 74 Reg. II-1/22-1, — SOLAS 74 Reg. II-1/25, — SOLAS 74 Reg. XII/12.	— IEC 60092-504:2001 incl. IEC 60092-504 Corr.1: 2011, — IEC 60529 Ed. 2.2 (2013), — IMO Res.MSC.188(79), — IMO MSC.1/Circ.1291.	B+D B+E B+F		22.11.2019 (III)
	Carriage and performance requirements — SOLAS 74 Reg. II-1/25, — SOLAS 74 Reg. XII/12. — IMO Res.A.1021(26), — IMO Res.MSC.188(79), — IMO MSC.1/Circ.1464 Rev.1.				
MED/8.1 — Water level detectors	Type approval requirements — SOLAS 74 Reg. II-1/22-1, — SOLAS 74 Reg. II-1/25, — SOLAS 74 Reg. XII/12.	— IEC-60092-504:2016, — IEC 60529 Ed. 2.2 (2013), — IMO Res.MSC.188(79), — IMO MSC.1/Circ.1291.	B+D B+E B+F	16.3.2017	13.9.2022
	Carriage and performance requirements — SOLAS 74 Reg. II-1/25, — SOLAS 74 Reg. XII/12. — IMO Res.A.1021(26), — IMO Res.MSC.188(79), — IMO MSC.1/Circ.1464 Rev.1.				

1	2	3	4	5	6
MED/8.1 — Water level detectors (NEW ROW)	Type approval requirements — SOLAS 74 Reg. II-1/22-1, — SOLAS 74 Reg. II-1/25, — SOLAS 74 Reg. XII/12.	— IEC-60092-504:2016, — IEC 60529 Ed. 2.2: 2013 incl. Corr1:2013 and Corr2: 2015, — IMO Res.MSC.188(79), — IMO MSC.1/Circ.1291.	B+D B+E B+F	13.9.2019	
	Carriage and performance requirements — SOLAS 74 Reg. II-1/25, — SOLAS 74 Reg. XII/12. — IMO Res.A.1021(26), — IMO Res.MSC.188(79), — IMO MSC.1/Circ.1572.				

9. Equipment for which the set of standards for MED certification is not complete

Note applicable to section 9:

A set of standards for MED certification is deemed to be complete where

IMO Provisions for:

- type approval,
- carriage requirements, and
- testing Standards

are available and appropriate.

1. Life-saving appliances

No.	Item designation
MED/9/1.1	Radar reflector for liferafts
MED/9/1.2	Immersion suit materials
MED/9/1.3	Float-free launching appliances for survival craft
MED/9/1.5	Public address & general emergency alarm system (when used as fire alarm device item A.1/3.53 shall apply)

2. Marine pollution prevention

No.	Item designation
MED/9/2.3	Equipment using other equivalent methods to reduce on board NOx emissions
MED/9/2.4	Equipment using other technological methods to limit SOx emissions
MED/9/2.5	On board NOx analysers using a measurement method other than the Direct Measurement and Monitoring Method of the NOx Technical Code 2008

3. Fire protection equipment

No.	Item designation
MED/9/3.8	Electric safety lamp
MED/9/3.9	Protective clothing resistant to chemical attack
MED/9/3.13	Compressed airline breathing apparatus (High Speed Craft)
MED/9/3.21	Paint lockers and flammable liquid lockers fire extinguishing systems components
MED/9/3.24	Portable Foam Applicator Units
MED/9/3.26	Gaseous Fuel Systems Used for Domestic Purposes (components)
MED/9/3.27	Fixed Gas Fire Extinguishing Systems (CO ₂) components.
MED/9/3.31	Water Spraying Hand Operated System
MED/9/3.33	Fire hoses with diameter > 52 mm

4. Navigation equipment

No.	Item designation
MED/9/4.11	Combined GPS/GLONASS equipment
MED/9/4.20	Track control system for — high-speed craft
MED/9/4.33	Track control system (working at ship's speed from 30 knots and above)
MED/9/4.37	Electronic Inclinator

5. Radiocommunication equipment

No.	Item designation
MED/9/5.8	Aeronautical two way VHF radio telephone apparatus

6. Equipment required under COLREG 72

No.	Item designation
MED/9/6.2	Sound signal appliances
MED/9/6.4	Two way voice and data communication with a Telemedical Assistance Service (TMAS)
MED/9/6.5	Sound signalling system mounted to face astern to indicate escort and emergency manoeuvres

7. Other safety equipment

No.	Item designation
MED/9/7.1	Loading instrument
MED/9/7.2	Water level detectors on bulk carriers

8. SOLAS Chapter II-1 equipment

No.	Item designation
MED/9/8.1	Cold-weather starting of generator sets (starting devices)

